



Issuing Date Dec-12-2016

# Safety Data Sheet

OSHA format  
Revision Number 0

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

### Product identifier

Product name HARD 1 Reagent

### Other means of identification

Product Code(s) P-4259

UN-No 1824

### Recommended use of the chemical and restrictions on use

Recommended Use Laboratory chemicals. Industrial (not for food or food contact use). Use as a laboratory reagent.

### Details of the supplier of the safety data sheet

#### **Manufacturer Address**

LaMotte Company, Inc.  
802 Washington Avenue  
P.O. Box 329  
Chestertown, MD 21620 USA  
T 410-778-3100  
F 410-778-9748

### Emergency telephone numbers

(CHEM-TEL):USA, Canada, Puerto Rico 1-800-255-3924 Outside North American Continent (Call collect) 813-248-0585

**2. HAZARDS IDENTIFICATION**

Skin corrosion/irritation	Category 1 Sub-category A
Serious eye damage/eye irritation	Category 1

**EMERGENCY OVERVIEW****DANGER****Hazard statements**

Causes severe skin burns and eye damage.



**Appearance** Clear, colorless liquid      **Physical state** liquid      **Odor** Odorless

**Precautionary Statements - Prevention**

Do not taste or swallow. Do not breathe dust/fume/gas/mist/vapors/spray. Wash face, hands and any exposed skin thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. Keep out of the reach of children.

**Response:** Immediately call a poison center or physician.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
IF ON SKIN (or hair): Remove immediately all contaminated clothing. Rinse skin with water. Wash contaminated clothing before reuse.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

**Storage:**

Store locked up.

**Disposal:**

Dispose of contents/container to an approved waste disposal plant.

**3. COMPOSITION/INFORMATION ON INGREDIENTS\***

Chemical name	CAS No.	Weight-%
Sodium hydroxide	1310-73-2	5.4
Triethanolamine	102-71-6	5.6

**4. FIRST AID MEASURES****First Aid Measures****General advice**

Do not get in eyes, on skin, or on clothing.

**Eye contact**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek immediate medical attention/advice.

**Skin contact**

Wash off immediately with soap and plenty of water for at least 15 minutes. Take off contaminated clothing and wash before reuse. Call a physician immediately.

<b>Inhalation</b>	IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. Call a physician immediately.
<b>Ingestion</b>	Do NOT induce vomiting. Call a physician immediately. Drink plenty of water. Never give anything by mouth to an unconscious person.
<b><u>Self-protection of the first aider</u></b>	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Use personal protection recommended in Section 8.

## 5. FIREFIGHTING MEASURES

### **Suitable extinguishing media**

Dry chemical or CO<sub>2</sub>. DO NOT USE WATER.

### **Specific hazards arising from the chemical**

React vigorously with water.

### **Hazardous combustion products**

Contact with metals may evolve flammable hydrogen gas.

### **Protective equipment and precautions for firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

### **Personal precautions, protective equipment and emergency procedures**

<b>Personal precautions</b>	Ensure adequate ventilation. Use personal protection recommended in Section 8. Avoid contact with skin, eyes or clothing. Avoid breathing vapors or mists.
<b>Environmental precautions</b>	See Section 12 for additional Ecological Information. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

### **Methods and material for containment and cleaning up**

<b>Methods for containment</b>	Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).
<b>Methods for cleaning up</b>	After cleaning, flush away traces with water.

## 7. HANDLING AND STORAGE

### **Precautions for safe handling**

<b>Handling</b>	Handle in accordance with good industrial hygiene and safety practice. Do not taste or swallow. Do not eat, drink or smoke when using this product. Avoid contact with skin, eyes or clothing.
-----------------	--

### **Conditions for safe storage, including any incompatibilities**

<b>Storage:</b>	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from incompatible materials such as cyanides or sulfides. Store away from strong bases or metals. Do not store near combustible materials. Keep out of the reach of children.
<b>Incompatible Products</b>	Water. Strong bases. Metals. Combustible materials. Cyanides. Sulfides. Formaldehyde.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Control parameters**

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Sodium hydroxide 1310-73-2	Ceiling: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup> (vacated) Ceiling: 2 mg/m <sup>3</sup>	IDLH: 10 mg/m <sup>3</sup> Ceiling: 2 mg/m <sup>3</sup>
Triethanolamine 102-71-6	TWA: 5 mg/m <sup>3</sup>	*-	Not Established

**Appropriate engineering controls**

**Engineering Measures** Ensure adequate ventilation, especially in confined areas.

**Individual protection measures, such as personal protective equipment**

**Eye/Face Protection** Wear safety glasses with side shields (or goggles). If splashes are likely to occur. Face protection shield. Ensure that eyewash stations and safety showers are close to the workstation location.

**Skin and body protection** Gloves & Lab Coat. Impervious clothing. Protective gloves. Nitrile rubber.

**Respiratory protection** When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

**Hygiene Measures** Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product. Take off contaminated clothing and wash before reuse.

**9. PHYSICAL AND CHEMICAL PROPERTIES****Information on basic physical and chemical properties**

<b>Physical state</b>	liquid		
<b>Appearance</b>	Clear, colorless liquid	<b>Odor</b>	Odorless
<b>Color</b>	Clear, colorless		

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	13-14	
Melting point / freezing point	No information available	
Boiling point / boiling range	No information available	
Flash point	Not Applicable	
Evaporation rate		
Flammability (solid, gas)	No information available	
Flammability Limit in Air		
Upper flammability limit:	No information available	
Lower flammability limit:	No information available	
Vapor pressure	.	<17 mmHg @ 20°C
Vapor density	>1	(air=1)
Specific gravity	No information available	
Water solubility	Soluble in water	
Solubility in other solvents	No information available	
Partition coefficient	No information available	
Autoignition temperature	No information available	
Decomposition temperature	No information available	
Kinematic viscosity	No information available	
Dynamic viscosity	No information available	
Explosive properties	No information available	
Oxidizing properties	No information available	

**Other Information**

<b>Softening point</b>	No information available
<b>Molecular weight</b>	No information available
<b>VOC Content (%)</b>	No information available

Density No information available  
Bulk density No information available

## 10. STABILITY AND REACTIVITY

**Stability** Stable under recommended storage conditions.  
**Hazardous Reactions** Reacts violently with water. Contact with metals may evolve flammable hydrogen gas.  
**Hazardous polymerization** Hazardous polymerization does not occur.  
**Conditions to avoid** Excessive heat. Moisture. Incompatible Products.  
**Incompatible materials** Water. Strong bases. Metals. Combustible materials. Cyanides. Sulfides. Formaldehyde.  
**Hazardous decomposition products** Hydrogen gas. Sulfur oxides (SOx).

## 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

#### Component identification

Chemical name	ATEmix (oral)	ATEmix (dermal)	Inhalation LC50
Sodium hydroxide 1310-73-2	Not Established	= 1350 mg/kg ( Rabbit )	Not Established
Triethanolamine 102-71-6	= 4190 mg/kg ( Rat )	> 16 mL/kg ( Rat ) > 20 mL/kg ( Rabbit )	Not Established

#### Information on toxicological effects

Chemical name	ACGIH	IARC	NTP	OSHA
Sodium hydroxide 1310-73-2	Not Established	Not Established	Not Established	Not Established
Triethanolamine 102-71-6	Not Established	Group 3	Not Established	Not Established

ACGIH (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

**Chronic toxicity** Chronic exposure to corrosive mists or vapors may cause erosion of the teeth. Chronic exposure to mists containing sulfuric acid is a cancer hazard.

### Numerical measures of toxicity - Product Information

ATEmix (oral) 74,821.00 mg/kg  
ATEmix (dermal) 23,194.00 mg/kg

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

**Unknown Aquatic Toxicity** 0 % of the mixture consists of component(s) of unknown hazards to the aquatic environment

Chemical name	Toxicity to Algae	Toxicity to Fish	Daphnia Magna (Water Flea)
Sodium hydroxide 1310-73-2	Not Established	45.4: 96 h Oncorhynchus mykiss mg/L LC50 static	Not Established
Triethanolamine 102-71-6	169: 96 h Desmodesmus subspicatus mg/L EC50 216: 72 h Desmodesmus subspicatus mg/L EC50	10600 - 13000: 96 h Pimephales promelas mg/L LC50 flow-through 450 - 1000: 96 h Lepomis macrochirus mg/L LC50 static 1000: 96 h Pimephales promelas mg/L LC50 static	1386: 24 h Daphnia magna mg/L EC50

**Persistence and degradability**

No information available.

**Bioaccumulation/Accumulation**

When released into the soil, this material may leach into ground water. When released into the air, this material may be removed from the atmosphere to a moderate extent by wet or dry deposition.

Chemical name	Log Pow
Sodium hydroxide 1310-73-2	Not Established
Triethanolamine 102-71-6	-2.53

**13. DISPOSAL CONSIDERATIONS****Disposal Methods**

This material, as supplied, is a hazardous waste according to federal regulations (40 CFR 261). Dispose of waste product or used containers according to local regulations. Should not be released into the environment.

**Contaminated packaging**

Do not reuse empty containers.

Chemical name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Sodium hydroxide 1310-73-2	Not Established	-	Not Established	Not Established
Triethanolamine 102-71-6	Not Established	-	Not Established	Not Established

Chemical name	RCRA - Halogenated Organic Compounds	RCRA - P Series Wastes	RCRA - F Series Wastes	RCRA - K Series Wastes
Sodium hydroxide 1310-73-2	Not Established	Not Established	Not Established	Not Established
Triethanolamine 102-71-6	Not Established	Not Established	Not Established	Not Established

Chemical name	California Hazardous Waste Status
Sodium hydroxide 1310-73-2	Toxic Corrosive
Triethanolamine 102-71-6	*_-

**14. TRANSPORT INFORMATION****DOT**

Proper shipping name SODIUM HYDROXIDE SOLUTION  
 UN-No 1824  
 Hazard Class 8  
 Packing group II  
 Reportable Quantity (RQ) 1000

**TDG**

Not regulated

**MEX**

Not regulated

**ICAO**

Not regulated

**IATA**

UN-No 1824  
 Proper shipping name SODIUM HYDROXIDE SOLUTION  
 Hazard Class 8  
 Packing group II

**IMDG/IMO**

UN-No	1824
Proper shipping name	SODIUM HYDROXIDE SOLUTION
Hazard Class	8
Packing group	II

**RID**

UN-No	1824
Proper shipping name	SODIUM HYDROXIDE SOLUTION
Hazard Class	8
Packing group	II

**ADR**

UN-No	1824
Proper shipping name	SODIUM HYDROXIDE SOLUTION
Hazard Class	8
Packing group	II

**ADN**

Not regulated

**15. REGULATORY INFORMATION****International Inventories**

TSCA	Complies
DSL/NDL	Complies
EINECS/ELINCS	Does not comply
ENCS	Complies
IECSC	Complies
KECL	Does not comply
PICCS	Complies
AICS	Complies

**Legend:**

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

**US Federal Regulations****SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	SARA 313 - Threshold Values %
Sodium hydroxide 1310-73-2	Not Established
Triethanolamine 102-71-6	Not Established

**SARA 311/312 Hazard Categories**

Acute health hazard	Yes
Chronic Health Hazard	Yes
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	Yes

**CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sodium hydroxide 1310-73-2	1000 lb	Not Established	Not Established	X
Triethanolamine 102-71-6	Not Established	Not Established	Not Established	Not Established

**CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ	RQ
Sodium hydroxide 1310-73-2	1000 lb	Not Established	RQ 1000 lb final RQ RQ 454 kg final RQ
Triethanolamine 102-71-6	*-	Not Established	-

**US State Regulations**

This product does not contain any Proposition 65 chemicals.

Chemical name	California Proposition 65
Sodium hydroxide 1310-73-2	Not Established
Triethanolamine 102-71-6	Not Established

**U.S. State Right-to-Know Regulations**

Chemical name	New Jersey	Massachusetts	Pennsylvania
Sodium hydroxide 1310-73-2	X	X	X
Triethanolamine 102-71-6	X	X	X

**CPSC (Consumer Product Safety Commission) - Specially Regulated Substances**

Chemical name	CPSC (Consumer Product Safety Commission) - Specially Regulated Substances
Sodium hydroxide 1310-73-2	Banned, 16 CFR 1500.17 Add POISON to label, 16 CFR 1500.129

**16. OTHER INFORMATION****NFPA**


Health hazard 3

Flammability 0

Instability 2

Physical and Chemical  
Hazards W

Stability 2



Health Hazard	3
Fire Hazard	0
Reactivity	2

Prepared by  
Issuing Date

Regulatory Affairs Department  
Dec-12-2016

**Disclaimer**

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated



and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

**End of Safety Data Sheet**