

# TUBE PRO™

## Tube Pro Inc. Lily Pad Inflation/Deflation Instructions

### INFLATION:

Remove the rubber inner tubes and PVC material covers from the packaging. Place the rubber tube flat inside the cover with the nozzle positioned toward the opening away from the sewn PVC cover. This prevents user from stepping against the nozzle when in use.

Inflate rubber tube using an air compressor, or portable electric bicycle and mattress pump until it appears snug within the cover. Pushing the rubber tube against the outer sidewalls of the cover during inflation helps the tube expand evenly. Do not over-inflate the tube. It is normal if the inner tube becomes slightly creased or buckled during inflation. To remove excess air (use a tire valve tool) until tube is round and not overly distorted. A properly inflated tube has no more than two pounds of air pressure, see images below. Tubes printed with Tube Pro R20 inflate to 44" in outer diameter. Tubes printed with Tube Pro R15 inflate to 33" in outer diameter.

### DEFLATION/STORAGE:

For tube longevity, it is ideal to leave the tube inflated inside the cover in an area where exposure to sunlight and air circulation is minimized. Avoid additional sources of ozone such as electric motors or equipment. Petroleum based materials should never be allowed to come in contact with the tube. If there is no available storage space, inner tubes should be stored without sharp creases in the rubber. Do not tightly vacuum the tube. It is recommended to store tubes in a black plastic bag with the top tied or sealed, away from the noted sources of ozone.

To deflate inner tube, remove the rubber end cap by hand. Use a tire valve tool to loosen and remove the inner valve stem core. Remove the tube from cover, fold and curl as necessary to remove excess air. Once the inner tube is deflated, reinstall the valve stem core and tighten securely using the tire valve tool. Finally, fasten the rubber end cap for storage.




**Note: Pool attachment hardware not included. The sewn tether/loop on underside of cover is universal for a variety of hardware attachments. Tube may naturally deflate due to seasonal air pressure changes. Additional air may be required before use.**

### RE-INFLATION:

**\*\*When re-inflating inner tubes, ensure the inner valve stem core is screwed in as tight as possible.\*\***

Read warning label on product prior to using. Have fun and be careful. Tube Pro Inc. Cover Made in Canada

### International Safety Alert Warning Descriptions

	<p>This is the safety alert symbol. It is used to alert you to potential personal injury hazards.</p>
 <b>WARNING</b>	<p>WARNING indicates a potentially hazardous situation which, if not avoided, could result in death or serious injury.</p>
 <b>WARNING</b>	
<p>This product is not a lifesaving device. Do not leave children unattended while in use. Use only under competent supervision. Do not tow behind watercraft and other vehicles. Always wear a life jacket in deep water. Inspect item condition before each use. Do not use damaged product. Reluctance to follow guidelines may result in injury or product failure. Refer to instructions for proper inflation of product, description of safety warnings.</p>	

