



Safety Data Sheet

Section 1: Identification

Product identifier

Product Name

- **Calcium Hypochlorite Tablets**

Synonyms

- Accu-Tab® SI Calcium Hypochlorite Tablets; Accu-Tab® Wastewater Tablets; Aquabalance Blue SI Calcium Hypochlorite Tablets; Aquaward® Tablets; Bio-Sanitizer; Blue Crystal; C2180T; Ca(OCl)₂. Accu-Tab® Blue Calcium Hypochlorite Tablets; Cal Hypo Tablets; Indutabs™; Power Pro Tabs™; Repak™ Tabs; Sanuril® Tablets; Sustain® 3" Chlorinating Tablets; Sustain® Shield Energizer; VersaChlor™ System Chlorinating Tablets; Accu-Tab® Calcium Hypochlorite Tablets; Incredipool™

Relevant identified uses of the substance or mixture and uses advised against

Recommended use

- Industrial Application, Chlorine Disinfectant, Pool Chemicals

Details of the supplier of the safety data sheet

Manufacturer

- Axiall, LLC
2801 Post Oak Blvd. Suite 600
Houston, TX 77056
www.westlake.com
SDSinfo@westlake.com

Telephone (General) • 713-960-9111

Emergency telephone number

Manufacturer

- +1 304 455-6882 - Safety Call International

Section 2: Hazard Identification

UN GHS Revision 5

According to: Mexico GHS Standard NOM-018-STPS-2015

Classification of the substance or mixture

UN GHS

- Oxidizing Solids 2
Acute Toxicity Oral 4
Skin Corrosion 1B
Serious Eye Damage 1
Specific Target Organ Toxicity Single Exposure 3: Respiratory Tract Irritation
Hazardous to the aquatic environment Acute 1
Hazardous to the aquatic environment Chronic 1

Label elements**UN GHS****DANGER**

- Hazard statements •** May intensify fire; oxidizer
 Harmful if swallowed
 Causes severe skin burns and eye damage.
 Causes serious eye damage
 May cause respiratory irritation
 Very toxic to aquatic life
 Very toxic to aquatic life with long lasting effects

Precautionary statements

- Prevention •** Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.
 No smoking.
 Keep away from clothing and other combustible materials.
 Do not breathe dust.
 Wash thoroughly after handling.
 Do not eat, drink or smoke when using this product.
 Use only outdoors or in a well-ventilated area.
 Avoid release to the environment.
 Wear protective gloves/protective clothing/eye protection/face protection.

- Response •** In case of fire: Use to extinguish.
 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
 Call a POISON CENTER/doctor if you feel unwell.
 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
 Immediately call a POISON CENTER/doctor.
 Specific treatment, see supplemental first aid information.
 Wash contaminated clothing before reuse.
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.
 Rinse mouth.
 Do NOT induce vomiting.
 Collect spillage.

- Storage/Disposal •** Store in a well-ventilated place. Keep container tightly closed.
 Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

- Supplemental information •** 0 - 3 percent of this product consists of an ingredient of unknown toxicity.

Other hazards**UN GHS**

- According to: NOM-018-STPS-2015 this product is considered hazardous

Section 3 - Composition/Information on Ingredients**Substances**

- Material does not meet the criteria of a substance.

Mixtures

Composition					
Chemical Name	Identifiers	%	LD50/LC50	Classifications According to Regulation/Directive	Comments
Calcium hypochlorite	CAS:7778-54-3	65% TO 76%	NDA	UN GHS Revision 5: Ox. Sol. 2; Acute Tox. 4 (orl); Skin Corr. 1; Eye Dam. 1; Aquatic Acute 1; Aquatic Chronic 1	NDA
Sodium chloride	CAS:7647-14-5	10% TO 30%	Ingestion/Oral-Rat LD50 • 3000 mg/kg	UN GHS Revision 5: Acute Tox. 5 (Orl); Eye Irrit. 2; Skin Irrit. 3	NDA
Calcium hydroxide	CAS:1305-62-0	1% TO 3%	Ingestion/Oral-Rat LD50 • 7340 mg/kg	UN GHS Revision 5: Skin Corr. 1; Eye Dam. 1	NDA
Calcium chlorate	CAS:10137-74-3	0% TO 3%	NDA	UN GHS Revision 5: Ox. Sol. 2	NDA
Calcium carbonate	CAS:471-34-1	1% TO 3%	Ingestion/Oral-Rat LD50 • 6450 mg/kg	UN GHS Revision 5: Skin Irrit. 2; Eye Irrit. 2	NDA
Pentasodium triphosphate	CAS:7758-29-4	< 1%	Ingestion/Oral-Rat LD50 • 3120 mg/kg Skin-Rabbit LD50 • >4640 mg/kg	UN GHS Revision 5: Acute Tox. 5 (Orl); Skin Irrit. 2	NDA
Calcium chloride	CAS:10043-52-4	0.1%	Ingestion/Oral-Rat LD50 • 1 g/kg Skin-Rabbit LD50 • >5000 mg/kg	UN GHS Revision 5: Acute Tox. 5 (Orl); Skin Irrit. 2; Eye Irrit. 2	NDA

Section 4: First-Aid Measures

Description of first aid measures

Inhalation

- Move victim to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration. Do not use mouth-to-mouth method if victim inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a poison center control center or doctor for further treatment advice.

Skin

- For minor skin contact, avoid spreading material on unaffected skin. In case of contact with substance, immediately flush skin with running water for at least 20 minutes. Remove and isolate contaminated clothing. Call a poison center or doctor for treatment advice.

Eye

- In case of contact with substance, immediately flush eyes with running water for at least 20 minutes. Remove contact lenses, if present after the first 5 minutes. Continue Rinsing. Call a poison control center or doctor for further treatment advice.

Ingestion

- If swallowed, seek medical attention immediately from poison control center or doctor. Have a person sip a glass of water, if able to swallow. Do not give anything by mouth to an unconscious person. Do not induce vomiting unless told to do so by the poison control center or doctor.

Most important symptoms and effects, both acute and delayed

- If ingestion, irritation, any type of overexposure or symptoms of overexposure occur during, or persists after use of this product, contact a POISON CONTROL CENTER, EMERGENCY ROOM OR PHYSICIAN immediately; have Safety Data Sheet information available. Never give anything by mouth to an unconscious or convulsing person. Refer to Section 11 - Toxicological Information.

Indication of any immediate medical attention and special treatment needed

Notes to Physician

- Probable mucosal damage may contraindicate the use of gastric lavage. All treatments should be based on observed signs and symptoms of distress in the patient. Consideration should be given to the possibility that overexposure to materials other than this product may have occurred.

Section 5: Fire-Fighting Measures

Extinguishing media

Suitable Extinguishing Media • Drench with large quantities of water only.

Unsuitable Extinguishing Media • Do not use dry chemicals or foams. Product supplies own oxygen, therefore attempts to smother fire with a wet blanket, carbon dioxide, dry chemical extinguisher or other means are not effective. Product has the potential to cause a violent reaction if dry chemical fire extinguishers are used.

Special hazards arising from the substance or mixture

Unusual Fire and Explosion Hazards • Containers may explode when heated.
May explode from heat or contamination.
May ignite combustibles (wood, paper, oil, clothing, etc.)
Runoff may create fire or explosion hazard.
Some will react explosively with hydrocarbons (fuels)
These substances will accelerate burning when involved in a fire.
Emits toxic fumes under fire conditions.
Chlorine gas may be generated.

Hazardous Combustion Products • Decomposition products may include the following materials: carbon oxides; halogenated compounds; metal oxide/oxides.

Advice for firefighters

- Structural firefighters' protective clothing provides limited protection in fire situations ONLY; it is not effective in spill situations where direct contact with the substance is possible.
Wear chemical protective clothing that is specifically recommended by the manufacturer. It may provide little or no thermal protection.
Wear positive pressure self-contained breathing apparatus (SCBA).
SMALL FIRES: Move containers from fire area if you can do it without risk.
Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire.
No action shall be taken involving any personal risk or without suitable training.
This material is very toxic to aquatic organisms. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.

Section 6 - Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Personal Precautions • Use extreme caution in handling spilled material. Ventilate the area before entry. Use spark-proof tools and explosion-proof equipment. Do not walk through spilled material. Do not mix this product with any other chemicals, including any other pool chemicals of any kind, such as other disinfection or "shock" pool products. Contamination with moisture, acids, organic matter, other chemicals (including, but not limited to cleaning chemicals and other pool chemicals), petroleum or paint products or other easily combustible materials may start a chemical reaction with generation of heat, liberation of hazardous gases and possible violent reaction leading to fire or explosion. Wear appropriate personal protective equipment, avoid direct contact. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.

Emergency Procedures • ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). As an immediate precautionary measure, isolate spill or leak area for at least 50 meters (150 feet) in all directions. Keep unauthorized personnel away. Stay upwind. Keep out of low areas. Do not get water inside container.

Environmental precautions

- Prevent entry into waterways, sewers, basements or confined areas.

Methods and material for containment and cleaning up

Containment/Clean-up Measures

- Avoid generating dust.
If fire or decomposition occurs in area of spill, immediately douse with plenty of water. Otherwise, sweep up all visible material using a clean (new, if possible), dry shovel and broom and immediately dissolve material in a water-filled container.
Spilled material that has been swept up and dissolved in water should be used immediately in the normal application for which this product is being consumed.

Reference to other sections

- Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7 - Handling and Storage**Precautions for safe handling****Handling**

- Use extreme caution in handling spilled material. Use only with adequate ventilation. Keep away from combustible material. Strong oxidizer. Contact with other material may cause fire. Use spark-proof tools and explosion-proof equipment. Do not mix this product with any other chemicals, including any other pool chemicals of any kind, such as other disinfection or "shock" pool products. Contamination with moisture, acids, organic matter, other chemicals (including, but not limited to cleaning chemicals and other pool chemicals), petroleum or paint products or other easily combustible materials may start a chemical reaction with generation of heat, liberation of hazardous gases and possible violent reaction leading to fire or explosion. Always add product to large quantities of water to fully dissolve product. Do not pour water into product, always add product to water. Use only a clean (new, if possible), dry scoop made of metal or plastic each time product is taken from the container. Do not use with stabilized chlorine or bromine tablet chemical feeders. Do not add this product to any dispensing device containing remnants of any other product or pool chemical. Wear appropriate personal protective equipment, avoid direct contact. Do not breathe dust. Do not get in eyes, on skin, or on clothing. Do not ingest. Wash thoroughly with soap and water after handling and before eating, drinking, or using tobacco. Empty containers retain product residue and can be hazardous. Do not reuse container. Residual material remaining in empty container can react to cause fire. Thoroughly flush empty container with water then destroy by placing in trash collection.

Conditions for safe storage, including any incompatibilities**Storage**

- Ventilate enclosed areas. Keep only in the original container. Keep container closed. Separate from acids, alkalis, reducing agents and combustibles. See NFPA 400. Hazardous Materials Code for further information. Store in a cool, dry, well-ventilated place. If possible isolate container in open air or well-ventilated area. If product becomes contaminated or decomposes do not reseal container. If possible isolate container in open air or well-ventilated area.

Section 8 - Exposure Controls/Personal Protection**Control parameters**

Exposure Limits/Guidelines		
	Result	Mexico
Calcium hydroxide (1305-62-0)	TWAs	5 mg/m ³ TWA VLE-PPT

Exposure controls**Engineering Measures/Controls**

- Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits.

Personal Protective Equipment**Respiratory**

- If workers are exposed to concentrations above the exposure limit, they must use appropriate, certified respirators. Use a properly fitted, air-purifying or air-fed respirator

complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Eye/Face

- Wear chemical splash goggles and face shield.

Skin/Body

- Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. HANDS: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. GLOVES: Nitrile, neoprene, and butyl rubber.

Environmental Exposure Controls

- Controls should be engineered to prevent release to the environment, including procedures to prevent spills, atmospheric release and release to waterways. Follow best practice for site management and disposal of waste.

Key to abbreviations

TWA = Time-Weighted Averages are based on 8h/day, 40h/week exposures

Section 9 - Physical and Chemical Properties

Information on Physical and Chemical Properties

Material Description			
Physical Form	Solid	Appearance/Description	Various colored solid (tablets) with a slight chlorine odor.
Color	Various colors.	Odor	Slight chlorine odor.
Odor Threshold	No data available		
General Properties			
Boiling Point	Decomposes @ 170-180°C (338-356°F)	Melting Point/Freezing Point	No data available
Decomposition Temperature	170 to 180°C (338 to 356°F)	pH	Alkaline
Specific Gravity/Relative Density	No data available	Bulk Density	1 to 1.07 g/cm³
Water Solubility	Soluble 100 %	Viscosity	No data available
Volatility			
Vapor Pressure	No data available	Vapor Density	No data available
Evaporation Rate	No data available	Volatiles (Wt.)	0 %
Volatiles (Vol.)	0 %		
Flammability			
Flash Point	No data available	UEL	Not relevant
LEL	No data available	Autoignition	No data available
Self-Accelerating Decomposition Temperature (SADT)	60°C (140°F) for 55-60 lb packages	Flammability (solid, gas)	No data available
Environmental			
Octanol/Water Partition coefficient	No data available		

Section 10: Stability and Reactivity

Reactivity

- No dangerous reaction known under conditions of normal use.

Chemical stability

- The product may not be stable under certain conditions of storage or use. Product decomposes at approximately 170-180°C (338-356°F) releasing oxygen gas and some chlorine gas.

Possibility of hazardous reactions

- Hazardous reactions or instability may occur under certain conditions of storage or use. Conditions may include the following: contact with combustible materials, contact with acids/ammonia. Reactions may include the following: risk of causing or intensifying fire, liberation of toxic gas.

Conditions to avoid

- Heating may cause a fire or explosion. Excessive heat will cause decomposition resulting in the release of oxygen and chlorine gas.

Incompatible materials

- Highly reactive or incompatible with the following materials: moisture, combustible materials, organic materials, metals, acids, alkalis, oxidizing materials, reducing materials, Ammonia., Petroleum products., Paint products., Wood and paper., Pool chemicals. Acid or ammonia contamination will release toxic gases.

Hazardous decomposition products

- Depending on conditions, product slowly releases chlorine gas. Product slowly releases chlorine gas.

Section 11 - Toxicological Information

Information on toxicological effects

Components		
Calcium hypochlorite (65% TO 76%)	7778-54-3	Acute Toxicity: Ingestion/Oral-Rat LD50 • 850 mg/kg; Ingestion/Oral-Man TDLo • 143 mg/kg; <i>Lungs, Thorax, or Respiration:Acute pulmonary edema; Lungs, Thorax, or Respiration:Dyspnea; Gastrointestinal:Nausea or vomiting</i>
Sodium chloride (10% TO 30%)	7647-14-5	Acute Toxicity: Ingestion/Oral-Rat LD50 • 3000 mg/kg; Ingestion/Oral-Rat TDLo • 1.43 mg/kg; <i>Gastrointestinal:Ulceration or bleeding from stomach;</i> Irritation: Eye-Rabbit • 10 mg • Moderate irritation; Skin-Rabbit • 500 mg 24 Hour(s) • Mild irritation; Mutagen: Micronucleus test • Ingestion/Oral-Rat • 2 pph 14 Day(s); Unscheduled DNA synthesis • Ingestion/Oral-Rat • 16800 mg/kg 4 Week(s)-Continuous
Calcium hydroxide (1% TO 3%)	1305-62-0	Irritation: Eye-Rabbit • 10 mg • Severe irritation
Calcium carbonate (1% TO 3%)	471-34-1	Acute Toxicity: Ingestion/Oral-Rat LD50 • 6450 mg/kg; Irritation: Eye-Rabbit • 750 µg 24 Hour(s) • Severe irritation; Skin-Rabbit • 500 mg 24 Hour(s) • Moderate irritation; Multi-dose Toxicity: Ingestion/Oral-Woman TDLo • 4.08 g/kg 30 Day(s)-Intermittent; <i>Vascular:BP elevation not characterized in autonomic section; Gastrointestinal:Changes in structure or function of endocrine pancreas; Biochemical:Metabolism (intermediary):Effect on inflammation or mediation of inflammation</i>
Pentasodium triphosphate (< 1%)	7758-29-4	Acute Toxicity: Ingestion/Oral-Rat LD50 • 3120 mg/kg; <i>Behavioral:Somnolence (general depressed activity); Behavioral:Coma;</i> Skin-Rabbit LD50 • >4640 mg/kg; <i>Behavioral:Somnolence (general depressed activity); Lungs, Thorax, or Respiration:Dyspnea;</i> Irritation: Skin-Rabbit • 500 mg 24 Hour(s) • Moderate irritation
Calcium chloride (0.1%)	10043-52-4	Acute Toxicity: Ingestion/Oral-Rat LD50 • 3798 mg/kg; Skin-Rabbit LD50 • >5000 mg/kg; Multi-dose Toxicity: Inhalation-Mammal TCLo • 43 mg/m³ 4 Hour(s) 17 Week(s)-Intermittent; <i>Blood:Change in clotting factors; Blood:Changes in serum composition (e.g., TP, bilirubin cholesterol); Biochemical:Enzyme inhibition, induction, or change in blood or tissue levels:Catalases;</i> Tumorigen / Carcinogen: Ingestion/Oral-Rat TDLo • 112 g/kg 20 Week(s)-Continuous; <i>Tumorigenic:Equivocal tumorigenic agent by RTECS criteria; Endocrine:Thyroid tumors</i>

GHS Properties	Classification
Acute toxicity	UN GHS 5 • Acute Toxicity - Oral 4 - ATEmix (oral) = 1033 mg/kg
Skin corrosion/Irritation	UN GHS 5 • Skin Corrosion 1B
Serious eye damage/Irritation	UN GHS 5 • Serious Eye Damage 1
Skin sensitization	UN GHS 5 • No data available
Respiratory sensitization	UN GHS 5 • No data available
Aspiration Hazard	UN GHS 5 • No data available
Carcinogenicity	UN GHS 5 • No data available
Germ Cell Mutagenicity	UN GHS 5 • No data available
Toxicity for Reproduction	UN GHS 5 • No data available
STOT-SE	UN GHS 5 • Specific Target Organ Toxicity Single Exposure 3: Respiratory Tract Irritation
STOT-RE	UN GHS 5 • No data available

Potential Health Effects

Inhalation

Acute (Immediate)

- May cause corrosive burns - irreversible damage. May cause respiratory irritation.

Chronic (Delayed)

- Repeated or prolonged exposure to corrosive fumes may cause bronchial irritation with chronic cough.

Skin

Acute (Immediate)

- Causes severe skin burns.

Chronic (Delayed)

- Repeated or prolonged exposure to corrosive materials will cause dermatitis.

Eye

Acute (Immediate)

- Causes serious eye damage. Direct contact with the eyes can cause irreversible damage, including blindness.

Chronic (Delayed)

- Repeated or prolonged exposure to corrosive materials or fumes may cause conjunctivitis.

Ingestion

Acute (Immediate)

- Harmful if swallowed. May cause irreversible damage to mucous membranes.

Chronic (Delayed)

- Repeated or prolonged exposure to corrosive materials or fumes may cause gastrointestinal disturbances.

Key to abbreviations

LD = Lethal Dose

TC = Toxic Concentration

TD = Toxic Dose

Section 12 - Ecological Information

Toxicity

- LC50: 0.088 mg/L (96 hr, Bluegill Sunfish) Very toxic to aquatic life. Do not allow to enter groundwater, surface water or drains. Hazardous to the aquatic environment Chronic 1.

Persistence and degradability

- Material data lacking.

Bioaccumulative potential

- Material data lacking.

Mobility in Soil

- Material data lacking.

Results of PBT and vPvB assessment

- No PBT and vPvB assessment has been conducted.

Other adverse effects

- No studies have been found.

Section 13 - Disposal Considerations**Waste treatment methods****Product waste**

- The generation of waste should be avoided or minimized wherever possible. This material and its container must be disposed of in a safe way. Spilled material that has been swept up and dissolved in water should be used immediately in the normal application for which this product is being consumed. If this is not possible, material may be neutralized. Please contact Axial Corporation Emergency Response team for guidance at 304-455-6882. Note: Only properly neutralized material should be flushed to sewer. Unneutralized material can cause environmental damage to receiving water or can interfere with treatment plant operation. Care must be taken when using or disposing of chemical materials and/or their containers to prevent environmental contamination. Empty containers retain product residue and can be hazardous. Residual material remaining in empty container can react to cause fire. Thoroughly flush empty container with water then destroy by placing in trash collection. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Packaging waste

- Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Section 14 - Transport Information

	UN number	UN proper shipping name	Transport hazard class (es)	Packing group	Environmental hazards
DOT	UN2880	Calcium hypochlorite, hydrated	5.1	II	Marine Pollutant
TDG	UN2880	CALCIUM HYPOCHLORITE, HYDRATED	5.1	II	Marine Pollutant
IMO/IMDG	UN2880	CALCIUM HYPOCHLORITE, HYDRATED	5.1	II	Marine Pollutant
IATA/ICAO	UN2880	Calcium hypochlorite, hydrated	5.1	II	Chronic Aquatic Toxicity

Special precautions for user

- Under 49 CFR (DOT), non-bulk U.S. domestic shipments by ground do not require Marine Pollutant markings or labels, nor does Marine Pollutant need to be mentioned on shipping papers.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

- Data lacking.

Section 15 - Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

Mexico

Environment

Mexico - Ecological Criteria for Water Quality - Agricultural Irrigation

Not Listed

Mexico - Ecological Criteria for Water Quality - Drinking Water Supply Source

Not Listed

Mexico - Ecological Criteria for Water Quality - Protection of Fresh Water Aquatic Life

Not Listed

Mexico - Ecological Criteria for Water Quality - Protection of Marine Water Aquatic Life

Not Listed

Mexico - Pollutant Release and Transfer Register - Reporting Emissions - Threshold Quantities

Not Listed

Mexico - Wastewater Discharges - Maximum Limits into Coastal Waters

Not Listed

Mexico - Wastewater Discharges - Maximum Limits into Natural and Artificial Dams

Not Listed

Mexico - Wastewater Discharges - Maximum Limits into Rivers

Not Listed

Mexico - Wastewater Discharges - Maximum Limits into Soil

Not Listed

Mexico - Wastewater Discharges - Maximum Limits into Wetlands

Not Listed

National Fire Protection Association (U.S.A.)



NFPA 704 Ratings
0 to 4
Higher number
more severe

Health
Flammability
Reactivity
Special Notice

Section 16 - Other Information

Revision Date

- 28/January/2021

Preparation Date

- 29/January/2019

Disclaimer/Statement of Liability

- The technical data given herein is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release, and is not to be considered a warranty or quality specification. No guarantee is being given as to the end use performance. The product is sold on the basis that buyers test the product for their specific purposes. This information related to the material designated and may not be valid for such material used in combination with any other materials or in any process.

Key to abbreviations

NDA = No Data Available