

THREE LOCATIONS TO SERVE YOU BETTER!



California Proposition 65 Disclaimer

This catalog is not for use by purchasers intending to ship to the state of California.

Purchasers shipping to California should use the RecSupply.com website exclusively for shopping and purchasing. RecSupply.com is constantly updated with current Proposition 65 warnings as affected items are identified.

Please visit https://www.p65warnings.ca.gov/for more information regarding California Proposition 65. Visit **RecSupply.com** for pricing.

Recreation Supply Company's Customer Service Advantage

WE ARE WELL STOCKED with thousands of items in stock and ready to ship.

Items that are not stocked are shipped direct to you from our manufacturers. Lead times vary, depending on the product. Please contact us for specific details.

FAST DELIVERY – In-stock orders received by 3:00 pm Eastern Time are typically shipped the same day!

PERSONAL – You will always be greeted by a friendly, live voice during business hours.

KNOWLEDGEABLE – Our sales and customer service staff are CPO Certified with decades of experience in commercial pool supply.

EXPERIENCED – Since 1980, we have developed relationships with hundreds of manufacturers, allowing us the ability to get you what you need at competitive prices.

Contents



Check out these exciting new additions to our catalog!



Dolphin Pool Cleaners





Dolphin W20

Ideal for children's pools and fountains. The low profile of the W20 makes this cleaner the perfect solution for shallow water pools such as fountains, reflection pool, and wading pools reaching a minimum depth of 8 inches. • Durable tracks and dual scrubbing brushes

· Swivel cable prevents tangling and improves pool coverage Item Number Description CCW02028 Dolphin W20



Dolphin Wave 60

Ideal for small commercial pools up to 50 feet long. A hard working commercial grade cleaner designed to deliver

performance and reliability at an affordable price. • Features guick and easy top-access to filter cartridges.

· Large debris clean-up filters and fine porosity filter cartridges come standard.

Item Number	Description
CCW06028	Dolphin Wave 60

Dolphin Wave 80

Ideal for mid-size commercial pools up to 68 feet long. An advanced robotic cleaner designed to deliver superior performance and reliability with a must-have feature set.

- · Features quick and easy top-access to filter cartridges. · Includes powerful pro remote control for manual navigation
- and feature selection. Split brush technology for maneuverability and cleaning performance.
- · Large debris clean-up filters and fine porosity filter cartridges come standard.

Item Number Description CCW08028

Dolphin Wave 80



Dolphin Wave 100

Ideal for mid-size commercial pools up to 88 feet long. The Wave 100 is best suited for mid-sized pools in schools, health clubs, resorts, and water parks. This cleaner ensures complete pool coverage with floor, walls and waterline scrubbing plus superior filtration for all types of dirt and debris.

- · Includes powerful pro remote control for manual navigation and feature selection.
- Split brushes and drive motors for maneuverability and cleaning performance.
- Multiple cycle choices with delayed start option.

· Internal gyroscope ensures precise navigation over longer distances. Item Number Description CCW10028

Dolphin Wave 100

Dolphin Wave 120

Ideal for large commercial pools up to 121 feet long. This heavy-duty robust performer does it all! It boasts double filtration and scrubbing power with adjustable pool parameters and choice of cycles. Filters 8,466 gallons per hour while scrubbing pool surfaces.

- Includes powerful pro remote control for manual navigation and feature selection.
- · Multiple cycle choices with delayed start option. · Internal gyroscope ensures precise navigation over longer

distances. Item Number CCW12028

Description Dolphin Wave 120

Dolphin Wave 140



Dolphin Wave 140

Ideal for large commercial pools up to 105 feet long. Designed for pools up to 105 feet, the Wave 140 is a perfect solution for large universities, health clubs, municipal pools, and resort pools, including those with beach entry. With a wide cleaning path of 22 inches and a top-access filter, the Wave 140 excels at floor scrubbing and heavy-duty dirt collection.

- CleverClean[™] Technology paired with a unique gyroscope system delivers accurate and effective scanning for systematic cleaning.
- Extra-wide for maximum efficiency · Filter thousands of gallons of water per hour, improving water
- circulation, leaving the pool water polished and exceptionally clean. Item Number Description



	W20	Wave 60	Wave 80	Wave 100	Wave 120	Wave 140
Model Number	CCW02028	CCW06028	CCW08028	CCW10028	CCW12028	CCW14028
Recommended Pool Size	up to 68' long	up to 50' long	up to 68' long	up to 88' long	up to 121' long	up to 127' long
Cord Length	78'	60'	78'	98'	131'	137'
Wall Climbing	No	Yes	Yes	Yes	Yes	No
Remote Control	Yes	No	Yes	Yes	Yes	Yes
Robot Weight	22 lbs.	24.6 lbs.	24.6 lbs.	29 lbs.	42 lbs.	53 lbs.
Warranty	3 Year	2 Year	2 Year	2 Year	2 Year	3 Year

CCW14028









CP8500628





Maytronics Replacement Cleaner Parts and Accessories

CPDL3128

Item Number	Description	Wave 60	Wave 80	Wave 100	Wave 120
CPDL3128	#9995430 Dolphin Filter Bag, 50 Micron		✓	√	√
CPDLWB28	#9991440 Disposable Bags, 5-Pack		\checkmark	√	√
CP9143228	#9991432 Ultra Fine Cartridge Filter Panels, 4-Pack	\checkmark			
CP9143328	#9991433 Cartridge Filter Panels, 4-Pack	\checkmark			
CP611R428	#6101611 Climbing Rings, 4-Pack	\checkmark	✓	\checkmark	✓
CP0165628	#6101656 PVC Brush (Climbing), 4-Pack	\checkmark	✓	\checkmark	
CP0164128	#6101641 PVC Brush (Climbing), 2-Pack				✓
CP8500628	#9985006 Timing Track, Long, 2-Pack	\checkmark	✓	\checkmark	✓
CP9526928	#9995269 Impeller	\checkmark	✓	\checkmark	\checkmark
CP9507128	#9995071 Impeller Tube	\checkmark	✓	\checkmark	✓
CP9608428	#9996084 Dolphin Universal Caddy	included	included	included	included
CP5422628	#99954226 Remote Control	✓	included	included	included

CALL TOLL-FREE: 1.800.437.8072 • FAX: 1.800.850.0262 • SHOP ONLINE: WWW.RECSUPPLY.COM

Aquabot Pool Cleaners and Ariel Pool Skimmer

Magnum and Gemini Series by Aguabot

Magnum and Gemini Series cleaners are equipped with the Aqua Smart System, an intelligent program for robotic pool cleaners that aids the unit to fully cover and efficiently clean any commercial swimming pool. A mathematical algorithm installed in the brain of the machine enables the robot to clean the pool in a systemized fashion without wasting time.

- Fine mesh filter bag can trap extremely small particles and microscopic algae with only a few microns diameter. Gyro Navigation System is the new intelligent algorithm developed to improve navigation of the robot.
 - Using systematic turning patterns, it prevents cable tangling and maximizes cleaning coverage efficiency.



Item Number

CCULMJR68

Item Number

CCULMAG68

Magnum Junior For pools up to 50 ft long

- Filters 4330 gallons/hour
- Equipped with two drive motors and one pump

Equipped with two drive motors and one pump

- Comes with PVC brushes; PVA brushes are optional upon request
- Includes Trolley

Magnum

For pools up to 80 ft long

Includes Trolley

Filters 4330 gallons/hour

Comes with PVA brushes

Description Magnum Junior

Description

Magnum



Item Number CCAQGEM68



Standard features:

- AquaSmart System for fast, efficient cleaning
- **Cleans** floors
 - Cleans walls with manual remote control
 - command
- Four-directional remote control

Item Number CCULTXL68

Comes with PVC brushes; PVA brushes are optional upon request

aquabot

Steel_reinforced

Filters 9690 gallons/hour

- Includes IR Sensor
- Includes Ultrakart

Description Gemini



For pools up to 165 ft long

UltraMAX XL is the powerhouse in Aqua Products' commercial pool cleaner line. UltraMAX XL features the Aqua Smart System, an intelligent program that aids in fully covering and efficiently cleaning any commercial swimming pool. The Aqua Smart System allows cleaners to change direction on the pool bottom without any additional mechanical devices.

Equipped with two drive motors and two pumps

- 150 ft. cable
- Cycle times of 3.0, 5.0, 7.0 and 9.0 hours
- Dual pumps
- Stainless steel reinforcement
- Includes IR sensor and zero depth entry sensor
- PVA brush option available on request

Description Ultramax XL with Ultrakart

	Magnum Jr	Magnum	Gemini	UltraMAX XL
Model Number	CCULMJR68	CCULMAG68	CCAQGEM68	CCULTXL68
Recommended Pool Size	up to 50'	up to 80'	up to 165'	up to 165'
Gallons Filtered Per Hour	4330	4330	9690	9690
Cleaning Coverage	6500 ft²/hr	8790 ft²/hr	9750 ft²/hr	9750 ft²/hr
Cord Length	100'	150'	150'	150'
Limited Warranty	2 years	2 years	3 years	2 years

We can fix it!

Recreation Supply Company is a Factory Authorized Service Center for Dolphin and Aquabot pool cleaners.

Call us today at 1.800.437.8072 for all your pool cleaner repair and maintenance needs.







Ariel Solar-Powered

Pool Skimmer by Solar-Breeze No plugs, just play; your pool's favorite gadget!

With a single button start, Ariel is easy to start up and start cleaning your pool right away. Ariel is fully solar powered, and with a powerful backup battery, Ariel can run 10 hours and more off a charge if there is no sunlight available. Slide out tray includes an embedded mesh filter that collects and retains particles all the way down to 200 microns in size, effectively filtering all pool water that passes through. Ariel functions great in pools of all shapes and sizes, and even pools with a salt base or chlorine base.

Features:

- Mesh filter collects and retains particles down to 200 microns in size
- Eco-friendly fully solar-powered with powerful backup battery
- Simple removal with no-slip ergonomic handle
- Moves forward 10-20 feet per minute
- Sensors detect obstructions
- No cords or hoses
- Function in temperatures ranging from 40°F to 130°
- Can withstand water salinity of 6,500 ppm
- One-year limited warranty

Item Number CCSB40050

Solar-Breeze Ariel Automated Pool Skimmer

Description

Water Tech and Hammer-Head Pool Cleaners



Pool Blaster[®] Pro 900

Professional-Grade. Powerful. Portable. Designed for performance and portability, the Pro 900 gets the work done quickly and efficiently without sacrificing

performance in almost any fiberglass or vinyl pool. Features:

- Two powerful lithium batteries, fully rechargeable in 4 hours
- Up to 60 minutes run time per battery
- Push button on/off switch
- Lithium powered, fully rechargeable in 4 hours
- Three high-volume filter bags. (1) Reusable allpurpose filter bag, (1) Reusable sand and silt bag, and (1) Reusable Xtreme multi-layer filter bag.
- **One-year limited warranty**



Pool Blaster[®] Max Li CG

Commercial Grade Cleaning. Increased Coverage and Capacity over the Original Pool Blaster Max

Features the same high flow pump as the original Max[®] for extra power for deep cleaning plus a 12.75" Scrub Brush Head, and increased debris capacity to tackle any size pool in minutes. Ideal for In-Ground Pool and Above Ground Pools. Features:

Up to 60 minutes run time

- Push button on/off switch
- Lithium powered, fully rechargeable in 4 hours
- Two filter bags: (1) Reusable Xtreme multi-layer filter bag that removes leaves, sand, and debris and
 - (1) Reusable all-purpose filter bag
- **One-year limited warranty**

		Item Number	Description	
Item Number	Description	CCPBMCG50	Pool Blaster Max Li CG	
CCPB90050	Pool Blaster Pro 900	CP022AP50	Replacement All Purpose Filter Bag	
CPPROAP50	Replacement All Purpose Filter Bag	CP022SS50	Sand & Silt Filter Bag	
CPPROSS50	Sand & Silt Filter Bag	CPBW04950	Replacement Brushes, set of 6	
CPPROXF50	Xtreme Multi-Laver Filter Bag	CPBW05050	Replacement Wheels, set of 5	



Description

Pool Blaster Pro 1500 Replacement All Purpose Filter Bag

Sand & Silt Filter Bag

Xtreme Multi-Layer Filter Bag

Item Number

CCPB15050

CPPROAP50 CPPROSS50

CPPROXF50

Pool Blaster[®] Pro 1500 Professional-Grade cleaner for any surface.

Engineered with the P40 Heavy Duty Pool Blaster engine, the Pro 1500 is powerful enough to capture golf ball sized debris as well as sand and silt. Perfect for any size swimming pool with or without Robotic Pool Cleaners.

Features:

- Two powerful lithium batteries, fully rechargeable in 4 hours
- Up to 60 minutes run time per battery
- Push button on/off switch
- Lithium powered, fully rechargeable in 4 hours
- Three high-volume filter bags: (1) Reusable allpurpose filter bag, (1) Reusable sand and silt bag, and (1) Reusable Xtreme multi-layer filter bag
- Includes 14.5" gunite surface vacuum head and 14.9" vinyl/fiberglass surface vacuum head
- Equipped with a convenient shoulder strap to make worksite movement simple and easy
- **One-year limited warranty**



Precision 2.0Li

The standard for Professional Cleaning Convenience Features the Highest Capacity Debris Chamber and the Most Powerful Water Tech engine to deliver the ultimate pool cleaning tool for Service Professionals. Cordless, rechargeable commercial pool & spa vacuum safe for any surface: concrete,

tile, vinyl, or fiberglass. Features:

- Two powerful lithium batteries, fully rechargeable in 4 hours
- Up to 60 minutes run time per battery
- Easy push button on/off switch
- Includes both wall and car chargers
- Clean stairs, spas and ledges... any pool area!
- Three high-volume discharge valves
- Three high-volume filter bags: (1) Reusable allpurpose filter bag, (1) Reusable sand and silt bag, and (1) Reusable Xtreme multi-layer filter bag
- Includes 14.5" gunite surface vacuum head and 14.75" vinyl/fiberglass surface vacuum head

Internally pressurized 30 lb thrust motor

60 feet of floating power cord

30" wide vacuum head

Stainless steel pole swivel

Long wearing head wheels

Extra fine large capacity debris bag

Super fine large capacity debris bag

One-year limited warranty

	Description
CC500PL50	Precision 2.0Li
CP522AP50	Replacement All Purpose Filter Bag
CP522SS50	Sand & Silt Filter Bag
CP522XF50	Xtreme Multi-Layer Filter Bag



Hammer-Head 30" Pool Cleaner

A terrific choice for the pool manager or maintenance team of hotels, condos, public pools, and water theme parks. Pole not included. 12 volt deep cycle battery must also be supplied separately.

Standard features:

- Lightweight powder coated aluminum frame
- Bearingless mag wheels
- Non-marking tires with heavy duty tubes
- Stainless steel axle hardware
- Large marine battery box
- Weatherproof marine switch

Hammer-Head Service Unit

Perfect for service professionals. Includes cart, 21" head with 40' of cord or 30" head with 60' of cord, motor, prop, two debris bags, and truck/trailer mount with hardware for easy portability.

Item Number	Description
CC912050	Hammer-Head Resort – 30" with Charger
CC913050	Hammer-Head Service – 21"
CC915050	Hammer-Head Service – 30"
CPH150650	Replacement Bag – Standard
CPH150C50	Replacement Bag – Super Fine
CP1506X50	Extra Large Bag – Standard
CP1508X50	Extra Large Bag – Super Fine





Vacuum Pump Carts and Accessories



Commercial Filter Vacuums

Our custom fabricated electric or gas powered filter vacuum is designed with your facility in mind. It combines ease of portability with high-powered suction and large capacity single filter cartridges. Supplied with a Harmsco filter cartridge. Please specify 1¹/₂" or 2" suction assembly.

- **Standard features include:**
 - Standard Stainless Steel Cart Harmsco Cartridge Filter
 - **Commercial Pump**
 - 50' of electrical cord (additional length available on request at an additional cost)
 - 8' of 2" Discharge Hose
- Not eligible for free shipping offer .

Please allow up to 5 business days for order processing for these filter vacuum carts.

Item Number	Cartridge Surface Area	Pump	Volts
CC105150	105 Square Feet	1 HP Electric	115/230
CC155150	155 Square Feet	1 HP Electric	115/230
CC1551550	155 Square Feet	11/2 HP Electric	115/230
CC155250	155 Square Feet	2 HP Electric	230
CC155350	155 Square Feet	3 HP Gas	-
FFST10511	Replacement	Cartridge, 105 Sq. Ft.	
FFST15511	Replacement	Cartridge, 155 Sq. Ft.	



Self-Priming Portable Electric Pump

All models are high head, full-rated horsepower with closed impellers designed specifically for swimming pool applications. Standard features include an electric pump, pump cart, check valve on pump suction, adapters to accept suction hose, 8 feet of 2" discharge hose, and 50 feet of electrical cord (additional length available at additional cost on request). Our portable electric vacuum pump cart is easily capable of powering a 24" vacuum head. Please specify 11/2" or 2" suction.

Ground fault interruption protection must be provided and is the responsibility of the operator. Please allow up to 5 business days for order processing for these pump carts.

Item Number	Gallons Per Hour	Pump	Volts
CC34VC50	up to 3900	3⁄4 HP	115/230
CC10VC50	up to 4800	1 HP	115/230
CC15VC50	up to 6300	1½ HP	115/230
CC20VC50	up to 8400	2 HP	230



Ground Fault Circuit Interrupter

PVC Discharge Hose

Heavy duty

Our In-Line GFCI includes an automatic reset feature which allows the GFCI to automatically reset after interruption of primary power. 125V/15A, 12/3 AWG SJTW Cord. UL Listed. Two year warranty.



Item Number	Description	
EE3802250	GFCI, 6'	
Item Number	PVC Discharge Hose Size	
CC9011250	11/2"	
CC9000250	2"	



Gasoline Powered Vacuum Pump Cart

Our portable self-priming pump cart is the most versatile unit for both vacuum cleaning and general utility service of wash down, dewatering, or transfer.

Powered by a 3-1/2 HP air-cooled Briggs and Stratton gasoline engine, our rugged vacuum cleaning pump comes complete with gas engine pump, hair and lint strainer, and commercial cart. Includes"Quick Prime" suction assembly with quick couplers for 2" vacuum hose and 8' of 2" discharge hose. For moving water fast this unit can deliver flow exceeding 130 gallons per minute.

Please allow up to 5 business days for order processing for these pump carts.

Item Number	Pump
CC2AF1B16	3 HP Gas



Swimming Pool Maintenance Kits

Recreation Supply Company's swimming pool maintenance kits include the essential accessories required for operating our Commercial Filter Vacuums.

Maintenance Kit #1

1-1/2" Suction and Discharge

- (1) Vacuum Head: CC25004 Rainbow 19" Swivel Wheel Flexible Vacuum Head
- (1) Vacuum Hose: CC1171515 1-1/2" × 50' Commercial I-Helix Vacuum Hose
- (1) Discharge Hose: **CC9011250** $1 1/2'' \times 50'$ Heavy Duty Discharge Hose
- (1) Pole: CC500899 Approx. 8'-16' Telescoping Aluminum Pole

Maintenance Kit #2

2" Suction and 1-1/2" Discharge

- (1) Vacuum Head: CC22204 Rainbow 22" ProVac Vacuum Head
- (1) Vacuum Hose: **CC1181515** 2" × 50' Commercial I-Helix Vacuum Hose
- (1) Discharge Hose: CC9011250 1-1/2" × 50' Heavy Duty Discharge Hose
- (1) Pole: CC500899 Approx. 8'-16' Telescoping Aluminum Pole

Maintenance Kit #3

2" Suction and Discharge

- (1) Vacuum Head: CC20704 Rainbow 24" Commercial Flexible Vacuum Head
- (1) Vacuum Hose: CC1181515 2" × 50' Commercial I-Helix Vacuum Hose
- (1) Discharge Hose: **CC9000250** $2'' \times 50'$ Heavy Duty Discharge Hose
- (1) Pole: CC500899 Approx. 8'-16' Telescoping Aluminum Pole

Item Number	Description	Suction Size	Discharge Size
CCMKIT199	Maintenance Kit #1	1.1/2"	1.1/2""
CCMKIT299	Maintenance Kit #2	2"	1.1/2"
CCMKIT399	Maintenance Kit #3	2"	2"



Vacuum Hoses, Heads, and Accessories



Commercial Vacuum Hose


Our I-Helix Pool Vacuum Hose is recognized as the finest professional grade spiral wound vacuum hose in the industry. It is flexible, abrasion resistant and resistant to UV radiation. Our hose, with its unique I-beam construction, has revolutionized hose design and flexibility. The point of flex is protected from punctures and cuts by an abrasionresistant outer shell 30 times harder than conventional hose, without sacrificing flexibility. Flow characteristics are unrestricted, even if the hose is tightly coiled. The smooth exterior assures maximum external resistance to abrasion and eliminates hang-ups as well, making for long life and easy maneuverability. Swivel cuff prevents twisting, kinking or tangling. Backed by a five year warranty, you can't go wrong choosing our I-Helix Vacuum Hose.

Item Number	Size	Ship Weight
<u>CC1171415</u>	1½" × 40'	12 lbs.
<u>CC1171515</u>	1½" × 50'	15 lbs.
CC1181515	2" × 50'	25 lbs.
CC1187515	2" × 75'	38 lbs.
CC7229815	2" × 100'	45 lbs.

Hose Hugger

The Hose Hugger is a polypropylene hanger/handle that wraps around lengthy electrical cords and bulky hoses. It secures with Velcro. The **CCHH10150** is designed for 25 feet of 1¹/₂" vacuum hose or 100 feet of garden hose. The CCHH20050 is for 2" vacuum hose up to 50 feet.

Item Number	Size
CCHH10150	3" × 27"
CCHH20050	3" × 34"



Item Number CC21404 CC22204 CC22904

MILL MIMININ

Item Number

Item Number

CC20704

CC24104

Rainbow ProVac

- Cleans a pool bottom in half the time Unique suction chamber concentrates vacuum velocity equally
- Full width flex strips quide debris into the suction chamber
- All wheels are adjustable to increase or decrease the vacuum velocity
- Includes 1-1/2" vac hose swivel connection (2" connection fits directly on vac head)

Rainbow Super ProVac

- Increased speed in cleaning large commercial pools
- 41" wide, dual port vacuum
- 22 ball bearing polyurethane wheels
- Includes adapters for 1-1/2" and 2" vacuum hose

Description 41" Super ProVac

Description

14" ProVac

22" ProVac

29" ProVac



Flexible Vacuum

- Features enclosed weights
- Flexible ABS and plastic construction
- Includes manifold for connecting 1.5" or 2" hose
- Width: 24"

24" Commercial Flexible Vacuum

Description

Item Number CC1515799

Description Stainless Steel Vacuum Hose Reel

Vacuum Hose Parts and Accessories A/B. Vinyl Swivel Hose Cuffs Swivel cuff prevents twisting, kinking and tangling of hose. Easily attaches to vacuum head.

C/D. Vinvl Standard Hose Cuffs Threaded cuff easily connects your hose to equipment.

Stainless Steel Hose Reel

The quality is obvious in the type 304 stainless steel hose

reel from Paragon Aquatics. The take up reel and crank are

1" stainless steel tube, and the reel hub is mounted on poly bearings enclosed in stainless steel housing. Two wheels add portability. Holds up to 100' of 2" vacuum hose.

E/F. Stainless Steel Hose Hooks Heavy duty stainless steel hook for vacuum hose. Includes mounting hardware. Priced per hook.

#	Item Number	Description
Α	CPSHC1515	1-1/2" Threaded Vinyl Swivel Hose Cuff
в	CPSHC215	2" Threaded Vinyl Swivel Hose Cuff
С	CPTHC1515	1-1/2" Threaded Vinyl Hose Cuff
D	CPTHC215	2" Threaded Vinyl Hose Cuff
-	CPVHC1515	1-1/2" Vacuum Hose Coupler (not pictured)
-	CPVHC215	2" Vacuum Hose Coupler (not pictured)
Е	CC001EM75	Hose Hook - Sing Hook (ea)
F	CC002EM75	Hose Hook - Dual Hook (ea)



Item Number CC25004

Rainbow 19" Swivel Wheel Flexible Vacuum

- ABS and polyethylene with 6 fully-enclosed lead weights swivel in any direction
- 19" body has 1-1/2" vacuum swivel adapter that allows hose to move freely without twisting
- 2" hose fits directly on vacuum
- Snap-adapt handle and all parts are replaceable

Description 19" Swivel Wheel Flexible Vacuum



Suck-It-Up[™] Commercial Vacuum Head

Chrome-plated cast brass. 18" long \times 5.5" wide. Front and rear plastic wipers and nylon brush. Available for 1.5" or 2" vacuum hose diameter.

Item Number	Description	
CC4134609	Commercial Vacuum Head 1-1/2"	
CC4134709	Commercial Vacuum Head 2"	
CP4148609	Vacuum Head Wheel Kit	
CP4148709	Vacuum Head Brush/Wiper Kit	

CALL TOLL-FREE: 1.800.437.8072 • FAX: 1.800.850.0262 • SHOP ONLINE: WWW.RECSUPPLY.COM

6

Poles and Accessories

Dually Heavy-Duty Professional Poles

DUBLICY

Our Dually Heavy-Duty Professional Poles are made of the heaviest drawn aluminum tubing we offer. The Dually was created when we realized there was a demand to make a hybrid out of the 5000 series internal/external locking mechanisms. With this pole you can lock both external and internal locks for more locking power on jobs that demand the most. You also have the option to only use one of the locks for quicker and lighter jobs. These poles have larger drain holes for faster draining. These are three-piece poles with dual lock assemblies. Lock assemblies have replaceable parts when worn and are easily repaired.

Item Number	Description	Ships Via
CC901850	Three-Piece Dually Pole, 6'-18'	FedEx Ground
CC902499	Three-Piece Dually Pole *Approx. 8'-24'	FedEx Ground
CC961850	Three Piece Dually Pole, 6.5'-18'	FedEx Ground
*This pole is trimmed	by a few inches to allow it to ship at under 96"	



Heavy-Duty SnapLite Poles

The SnapLite[™] series is quickly becoming one of Skimlite's most popular poles. The lock is similar to what has been utilized as the primary locking mechanism in the painting industry for years. With a simple push of a button you can slide and lock your pole to your desired length. All Snaplite[™] poles have a unique decagon shape to them which keeps the pole from rotating and provides ultra-smooth sliding. Skimlite's newest lock design that allows you to slide and lock the pole at your desired length with a simple push of a button.

Item Number	Description	Ships Via
<u>CC631750</u>	Three-Piece SnapLite Pole, 6'-17'	FedEx Ground

Carbonlite Poles

Made for extreme jobs and serious pool cleaning! The proprietary manufacturing process used for this Carbon Fiber pole warrants it as the strongest pole in the industry. When fully extended with heavy weight on the end this pole still has virtually no bend. This pole is ideal for anyone who uses heavy vac systems, or is looking for a stronger AND lighter pole than the industry standards. A pole made for the dedicated service professional who is willing to pay for the best.

Item Number	Description	Ships Via
CCCL81699	8'-16' telescoping carbon fiber pole	FedEx Ground



Fiberglass Poles by Rainbow/Pentair

E-Z Lock compression locks are manufactured to withstand abuse. Required for service pros in areas where protection from electrical shock is mandatory. UV protective coating helps prevent splintering with age.

Item Number	Description	Ships Via
CC8081604	8'–16' telescoping fiberglass pole	FedEx Oversize
CC8082204	11.5'-22' telescoping fiberglass pole	Truck

Plain Aluminum Handles

One piece straight pole in strong drawn aluminum. 11/4" diameter. These handles do not have a rubber grip.

Item Number	Description	Ships Via
CC10899	*Approx. 8' aluminum handle	FedEx Ground
CC11250	12' aluminum handle	Truck
CC11650	16' aluminum handle	Truck
*This pole is trim	med by a few inches to allow it to ship at under 96"	



E-Z Ship Straight Poles

The new E-Z Ship aluminum poles snap together to make straight poles in lengths of 16' or 24'. When assembled, these poles have one end with the standard 1/4" holes to receive all standard pool tools and a white hand grip on the other end.

Item Number	Description	Ships Via
<u>CC21699</u>	*Approx. 16' (two ~8' pieces)	FedEx Ground
<u>CC31850</u>	18' (three 6' pieces)	FedEx Ground
CC32499	*Approx. 24' (three ~8' pieces)	FedEx Ground
*This pole is trimmed by a few in	nches to allow it to ship at under 96"	

Commercial Telescoping Poles

Adjustable vacuum pole made of durable drawn aluminum tubing, the strongest and most durable aluminum tubing made, for dependable performance in commercial applications. Tubes are anodized clear for longer life. Each pole has two ¼" holes punched on 3" centers. Nylon lock assembly.

Item Number	Description	Ships Via	
CC500899	*Approx. 8'–16' telescoping pole	FedEx Ground	
CC500950	12'-24' telescoping pole	Truck	
CC1033450	16'-32' telescoping pole	Truck	
*This pole is trimmed by	a few inches to allow it to ship at under 96"		




CC900150

Wood Handles

Threaded Wood – 15/16" diameter \times 5' threaded, trouble-free lacquer handle with a strong 2½" metal tip. **Tapered/Smooth Wood** – 1-1/8" diameter \times 4½' sanded hardwood handle.

Item Number	Description
CC9000550	Threaded Wood Handle
CC900150	Tapered/Smooth Wood Handle



Pole Accessories

A. Delrin Spring Clip

B. Missing Linx Pole Hangers

Designed to allow you to hang items on a chain link fence. Hang poles, towels, life rings... the possibilities are endless. Priced per hanger.

C/D. Stainless Steel Pole Hanger

Single or Dual Pole – With mounting hardware. Priced per hanger.

#	Item Number	Description
Α	CP17004	Delrin spring clip (each)
В	CCMLINX50	Missing Linx (each)
С	CC003EM75	Pole hanger – single pole (each)
D	CC004EM75	Pole hanger – dual pole (each)

Leaf Skimmers and Rakes



Economy Leaf Skimmer

Constructed of 3/8" solid anodized aluminum rod. Deep net is molded into ABS frame and snaps onto aluminum frame for easy replacement. Includes snap adapt handle for easy attachment to a standard pool pole.

Item Number CC12604

Description Economy Leaf Skimmer



Item Number

CCSS850

Description Durapro SS8 Leaf Rake



Economy Leaf Rake

Designed to easily remove leaves and debris. Constructed of 3/8" solid anodized aluminum rod with heavy duty fiberglass screen. Screen and frame completely covered with squeegee for scraping fine, loose debris on bottom of pool. Includes snap adapt handle for easy attachment to a standard pool pole.

Item Number CC12204

Leaf Rake Bag Dimensions $19" \times 8" \times 12'$



Commercial Leaf Skimmer This professional leaf skimmer features a gold anodized

aluminum frame making it durable and rustproof. Its rounded edges are designed not to mark pools or cut vinyl lining. $13" \times 14"$ fiberglass net.

Item Number CC801F50

Item Number

CC820F50

CC830F50

Leaf Net Dimensions $13'' \times 14'$



Maxi Series M-16 Leaf Rake

Durapro SS8 Leaf Rake

with a replaceable leafing edge.

This patented design uses a pure original plated spring steel

frame which won't rust, corrode or break under normal use.

The net is adhered to the frame with Skimlite's patented

method and has a protective vinyl tubing around the frame that can be replaced when worn. The square 8" SS8 comes

Pocket 'stays' keep the pocket open moving forward and closed coming back, allowing debris to enter and empty effortlessly. They also keep the net off of surfaces, protecting it from wear and tear. Newly designed leafing edge rotates to make leaves and debris glide into the 16" pocket. Leafing edge, net and protective tubing are replaceable. No sewn seams across the back. Sewn seams are at the sides, allowing the M-16 to flow with less resistance. Plated steel spring frame provides greater strength with less weight. It will not rust, corrode or break.

Description Maxi Series M-16 Leaf Rake



Commercial Leaf Rakes

A gold anodized aluminum frame makes this line rustproof and durable. Edges are designed not to mark pools. Features fiberglass bag with rounded corners and seamless gold anodized aluminum capped handle with delrin snap.

Rainbow #185 Leaf Eater Venturi action top skimmer or bottom cleaner. Works with a garden hose and standard telescopic pole or automatic pool cleaner hose. Collector bag slips on and off easily. Comes with brushes for vinyl liner pools and wheels for ease of turning

on hard bottomed pools.



Leaf Rake Bag Dimensions 19" × 6" × 11 30" × 8" × 12"

CCSP10050



CPSP10250





CCSP30050

CPSP20250

Spartan Leaf Rakes

Spartan Series leaf rakes are an economical alternative, service quality leaf rake. Spartan rakes have the shape of conventional leaf rakes with a leafing edge around the entirety of the rake. All components are easily replaceable.

Item Number	Description
CCSP10050	Spartan Standard Leaf Rake
CCSP20050	Spartan Deep Net Leaf Rake
CCSP30050	Spartan Fine Mesh Leaf Rake
CPSP10150	Replacement Rim for Spartan Series Leaf Rake
CPSP10250	Repalcement Net for Spartan Standard Leaf Rake
CPSP20250	Replacement Net for Spartan Deep Net Leaf Rake
CPSP30250	Replacement Net for Spartan Fine Mesh Leaf Rake




Three locations to serve you better!

Item Number Description CC1104604 #185 Leaf Eater CC2142603 Standard Replacement Bag CC2128603 Sand/Silt Fine Mesh Bag

CALL TOLL-FREE: 1.800.437.8072 • FAX: 1.800.850.0262 • SHOP ONLINE: WWW.RECSUPPLY.COM



Brushes



Pool Maintenance Brushes

All brushes this section feature nylon bristles and Kwik-fit handle bracket for easy pole attachment. Order pole separately.

Item Number	Description	Bristle Rows
<u>CC400050</u>	18" Straight	5
CC301050	18" Curved	4
CC402050	24" Straight	2
CC302050	24" Curved	5
CC303050	36" Curved	5



Combination Wall Brushes

These innovative wall brushes combine stainless steel and synthetic bristles. The result is a brush that is softer and easier to push than stainless steel brushes, yet longer lasting with better scrubbing action than synthetic bristle brushes. Each combination wall brush features an aluminum back with 5 rows of mixed stainless steel and synthetic bristles. Order pole separately.

Item Number	Description
CC300450	18" Curved
CC302450	24" Curved



Acid Wash Brushes

Crimped nylon bristles are long lasting, impervious to most solvents and will not rot. Order handles separately.

Corner Cleaning Brush Round shaped brush makes it easy to clean all those hard to

scrub places. Designed for use with a pool pole, purchased

CC602350 Description Dual Sided w/Polypropylene Block and threaded handle hole CC960050 CC602350 10" \times 3" Wooden Block with two tapered handle holes

Description

Corner Cleaning Brush



Item Number







separately.

Wall Whale

Wall Whale makes wall scrubbing easier by working like a spoiler on a car. The tail creates more than 10 times the force against the pool surface. It holds the brush firmly against the pool surface anywhere you can make the brush move. Order pole separately.

Item Number CCW302050 CCW303050

Description Wall Whale with Nylon Bristles - 24" Wall Whale with Nylon Bristles - 36"

Cleaning Supplies and Equipment



CCT100050

Boeshield T-9 Corrosion Shield and Waterproof

Lubricant

Gallon Liquid

8 oz. Spray Bottle

Gallon Liquid

This state-of-the-art formula applies thinly for maximum penetration, displacing moisture while attacking existing corrosion. It dries to a light, waxy film lubricating and protecting all metals for months. Excellent for deck equipment maintenance and swimming pool pump, filter, fittings and valve housing protection.



Clean & Perfect

The perfect all purpose cleaner! SMARTZyme™ technology makes Clean & Perfect the perfect indoor/outdoor cleaner. It cleans even the toughest grease, dirt and grime with ease, yet won't harm any hard surface. Removes grease, grime, soot, residue from mildew, waterline rings, leaf stains, and dead insects. Eliminates the strongest odors on contact even pet accidents. The uses are endless!

- Naturally based SMARTZyme technology and surfactants
- Extremely powerful all purpose cleaner
- Removes the toughest stains and odors gently and completely from any hard surface or fabric
- Ideal cleaner for spa covers, grills, steps, tiles, and more!





Rust Free is a heavy-duty rust and stain remover that works on stainless steel, iron, galvanized steel, chrome and fiberglass. Spray the affected area and allow to penetrate for 3 to 5 minutes, rinse with soapy water. For heavy rust, repeat using a Scotch-Brite pad.

Item Number CCT900R50 CCT900G50



Scotch-Brite[™] Hand Pads

Reuseable 3M Stoch-BriteTM hand pads to be used for cleaning, finishing, blending, and deburring common materials around swimming facilities. Measures 6" \times 9"

- All-Purpose Pad: Ideal for cleaning ceramic tile, vinyl liners, fiberglass, concrete, acrylic, and more
- Stainless Steel Pad: Designed specifically for hand-blending and finishing stainless steel

Item Number	Qty/Box	Coarse Grade	Color
CC7447B50	20 Pads	All Purpose - Very Fine	Maroon
CC7446C50	20 Pads`	Stainless Steel - Medium	Gray

CitriSurf

Item Number

AA0017661 AA0017661PK12

CitriSurf products are recommended by Pentair for eliminating rust on stainless steel surfaces in aquatic facilities.

Description

Clean & Perfect 24 oz Spray

Clean & Perfect 24 oz Spray - case of 12

- CitriSurf 77 Plus is formulated for rust removal and passivation in a trigger sprayer bottle for applications where it is desired to spray the product on a local area.
- CitriSurf 2310 is a gelled version for rust removal and passivation of weld joints, vertical surfaces and large items or areas.
- Rust Rescue 200 is a high quality blend of chemicals formulated for the protection of stainless steel and
 other metal surfaces in conjunction with CitriSurf passivation, especially in environments where moisture
 and harsh atmospheric chemicals are expected to or have lead to corrosion.

Item Number	Description	Size
CC1007750	CitriSurf 77 Plus	22 oz. Spray Bottle
CC2231050	CitriSurf 2310	22 oz. Spray Bottle
CC1231050	CitriSurf 2310	Gallon
CCRQ20050	Rust Rescue 200	Quart
CCR120050	Rust Rescue 200	Gallon



Mr. Scrubber for Pool and Spa

Blue ABS plastic with Kwik fit handle design for easy pole attachment. Light Duty White Pad for fiberglass and vinyl. Medium Duty Blue Pad for tile, plaster and cement. Heavy Duty Brown Pad for tile, plaster and cement.

Item Number	Description	Pad Color
<u>CC800050</u>	Complete - Light Duty	White
<u>CP803050</u>	Replacement Pads (2) - Light Duty	White
CC801050	Complete · Medium Duty	Blue
CP803250	Replacement Pads (2) · Medium Duty	Blue
CC802050	Complete - Heavy Duty	Brown
<u>CP803450</u>	Replacement Pads (2) · Heavy Duty	Brown



Spectra Clean Systems

Although stainless steel is corrosion resistant, it may display rusting characteristics under certain conditions.

Minimize the potential for corrosion with routine use of our Spectra-Clean[™] System 1. Simply wipe down rail surfaces with ready-to-use Spectra-Clean[™] and rinse with nonchlorinated water. For stubborn rust stains or heavy deposit build up, Spectra-Clean[™] Systems 2 or 3 can bring back the original finish.



Item Number	Description
<u>CC4790647</u>	Spectra Clean System 1 – Daily Use (four 22 oz. bottles)
<u>CC4790547</u>	Spectra Clean System 2 – Severe Use (one gallon)
<u>CC4790447</u>	Spectra Clean System 3 – Extreme Use (one gallon)

10 CALL TOLL-FREE: 1.800.437.8072 • FAX: 1.800.850.0262 • SHOP ONLINE: WWW.RECSUPPLY.COM

Surface Cleaning and Preparation



Item Number	
CC2AS50	

CC3AS50



Acid Sprayers

Command 1000

Pressure Washer

B&G Acid sprayers are specifically designed to dispense acids for treatment of exposed surfaces. Acid sprayers are the only sprayers available which can be used for all chemical applications. The sprayer's strong polyethylene tank, poly pump unit, hose, and patented acid valve with viton gaskets are all acid-proof. No metal parts of the sprayer ever come in contact with acid. Acid sprayers are a proven value because of the innovative design and durable materials used in manufacturing.

The Command 1000 pressure washer is durable, cart-

mounted, and easy to use. It is equipped to deliver 1000

PSI at 2 gallons per minute. The Command 1000 is driven

by a 11/2 horsepower motor. The cart enclosure is made of

non-rusting polyethylene for maximum durability. The pump and motor are housed within and protected by the cart. The

Command 1000 also features a built-in one gallon capacity detergent compartment. Other standard features include 20' of non-kinking hose, 36" gun lace, multi-reg tip, 10' cord

with ground fault circuit interrupter, glycerin-filled gauge and chemical injection. Dimensions: $35\frac{1}{2} \times 19^{"} \times 15^{"}$



Item Number CCSR62850

Item Number

KK024518

Viro-Shield[™]

- Made from pure Hydrogen Peroxide (H2O2)
- Effective natural oxidizer, cleaner, deodorizer and anti-microbial solution
- Cleans and disinfects hard, non-porous surfaces to destroy essential components of germ cells and deactivate a wide range of micro-organisms

Size Gallon

Olympic Prep Magic One-Step Cleaning Solution

bare fiberglass, plaster and painted surfaces. 1 gallon prepares approximately 400 sq. ft. of bare concrete,

fiberglass and painted surface.

Olympic Prep Magic is a one-step, clean and etch pool surface

preparation solution that allows you to clean your surface

without the extra steps of traditional surface cleaning. Simply mix Prep Magic with water, clean your surface, and then rinse.

Prep Magic can be used on bare concrete, gunite, marcite,

marcite, gunite and plaster surface or 700 sq. ft. of bare



Item Number CC1000E50

Item Number CCYS10250 CCYS11750

Shipping Weight 64 lbs

Capacity 2 Gallons

3 Gallons



Wysiwash Cleaning System

Wysiwash is a revolutionary, patented system that changes the way people sanitize. Wysiwash means disinfection from a water hose-end sprayer. The hydro-injection venturi system produces a solution of hypochlorous acid that is up to 120 times more effective than liquid bleach.

- Will not destabilize swimming pool water.
- Works with either cold or hot water.
- Caplets last up to 3.5 hours of continuous use.
- No mixing, no mess, no harmful residues.
- No rinsing necessary. Great for cleaning pool filters too!

Description
Wysiwash Sanitizer-V Power Washer
Wysiwash 9-pack of Jacketed Sanitizer Caplets



MAG

Item Number KK930655



Size Gallon

Clean and Prep Solution Clean & Prep Solution is used to clean and degrease while

simultaneously dissolving mineral deposits, increasing porosity for good adhesion on surfaces prior to painting. 1 gallon prepares approximately 400 sq. ft. of bare concrete, marcite, gunite and plaster surface or 700 sq. ft. of bare fiberglass and painted surface.



Industrial Water Broom

Quickly and easily clean pool decks, locker rooms, patios... anywhere a garden hose is used for cleaning or hosing down. Simply attach the Water Broom to a hose and clean in 1/10th the time, using up to 80% less water. Heavy duty steel and brass construction with brass on/off valve, double ball bearing swivel rubber casters and threaded brass nozzles. Completely assembled and ready for years of use. Width: 36".



TriSodium Phosphate

TriSodium Phosphate, or TSP, is a cleaning compound commonly used in preparing swimming pool and deck surfaces for painting.

> Size 8 lb, bottle

50 lb, bag

Now available in either 8 lb. or 50 lb. size.

Description

TriSodium Phosphate

TriSodium Phosphate

Item Number CCC4750

THREE LOCATIONS TO SERVE YOU BETTER! • MOST IN-STOCK ORDERS SHIP THE SAME DAY!

AA40850

AA45850

Pool Repair Products



Pox-O-Fill

We recommend Pox-O-Fill for permanent patching of concrete. Excellent for repairing structural cracks in concrete pools or as an anchoring compound for diving boards and ladders. May be trowelled over rough spots to a featheredge with no loss of adhesion. It may be applied underwater.





Description

Description

Permaseal

Permaseal is a one-component nitrile rubber caulking compound that seals cracks while remaining permanently flexible. Permaseal is compatible with all types of pool paints and dries overnight.

This material should be used only for a small crack up to 1/4" in width. Some shrinkage will occur as it dries.

Permaseal 10.5 oz. tube

Vulkem 116 Sealant

Vulkem® 116 is a one-part, moisture-curing, gun-grade polyurethane sealant. It is durable, flexible, and offers excellent performance in dynamic joints. 10.1 ounce tube. Color: White.

Description

Vulkem 116 Sealant, White - 10.1 oz. Cartridge

Vulkem 45SSL Sealant, White - 30 oz. Cartridge

Vulkem 45SSL Self Leveling Sealant

Vulkem® 45SSL is a one-part, moisture-curing, low-modulus polyurethane sealant. It provides exceptional wear and tear resistance required in high traffic areas. Formulated for use in expansion joints in sidewalks, swimming pool decks, plazas, floors and other horizontal surfaces. 30 ounce tube. Color: White.

Item Number KK5421855



BOSS[®] 801 Pool & Spa Silicone Adhesive

- A one-part, low odor, non-corrosive, neutral cure adhesive and sealant.
- It provides excellent adhesion to ceramic tile, spa jets, skimmers, lighting fixtures, plumbing and fiber optic lighting.
- Adheres well to fiberglass, ABS, acrylic, PVC, wood and masonry
- 10.3 oz. cartridge

Color White

Aquamend

Aquamend is a hand-kneadable specialty epoxy putty that mixes in just one minute for permanent repairs to damp, wet areas and underwater applications. It will bond tenaciously to substrates such as fiberglass, metal, wood, concrete, glass, and many vinyls. After the final cure, Aquamend may be drilled, sawed, tapped, filed, sanded, and painted.

Aquamend comes in a handy 4 oz. "tootsie-roll" form with the curing agent encapsulation in the contrasting base material. The unused portion will remain stable for years if protected from direct contact with the air. Description

Kneadatite Two-Part Epoxy

Kneadatite is great for larger repairs. It has a long work life

and it smooths out very easily when you add water. The

mixed epoxy sets in 50 minutes and can be drilled, tapped,

Patching Compound

filed, machined and painted.



Item Number CCAOUAM50

KK0101B50



Description

4 oz. Aquamend







KK94718

KK94818

Olympic Clear Sealer

Olympic Clear Sealers are water-based acrylic coatings designed to protect and improve the appearance of concrete surfaces. Use on patios, decks, sidewalks, pavers, waterscapes and more. Roll, brush or spray on. Available in two finishes matte and semi-gloss. VOC compliant.

Item Number Finish Matte Semi-Gloss

Kneadatite is packaged in a 1 lb. kit (1/2 pound Part A and 1/2 pound Part B).

CALL TOLL-FREE: 1.800.437.8072 • FAX: 1.800.850.0262 • SHOP ONLINE: WWW.RECSUPPLY.COM

12

Item Number

KK094718

KK094818





Thermolastic

next day. Compatible with all pool coatings.


Thermolastic expansion joint filler is a permanently flexible 2-component polysulfide rubber material for filling vertical and horizontal expansion joints in concrete pools or decks. Thermolastic may be installed into expansion joints with a caulking gun. Use solvent #1109 for thinning and cleanup. This material must cure 5 to 7 days before painting. Use Horizontal (Type H) for floor joints. Use Vertical (Type V) for wall joints.

Item Number Description KK0935H18 Thermolastic – Horizontal Thermolastic – Vertical KK0935V18

FoamLite Backer Rod

Subfiller for expansion joints and crack repair. Polystyrene rope. Use under Thermolastic and Permaseal. Prices are

Slympic





KK096218 Pox-O-Fill - Gallon Sivmpic

KK0096218

Item Number

KK0096018

K096018

Concrete Patch Concrete Patch is a strong yet economical concrete patching compound for above ground and underwater concrete surfaces. This two-component material is mixed together, then trowelled into cracks to form a hard, permanent patch. Concrete Patch will cure overnight and may be painted the

Pox-O-Fill – Quart

Item Number KK95018

Item Number

Ramuc Pool Coatings

RAMUC RUBBER BASE ENAMELS

RAMUC EPOXY COATINGS



Standard Colors

BLACK

Premium Pool

DANGER

GALLON (3.785 LITERS

BLACK

One Gallon Item Number

KK081G155

KK081E155

KK081D155

KK081M155

KK081W155

KK081B155

KK081K155

KK081R155

KK081V155



Type EP High Gloss Epoxy

Ramuc Type EP is a high solids, high gloss, epoxy pool paint formulated to provide a tile-like, abrasion resistant, durable, easy to clean film for the protection of concrete, plaster and fiberglass swimming pools, spas, reflecting pools, water park wave pools, and rivers. Type EP is compatible with other epoxy pool paints. Coverage is 175-200 sq. ft. per gallon on bare, sandblasted, or rough surfaces. 400-450 sg. ft. per gallon on recoats.

Color

Aqua Green

. Beach Beige

Dawn Blue

Monument Gray

White

Black

Dark Blue

Royal Blue

Vermillion Red

Εp

GEWATER GRAY

DANGER

GALLON (3.785 LITERS)

Premium Pool Pain



DAR



One Gallo

Type A-2 Rubber

- Topcoats and upgrades existing chlorinated and synthetic rubber systems.
- VOC Compliant.
- Easy to clean, semi-gloss stain-resistant finish. •
- Easy to apply by roller or spray.
- One component for easy use.
- Two coats provide up to 4 years service life.
- Coverage is 400 sq. ft. per gallon on recoats.

	BLACK	DAWN BLUE	MONUMENT GRAY	WHITE	
on	Five Gallon			Color	

Item Number	Item Number	Color
KK223B155		Black
KK223D155	KK223D555	Dawn Blue
KK223M155	KK223M555	Monument Gray
KK223W155	KK223W555	White

RAMUC WATER BASE ACRYLIC ENAMELS



RAMU

Type DS Water-Based Acrylic

Ramuc Type DS is a water-based acrylic pool paint formulated to provide a tough, durable, decorative film for the protection of concrete and plaster swimming pools. Type DS is excellent for use in pools where downtime is critical as it can be applied to a damp surface and be put into service 3 days after the final coat is applied. Type DS is compatible with previously painted chlorinated and synthetic rubber surfaces, and properly prepared epoxy painted surfaces. Not recommended for use on bare surfaces. Coverage: 350-400 sq. ft. per gallon on recoats.

	and all all the second second second					
Standard Colors			Accent C	olors		
AQUA GREEN	BEACH BEIGE	DAWN BLUE	WHITE	BLACK	DARK BLUE	ROYAL BLUE
One Gallon Item Number	Five Ga Item N			Cold	or	
KK101G155				Aqua G	reen	
KK101E155				Beach B	Beige	
KK101D155	KK101	D555	Dawn Blue			
KK101W155	KK101	W555	White			
KK101B155				Blac	k	
KK101K155			Dark Blue			
KK101R155				Royal E	Blue	

Ramuc Thinner

Type EP Hi Build Epoxy

This is the perfect high build epoxy product formulated to provide the longest lasting finish of any pool paint. High build to 16 mils in two coats. EP Hi Build is self-priming with easy roller application and compatible with other epoxies. Renovates old plaster and fiberglass. Hard satin finish resists staining and chemicals for up to 8 years and more! Coverage: 125 sq ft per gallon.

DAWN BLUE

Two Gallon		10 Y	For type A and EP paints.
Kit Number	Color	01	
KK122E255	Beach Beige		200 Contraction of the second s
KK122B255	Black	= DANGE	RI
KK122D255	Dawn Blue		
KK122G255	Edgewater Gray	Item Number	Description
KK122W255	Magic White	KK0922155	Ramuc Thinner – Gallon

B

Colors are ink representations. Actual color may slightly differ. Please request a free paint sample card for best color match.

Olympic Pool Coatings



OLYMPIC EPOXY PRIMERS

Olympic offers two types of epoxy primer for unpainted concrete or plaster surfaces. Bare plaster and concrete are highly absorbent materials that tend to soak up the first coat of paint. Therefore, a primer should be used to seal the surface and provide a smoother profile for painting.

These primers should only be used as a base coat for **Poxolon 2** or **Zeron**. Do not use epoxy primers in conjunction with rubber base paints.



Epoxy swimming pool coatings are by far the most durable and attractive of all types of swimming pool paints. They provide the greatest degree of protection and long-range durability in swimming pools. Plus, their "ceramic-like" finish inhibits algae growth and common pool stains. May be applied by brush, roller or airless spray. You can expect five to eight years of service from an epoxy coating. Highly recommended for new unpainted pools or for refinishing rough and stained plaster. **Note: Do not use epoxy coatings over existing rubber base paints.**

Zeron



Poxoprime II

Poxoprime II is our epoxy primer for application over unpainted concrete or plaster. Used as an undercoat for Poxolon or Zeron, Poxoprime II soaks in and seals the surface. Poxoprime II's compatibility with wet surfaces helps reduce downtime and saves money.

Coverage: 200-225 sq. ft. per gallon.

Description Poxoprime II Primer



Gunzite

Gunzite is a two part epoxy primer for application over unusually rough plaster or concrete. The heavy viscosity of Gunzite acts as a fill coat on these surfaces and provides a much smoother surface. Gunzite should only be used as an undercoat for Poxolon or Zeron. Especially effective on sandblasted surfaces.

Coverage: 100-150 sg. ft. per gallon.

One Gallon Item Number KK021618

Item Number

KK026018

14

Item Number

KK021418

 Four Gallon
 Description

 Item Number
 Description

 KK421618
 Gunzite Primer



Olympic Fusion Plus Conversion Coating

Convert Rubber-Base Coated Pool to Epoxy Coated Pool Fusion Plus is the smart way to convert your worn rubberbase coated pool to an epoxy finish. Simply clean surface, roll on Fusion Plus, then follow with one coat of Zeron or two coats of Poxolon. Your rubber-to-epoxy finish will be beautiful and will last for years.

Coverage: 225-250 sq. ft. per gallon.

Description Fusion Plus Gallon



Olympic Solvents



Item Number Description KK0110818 Rubber Base Solvent, 1 gallon KK0110918 Epoxy Solvent, 1 gallon

Colors are ink representations. Actual color may slightly differ. Please request a free paint sample card for best color match.

One Gallon

KK0222218

KK0223118

Item Number

CALL TOLL-FREE: 1.800.437.8072 • FAX: 1.800.850.0262 • SHOP ONLINE: WWW.RECSUPPLY.COM

Zeron No. 392 Bikini BLUE Na Damarak Mr Carron Lurena aver	alternative to plaster in new pool construction. Coverage: 125-150 sq. ft. per gallon.		
WHITE BLUE MIST	BLUE ICE	BIKINI BLUE	BLACK
One Gallon Four Gallon			

One Gallon Item Number	Four Gallon Item Number	Color
KK039018	KK439018	White
KK039518	KK439518	Blue Mist
KK039118	KK439118	Blue Ice
KK039218	KK439218	Bikini Blue
KK039918	KK439918	Black



Four Gallon

Item Number

<u>KK4222218</u>

KK4223118

Olympic

Poxolon 2

Poxolon 2 is a high gloss epoxy pool coating that is easy to apply and durable. Recommended for use by pool service companies and the do it yourself pool owner. Use with primer on concrete, plaster, fiberglass and metal pools. Two coats are required.

Color

White

Blue Mist

Zeron is a one coat epoxy pool coating recommended for use

by pool service professionals. This high solids epoxy covers

stains and seals hairline cracks. Excellent for refinishing

rough, stained plaster pools. Provides a smooth easy

to maintain pool surface. Zeron may also be used as an

Coverage: 225-250 sq. ft. per gallon.

WHITE BLUE BLUE BIKINI BLACK CLEAR

Olympic Pool Coatings

OLYMPIC RUBBER BASE ENAMELS

Rubber base swimming pool paints are the most popular type used today. They are relatively low in cost, easy to apply and provide an attractive finish in swimming pools. Two coats are suggested for good adhesion and durability. There are two types of rubber base paints, chlorinated and synthetic. You can expect from one to three years of service from a rubber base enamel.



Paralon 2

Paralon 2 is our standard grade chlorinated rubber pool enamel. This paint is recommended for repainting existing chlorinated rubber coatings. Two coats are required for repaint jobs and three coats for bare concrete. Paralon 2 meets Federal Specification TTP-95, Type 1, Class 3 for rubber base pool paints.

Coverage: 250-275 sq. ft. per gallon.




One Gallon	Five Gallon	
Item Number	Item Number	Color
KK029018	<u>KK29018</u>	White
KK029618	<u>KK29618</u>	Blue Mist
KK029118	<u>KK29118</u>	Blue Ice
KK029218	<u>KK29218</u>	Bikini Blue
KK029718	KK29718	Black

	- Olympic
-	ITIC RUBBER-BASE POOL INAND
and the second	And the second s
1	Optilon
C	NO. 852 BLUE ICE

Optilon

Optilon is an economical synthetic rubber base formula meeting all the quality performance expectations of chlorinated rubber base paint. Optilon can be applied to bare concrete or plaster as well as over old rubber base paint. Optilon has excellent chemical resistance and color retention while yielding 2-3 years average service. Two coats are recommended.

Coverage: 250-275 sq. ft. per gallon.



OLYMPIC WATER BASE ACRYLIC ENAMEL



Hydrolon

Hydrolon combines a superb acrylic formulation with ease of application and cleanup. Hydrolon is perfect for use over old rubber base paint, and with no solvent odors Hydrolon can be comfortably applied indoors with minimal downtime. Two coats are required.

Coverage: 250-300 sq. ft. per gallon.

	WHITE	BLUE MIST	BLUE ICE	BIKINI BLUE	BLACK	
One Gallon Item Number	Five G	allon Jumber		Colo		
KK071018	KK71		White			
KK071118	KK71118			Blue N	list	
KK071218	<u>KK71218</u>		Blue Ice			
KK071318	KK713	318		Bikini E	Blue	
KK071718	<u>KK717</u>	718	Black			





Read Before Painting or Repairing Pool

- Painting a pool properly requires attention to four factors:
- 1. Selection of the proper type of coating
- 2. Preparation of the surface
- 3. Proper application of the paint
- 4. Proper curing time

The most widely used pool coatings are chlorinated rubber base and epoxy base paints. When selecting either of these coatings for your pool, remember that they are not compatible. Each has its advantages and disadvantages. We encourage you to call our technical experts to assist in choosing a pool coating. We will also help estimate the quantity of paint required if you provide us with your pool measurements.

Pool surfaces must be completely clean and free from slime, scum, body and suntan oils, algae, calcium and other surface residue before they can be properly painted or repainted. Pools are prepared for painting by a three-step procedure: (1) washing, (2) acid etching, (3) rewashing.

It is important to know that acid will not remove suntan oil, body oil, diluted hair spray or any oil or greasy substance. These must be removed with a pool washing solution of tri-sodium phosphate (TSP). Mix 8 oz. of TSP to each gallon of water. Mix about 5 gallons of this solution for each 1,000 sq. ft. of surface to be scrubbed. Always hose off the TSP with clear water.

Acid etching opens the pores which allows the paint to penetrate into the surface to create a good bond. All persons participating in acid etching should wear rubber boots and rubber gloves. Mix one part 30% muriatic acid with two parts of water. Always pour acid in the water. Never pour water in the acid! As soon as the acid ceases to effervesce it should be hosed off with clear water. Do not permit the acid to dry on the surface.

After etching is complete, the surface should be scrubbed again with the TSP solution to neutralize the remaining traces of the acid.

Proper curing time is important because rubber based paint gets harder the longer it dries; the harder it becomes, the more resistant it is to chemical attack.

Please feel free to call us for technical information regarding all your pool painting needs.

Colors are ink representations. Actual color may slightly differ. Please request a free paint sample card for best color match.

Deck Coatings


OLYMPIC DECK COATINGS

OLYMPIC COURT COATINGS



Olympic Patio Tones

Patio Tones is our nonslip deck and patio coating that is available in eight earth tone colors. This coating is especially useful for covering older decks and patios that have cracked or become stained and worn. Simply patch the cracks, clean the deck according to the label instructions, and "roll-on" the Patio Tones. The water based formula lets you clean and coat the same day! The results will be a beautiful pool deck that is cool, safe and attractive. Two coats required on original application. Coverage: 80-100 sq. ft. per gallon.



One Gallon Item Number	Five Gallon Item Number	Color
KK046918	KK46918	Champagne
KK046618	KK46618	Creekstone
KK046318	KK46318	Desert Sun
KK047518	<u>KK47518</u>	lvory
KK047218	<u>KK47218</u>	Mystic Gray
KK046518	KK46518	Sand Valley
KK046718	<u>KK46718</u>	Silk Straw
KK047818	<u>KK47818</u>	Warm Biscuit
KK046018	KK46018	White



Duracourt

Duracourt outdoor court coating is designed specifically for coating asphalt or concrete recreational surfaces. Duracourt is excellent for new or previously painted all-weather surfaces including tennis, basketball, volleyball, and other recreational court surfaces.

Duracourt coatings are formulated from tough acrylic latex which is ideally suited for outdoor play. It literally stretches and breathes to accommodate changing temperature and weather conditions - which means there is no peeling or cracking of the coating.

Coverage: 100-125 sq. ft. per gallon, depending on the porosity of the surface.



One Gallon Item Number KK014018 KK14018 KK16018 KK18018

white (lot i	illes)	
Tile Re	d	
Green		

Color

White (for lin

Olympic Super Convoy Epoxy Deck Coating

Super Convoy is an unequalled epoxy coating for shower room floors, pool decks, diving boards and wading pools. This heavy duty epoxy paint will provide excellent results even when exposed to the most severe acid, alkali or chemical conditions. Coverage: 90-110 sq. ft. per gallon. Cure time: touch–2 hours @ 75°F; traffic–24 hours. Colors are approximations. Contact us for a paint chip card for best color representation.

ULTRA-TUFF DECK COATING



Ultra TUFF Deck Coating

This is a very tough yet flexible non-slip coating for use on fiberglass, concrete, wood, aluminum, and steel. Ideal for pool deck, splash pads, wooden decks & commercial applications.

Unlike epoxies, Ultra TUFF is very flexible making it chip and impact resistant. Ultra TUFF will handle wear from foot traffic to forklift and automotive traffic. Ultra TUFF is an air dry, air cure coating and is non-flammable. Don't forget to order Ultra TUFF textured Rollers, designed specifically to apply Ultra TUFF coatings.

Ultra TUFF Coverage: 45-50 sq. ft./gallon (based on two coat application). Primer coverage: 250 sq. ft. per gallon. Service life: 6 to 8 years.

Ultra TUFF Pool and Deck Colors






Item Number	Color	
KK036018	Tile Red	
KK036318	Yellow	
KK036518	Bikini Blue	
KK036618	Blue Ice	
KK036818	White	
KK036918	Black	
KK037018	Dark Gray	
KK037118	Light Gray	

Colors are ink representations. Actual color may slightly differ. Please request a free paint sample card for best color match. CALL TOLL-FREE: 1.800.437.8072 • FAX: 1.800.850.0262 • SHOP ONLINE: WWW.RECSUPPLY.COM

16

Dri-Dek Slip Prevention



Dri-Dek Floor System

Dri-Dek is a multipurpose safety surfacing material that is specially formulated from flame resistant polyvinyl chloride. Contains OXY-BI, an EPA approved fungicide for fighting mold, mildew, and bacteria. UV stabilizers. Dri-Dek will not burn, rot, splinter, flake, soil, discolor, tear or unravel in hot or cold, humid or arid climates.

This modular system is comprised of $12" \times 12" \times 9/16"$ tiles or $3' \times 12'$ rolls with anti-skid surface. The tiles lock together to form a portable surface of any length, width, or shape. The roll is a solid piece that may also be connected with other rolls or tiles. You can add, subtract, rearrange, or relocate all or part of your surface to fit anywhere, at anytime.

Dri-Dek is ideal for use around pools, walkways, locker rooms, showers, saunas, spas, weight rooms... virtually anywhere that safety is as important as comfort.

The Edge Piece is $12^{"} \times 2^{"}$ and snaps to the tile to provide a smooth access ramp. **The Corner Piece** is $2^{"} \times 2^{"}$ and fits between the adjacent edges to complete the border. **Minimum order: 12 tiles.** *Typically ships within 1 business day.*



Dri-Dek Colors



Item Number	Descripton
LLDRIDK	Dri-Dek Tile
LLDROLL	Dri-Dek Roll 3' × 12'
LLSHEET	Dri-Dek Sheet 3' × 4'
LLEDGE	Dri-Dek Edge 12" × 2"
LLCRNR	Dri-Dek Corner 2" × 2"
LLDBOND50	Dek-Bond 1 oz – Permanently bonds 100 tiles



Safety Track® Resilient

This rubberized, textured non-slip tape was designed for heavy shoe traffic, yet is comfortable enough for bare feet. Coated with an aggressive adhesive designed with industrial and commercial applications in mind, this product is easily cleaned and mop-friendly. The best choice for swimming pool areas.

Item Number	Color	Description	Rolls per Case
KK5100150	Black	1" × 60' roll	12
KK5100250	Black	2" × 60' roll	6
KK5100450	Black	4" × 60' roll	3
KK5162450	Black	6" × 24", 50 pieces	N/A



Safety Track®

Safety Track is a durable adhesive-backed grit surface which provides long-lasting protection even when exposed to heavy traffic, water, or grease. Safety Track can be used indoors or outdoors. It is easily installed in seconds to most clean, dry, oil-free surfaces, including metal, primed concrete, and wood. Just peel off the paper backing and press in place. Excellent for recreational areas, stairways and hazardous floor areas. Standard stock Safety Track is black and available in four convenient sizes to accommodate hundreds of applications. Contact us for a price quote on alternate sizes and colors.

Item Number	Color	Description	Rolls per Case
KK1X60B50	Black	1" × 60' roll	12
KK2X60B50	Black	2" × 60' roll	6
KK4X60B50	Black	4" × 60' roll	3



Flex Track®

READ SPREAD

Flex track is a resilient, fine-textured vinyl which provides firm traction in both wet and dry conditions. It is supplied with an aggressive pressure-sensitive adhesive system which is functional both indoors and out. Ideal for showers, bathtubs, stair treads, locker rooms, and therapy rooms.

Item Number	Color	Description	Rolls per Case
KK1X60C50	Clear	1" × 60' roll	12
KK2X60W50	White	2" × 60' roll	6
KK2X60C50	Clear	2" × 60' roll	6

Tread Spread Slip Resistant Epoxy Coating Tread Spread is a spreadable epoxy coating that includes a slip-resistant aggregate. Simply mix and spread wherever

slip-resistant aggregate. Simply mix and spread wherever additional traction is needed. Bonds tenaciously to concrete, wood, metal, fiberglass, and most rigid surfaces. Use on wet, dry, and underwater surfaces. High-traction and easy to apply. Much more durable and long lasting than tapes. Exceeds OSHA and ADA recommendations for slip resistance in both wet and dry conditions.

Tape off an area where additional traction is needed. Then mix and apply Tread Spread to the area. Peel up the tape while the epoxy is still wet and allow 2-3 hours for the product to dry. Coverage: 24 sq. ft. $\times 1/16"$ thick per gallon.

 Item Number
 Descr

 KK9920050
 Tread

 KK9920150
 Tread

TREAD SPREAD

Description Tread Spread, 2-Pint Kit Tread Spread, 2-Gallon Kit



PEM Aquatic Matting



PEM Aquatic Matting

Numerous Uses:

- Pool and Spa Decks
- Locker Rooms
- Restrooms
- Concession Areas
- Waterpark Bridges, Steps and Walkways

Aquatic facilities present unique challenges to facility operators. Traditional pool decks often utilize tile or concrete flooring that can withstand wet conditions and be cleaned easily. Unfortunately, when wet, these surfaces often become very slippery and dangerous. PEM slip-resistant aquatic flooring and pool deck matting addresses these concerns and provides a safe, slip-resistant surface for pools and other aquatic areas.

It is now the leading wet area flooring used by pool operators throughout the country and used extensively by USA Swimming, the National Governing Body for the sport of swimming in the United States, at its events.

PEM wet area flooring is specifically designed to combat against slips and falls around pools, decks and patios, the soft textured surface provides both stability and comfort while the permeable, vinyl mesh mat design drains quickly and eliminates puddling. PEM has been the trusted supplier of wet area flooring solutions for thousands of pool and facility operators around the country, check out what customers have to say about our wet area matting.

For aggressive applications that involve standing or flowing water or for underwater applications, Surebond 909 adhesive is recommended. One $36" \times 25'$ piece of PEM Matting requires 6 tubes of adhesive.

Approximate Thickness:

- Lightweight 1/4"
- High Traffic 3/8"



Stock Colors:

Blue, Gray, Sandstone, Hunter Green (High Traffic only), Chocolate Brown (High Traffic only), Black (High Traffic only).



PEM Aquatic Matting

Item Number	Matting Type	Roll Size	Ship Weight
LLPL20550	Lightweight	24" × 5'	12 lbs
LLPL30550	Lightweight	36" × 5'	16 lbs
LLPL40550	Lightweight	48" × 5'	20 lbs
LLPL60550	Lightweight	72" × 5'	30 lbs
LLPM20550	High Traffic	24" × 5'	17 lbs
LLPM30550	High Traffic	36" × 5'	22 lbs
LLPM40550	High Traffic	48" × 5'	30 lbs
LLPM60550	High Traffic	72" × 5'	43 lbs
Item Number	Matting Type	Roll Size	Ship Weight
LLPL21050	Lightweight	24" × 10'	19 lbs
LLPL31050	Lightweight	36" × 10'	26 lbs
LLPL41050	Lightweight	48" × 10'	40 lbs
LLPL61050	Lightweight	72" × 10'	50 lbs
LLPM21050	High Traffic	24" × 10'	27 lbs
LLPM31050	High Traffic	36" × 10'	38 lbs
LLPM41050	High Traffic	48" × 10'	51 lbs
LLPM61050	High Traffic	72" × 10'	76 lbs
Item Number	Matting Type	Roll Size	Ship Weight
LLPL21550	Lightweight	24" × 15'	26 lbs
LLPL31550	Lightweight	36" × 15'	37 lbs
LLPL41550	Lightweight	48" × 15'	60 lbs
LLPL61550	Lightweight	72" × 15'	70 lbs
LLPM21550	High Traffic	24" × 15'	38 lbs
LLPM31550	High Traffic	36" × 15'	55 lbs
LLPM41550	High Traffic	48" × 15'	73 lbs
LLPM61550	High Traffic	72" × 15'	110 lbs
Item Number	Matting Type	Roll Size	Ship Weight
	Matting Type Lightweight	24" × 25'	Ship Weight 38 lbs
LLPEML250			
LLPEML250 LLPEML350	Lightweight Lightweight Lightweight	24" × 25'	38 lbs
LLPEML250 LLPEML350 LLPL42550	Lightweight Lightweight	24" × 25' 36" × 25' 48" × 25' 72" × 25'	38 lbs 57 lbs 75 lbs 115 lbs
LLPEML250 LLPEML350 LLPL42550 LLPEML650	Lightweight Lightweight Lightweight	24" × 25' 36" × 25' 48" × 25'	38 lbs 57 lbs 75 lbs
LLPEML250 LLPEML350 LLPL42550 LLPEML650 LLPEML650 LLPEMS250	Lightweight Lightweight Lightweight Lightweight	24" × 25' 36" × 25' 48" × 25' 72" × 25'	38 lbs 57 lbs 75 lbs 115 lbs
Item Number LLPEML250 LLPEML350 LLPL42550 LLPEML650 LLPEMS250 LLPEMS250 LLPEMS250 LLPEMS250 LLPEMS250	Lightweight Lightweight Lightweight Lightweight High Traffic	24" × 25' 36" × 25' 48" × 25' 72" × 25' 24" × 25'	38 lbs 57 lbs 75 lbs 115 lbs 60 lbs

Installation Materials for PEM Matting

Item Number	Description
LLPMEDG50	PEM Edging Strip, per foot
LLPMADH50	Seam Adhesive 1 lb. bottle – enough for 100 linear feet
LLPMACC50	Seam Adhesive Accelerator 6 oz. – enough for 50 linear feet
LLPMBST50	Seam Backing Strip – 100 foot roll
LL9091250	Surebond 190 Adhesive – case of 12 tubes

Plastex Matting



Plastex Matting

Heronrib

Heronrib is the ultimate sports and leisure matting system for use in wet areas where barefoot traffic is extensive. Exceptionally warm and comfortable to stand on, Heronrib has a specially embossed slip-resistant surface and contains SteriTouch additives to prevent fungal and microbial growth. Made from strong, non-porous PVC sections with channeled underbars, Heronrib will automatically self-drain even the largest amounts of water. It is therefore not only perfect for preventing a splash, but also for making a splash of color around swimming pools, saunas, and spas using one or more of Heronrib's eye-catching colors. *Mulberry Red not colorfast in direct sunlight.

Features

- UV Resistance
- Effective inside and out
- Barefoot comfort & safety
- Loose lay open grid vinyl construction
- Anti-bacterial and anti-fungal additives
- Certified slip resistance DIN 51097 Classification C

Floorline

LLCC

Floorline provides an economical alternative for lighter duty applications where slip resistance is required outdoors or in. The matting's slip-resistant surface allows effective safety underfoot in light-traffic changing areas and swimming pool surrounds and is resistant to UV degradation. Supplied in roll format, Floorline is loose laid and a great formula that not only enhances, but provides a safer and cooler footing. *Red not colorfast in direct sunlight.



Features

- UV Resistance
- Effective inside and out
- Open grid roll format
- Cushioned surface lighte weight contstruction
- Economical alternative
- Certified high slip resistance DIN 51130 R11



	Description
LLK2X3350	2' × 33'
LLK3X3350	3' × 33'
LLK4X3350	4' × 33'
LLEDGE2BK	Low Profile Edging Roll 2" × 33' (2 rolls), Black
LLEDGE2DG	Low Profile Edging Roll 2" × 33' (2 rolls), Dark Gray
LLSTLP50	Joining Strip, 2-Part Snap Track 8'-2" length
LLCCDP50	Connector Clips Dual Purpose (pack of 10)

Herontile

The Herontile system has a simple click together joining mechanism designed to cover large floor areas seamlessly and easily. Tested under DIN 51097 for slip resistance, it also contains SteriTouch additives to prevent fungal and microbial growth. Herontile is made from an Ethylene Vinyl Acetate (EVA) composition to guarantee softness and comfort. It also has a circular surface embossing for enhanced slip resistance and stands 15mm high on strong support legs so that water disperses well underneath. Four bright, stable, and appealing color options are complementary to interior schemes.

Features

•	UV	Resistance
	0.	nesistance

- Effective inside and out
- Open grid roll format
- Cushioned surface light weight construction
- Economical alternative
- Certified high slip resistance DIN 51130 R11



Item Number	Description
LLHRT2750	13" × 13" (27 tiles per box)
LLEDGE3BL	Snap-on Edge (ramping) 1" × 2.8", Ocean Blue
LLEDGE3GY	Snap-on Edge (ramping) $1" \times 2.8"$, Dark Gray

RED*	BLUE GREEN BEIGE WHITE
Item Number	Description
LLN2X3350	2' × 33'
LLN3X3350	3' × 33'
LLEDGE2BK	Low Profile Edging Roll 2" × 33' (2 rolls), Black
LLEDGE2DG	Low Profile Edging Roll 2" × 33' (2 rolls), Dark Grav

DGE2DG	Low Profile Edging Roll 2" × 33' (2 rolls), Dark Gray
CDP50	Connector Clips Dual Purpose (pack of 10)

Flexipath COVID-19 Matting

Implement social distancing measures quickly and easily with FlexiPath Covid-19, a single-tier, lightweight walkway mat with delineated stand zones in alternating color blocks. As Covid-19 lockdown restrictions begin to ease, many businesses face the challenge of continuing or restarting operations while complying with social distancing measures. Our FlexiPath Covid-19 matting has delineated stand zones that allow customers, visitors and employees to easily observe social distancing rules. The mat's alternating color blocks makes it ideal for businesses with queuing customers or workplaces with standing employees. The lightweight construction means the mat is quick to install and easy to move if needed.

> Etched surface Open-grid construction

Easy to clean

Resistant to most acids, alkali, and oils

Certified slip resistance (ASTM 1677: 1.0/0.9)

Single-tier, lightweight construction



Item Number Description 18" × 80' LLF188050 LLF248050 24" × 80' 36" × 80' LLF368050 Low Profile Edging Roll 2" × 33' (2 rolls), Black LLEDGE2BK Low Profile Edging Roll 2" × 33' (2 rolls), Dark Gray LLEDGE2DG LLCCDP50 Connector Clips Dual Purpose (pack of 10)

Chemtrol Chemical Control Systems




Chemtrol® Automatic Chemical Control Systems

Every Chemtrol® controller is designed for easy operation by the pool or spa operator. All operating functions are accessed through direct controls on the front panel.

Today, chemical automation is recognized as a must for all commercial pools and spas. It is the only way to maintain clean and safe water and to prevent bad odors, eye irritation, infections and costly damage to equipment. At the same time, chemical automation pays for itself through savings in operating and maintenance expenses. Besides good water chemistry and comfortable swimming, chemical automation yields substantial benefits from savings in operating costs, maintenance and major repairs. With proper selection of equipment, most installations show complete system payback in a year or two.



Chemtrol 250



1: Controller

Connect controller to Timer in parallel with Main Pump. Make sure to follow electrical codes.

2: Sensors recirculation line after filter or bypass line*. *recommended option

3: Controller

Install ORP and pH sensors on Connect chemical feeders to controller outputs. For chlorine or bromine erosion feeder, install solenoid valve on intake line. Compatible with most ozonators and chlorine salt generators.

Chemtrol[®] 250 Digital Controller

The Chemtrol® 250 ORP/pH Digital Controller makes pools and spas cleaner and safer by automatically maintaining both sanitizer ORP (Oxidation-Reduction Potential or Redox) and water pH. Ideal for hotels, motels, apartments, condos, homes and more, all operation functions are clearly labeled and accessible from the front panel, with safety and easy-reset features not found on other controllers. Each controller comes with the security of a 5-year electronics warranty, and pays for itself in 1 to 2 years through cost savings in operation and maintenance expenses.

Chemtrol® 250 Features:

90

- Exclusive safety and easy reset features
- All functions on front panel Adjustable setpoints and alarms
 - Proportional feed and overfeed safety timers

Acid/base selector

Rain- and splash-proof cabinet

Item Number Description Chemtrol 250 (controller & probes only) 1125040 Flow cell assembly IIFCA40

1: Controller Connect controller to Timer in parallel with Main Pump. Make sure to follow electrical codes.

2: Sensors Insert sensors in Flow Cell after filter.

Chemtrol[®] 255 Digital Controller

The Chemtrol® 255 PPM/pH Digital Controller helps ensure direct reliable readings of free chlorine (HOCI + OCI- + Chlorinated Isocyanurates) concentration in water. Unlike conventional amperometric or colorimetric sensors, it's easy to install and operate. Not affected by cyanurates or oxidizers, it also doesn't require a pressure flow cell and/or expensive and expendable chemical reagents. It's the only easy-to-use controller offering true free chlorine and pH control for pools, spas, cooling towers and industrial water treatment and is compatible with cyanuric acid (CYA) at all concentrations. Each controller comes with a special low-pressure cell that ensures a smooth flow of water for precise and reliable control of free chlorine, the security of a 5-year warranty and is practically maintenance free.

Chemtrol® 255 Features:

- All functions on front panel
- Acid/base selector
- Proportional feed
- Programmable 4-20 mA dual channel output to PID Free CL range 0-10 PPM or 0-2 PPM
- Ethernet/Internet communications

Item Number	
1125540	


Description Chemtrol 255 (controller & probes only) Flow cell assembly

3: Controller

Connect chemical feeders to controller outputs. For a chlorine erosion feeder, install solenoid valve on intake line.

IIFCA40 CALL TOLL-FREE: 1.800.437.8072 • FAX: 1.800.850.0262 • SHOP ONLINE: WWW.RECSUPPLY.COM

Chemtrol 255



Chemtrol Chemical Control Systems and Accessories



Chemtrol® PC2100 Features:

- Large 8-line LCD display in U.S. or metric units for easy operation
- Full screen menu in English, French, or Spanish
- ORP control of sanitizer (chlorine or bromine and/or oxidizer activity - compatible with all common sanitizers and oxidizers
- pH control with choice of acid or base fed

Item Number IIPC21040

IIFCA40 IIETHCO40

IIPC30040

IIPC50040

IIETHCO40

Chemtrol[®] PC2100 **Digital Controller**

Whether it's a swimming pool, spa, cooling tower, or industrial water treatment facility, chemical automation is the easiest and most efficient way to ensure proper water quality. The Chemtrol® PC2100's advanced microprocessor technology gives you a new standard of sophistication in automated control of sanitizers, oxidizers, and pH. The Chemtrol® PC2100 is a user-friendly and reliable controller that is easy to install and operate, and is backed by our 5-year electronics warranty.

- Programmable shock treatment and chemical savings cycles
- Langelier Saturation Index for water balance
- Automatic data logging for up to 999 tests
- Micro SD card easy data log downloads

Chemtrol[®] PC3000 & PC5000

The user-friendly, microprocessor-based Chemtrol® PC3000 &

PC5000 Programmable Controllers introduce a new standard

of sophistication and reliability in automated water treatment

for applications like swimming pools, spas, waterparks and

industrial settings. Easy to install and operate, each controller comes with an operation manual, on-site startup and training by a Qualified Dealer and the security of a 5-year electronics warranty. All menus are clearly displayed in English, French or Spanish – with choice of U.S. or metric units.

Heater control with energy saver program

Sanitizer PPM display & remote alarm

& ACT Program

Description

Programmable Controllers

- Safety flow switch
- Flow Cell Assembly (FCA)

Description

Chemtrol PC2100 Flow cell assembly

Ethernet/Internet Communications Upgrade, w/ Chemcom Software



Chemtrol® PC3000 & PC5000 Features:

- ORP control of oxidizer with shock & chemicalsaving programs
- pH control with acid or base feed and probe rinse program
- Programmable shock treatment and chemical savings cycles Item Number



Chemtrol® Flow Cell Assembly Options

- Easy installation on bypass line
- pH and ORP sensor fittings
- Fitting for conductivity sensor
- Clear viewing port
- Two (2) flow control valves and sampling spigot
- Anti-air block line
- For new installations or upgrades
- **Flow Cell Assembly**

Includes flow cell with tap and valves ONLY

Flow Cell (Only)

Includes sensor cell and (2) 1/2" compression fittings High pressure versions available with pricing on request.

Description

Item Number	Description
IIAPWFS40	Flow Cell Assembly with Flow Switch
IIFCA40	Flow Cell Assembly
IPFC40	Flow Cell (only)



Description

Sensor Cell Assembly

Sensor Cell Assembly (High Pressure)

The Flow Cell Assembly is available pre-assembled inside a sturdy and lockable cabinet for safety and security. Assembly Includes sensor cell, compression fittings, paddlewheel flow switch, sampling tap and locking cabinet.

IISCA40 Langelier saturation index for water balance **IISCAHP40** Compatible with common sanitizers, oxidizers

Item Number



IPMEM1B40 **IPPWFS40** ORP PPM IPGEL1B40 Chemtrol[®] Replacement Sensors and Accessories

Each sensor includes 10 foot shielded cable and BNC connector.

Item Number	Description
<u>II12240</u>	pH Sensor
<u>II12340</u>	ORP Sensor
<u>II12440</u>	PPM Sensor
IPMEM1B40	Blue Membrane for PPM Free Chlorine Sensor
IPMEM1040	Orange Membrane for PPM Total Chlorine Sensor (not pictured)
IPGEL1B40	Electrolyte Gel for Free and Total Chlorine Sensors
IITEMP40	Temperature Sensor (includes PVC tee)
IPTC40	Temperature/Conductivity Sensor
IPPWFS40	Safety Flow Switch - 1/2" NPT Connections

Standard Replacement pH/ORP Sensors

Our standard replacement pH/ORP electrodes are reliable and costeffective direct replacements for sensors used in most brands of pool controllers. Constructed with a color epoxy body that protects the platinum band and sensor tip. Color-coded for easy identification, these sensors connectors.

come with a 10' cable and BNC-style
Description
ORP Sensor
nH Concor



Chemtrol® PC6000 & PC7000 Features:

- ORP control of oxidizer with shock & chemicalsaving programs
- pH control with acid/base feed and probe rinse program
- Ethernet/Internet network communications
- Heater control with energy saver program
- Main pump control (including VFD control) & flow rate monitoring with cumulative display
- Sensor cell assembly

Chemtrol[®] PC6000 & PC7000 **Programmable Controllers**

The Chemtrol® PC6000 & PC 7000 microprocessor-based Programmable Controllers are fully integrated command center for automated control of water chemistry and filtration. Featuring true duplex remote operation and choice of backwash programs for single or multiple filters, it introduces a new standard of sophistication in automated water treatment for applications like swimming pools, spas, waterparks and industrial water treatment. Each controller comes with an operation manual, on-site startup and training by a Qualified Dealer and the security of a 5-year electronics warranty.

- Influent/effluent pressure monitoring with safety alarms
- Automated backwash for multiple filters
- Water level control with electronic sensor and fill valve control Menus in English, French or Spanish (in U.S. or
- metric units)
- Compatible with all common sanitizers and oxidizers Automated Chloramine Treatment (ACT) Program

Item Number Description Chemtrol PC6000 (PPM Control is optional) IIPC60040 **IIPC70040** Chemtrol PC7000 (PPM Control is standard) IIETHCO40 Ethernet/Internet Communications Upgrade, w/ Chemcom Software

Item Number

IPS01050

IPS02050

Chemtrol PC3000 (PPM Control is optional) Chemtrol PC5000 (PPM Control is standard) Ethernet/Internet Communications Upgrade, w/ Chemcom Software

Chemical Control Systems

CAT Controllers®

Thousands of commercial pools, spas, water parks and water treatment facilities worldwide rely on CAT Controllers® to provide greater control over water quality and operational costs. Every model provides unmatched control over pH and sanitation for chlorine, bromine or salt-based pools. Wireless models allow unparalleled control from remote locations, through www.poolcomm.com. Real time water quality data can be viewed, charts and graphs can be printed and settings adjusted. Alarm notifications can be sent directly to a subscriber's email account or mobile device. Successful facility managers count on CAT Controllers for years of trouble-free operation, customer service, support and technical assistance. All CAT Controllers listed are NSF/ANSI Standard 50 Certified. Five year limited warranty on controller, and two year warranty on sensors. Contact us for pricing and selection assistance.



IIPP20050

CAT 2000®

Automated water quality solution for pools, spas, water parks and more, world-wide.

Constantly monitors pH and sanitizer activity (chlorine, bromine) and automatically implements chemical feeding in proportion to demand for perfect water quality at all times.

- Simple installation, setup and operation.
- Compatible with all types of chemical feed equipment.
- 5-year limited warranty on controller; 2-year warranty on sensors
- NSF/ANSI Standard 50 Certified
- The CAT 2000 Professional Package is a factory-assembled system that includes the controller, sensors, machined acrylic flow cell, rotary flow sensor and PVC backboard.

Item Number	Description
IIC200050	CAT 2000 Controller
IIPP20050	CAT 2000 Professional Package

99

CAT Replacement Sensors

Item Number	Description	Cable Length
IPPR01550	pH Probe	2 ft.
IPPRO1050	pH Probe	10 ft.
IPPR02550	ORP Probe	2 ft.
IPPR05150	ORP Probe	10 ft.

CAT Controller Features

Model	CAT 2000	CAT 4000
рН	✓	✓
ORP	\checkmark	\checkmark
Water Level		✓
Tank Level		\checkmark
Digital Flow		✓
Backup Sanitization		✓
Auxiliary Relays		1
Wireless, Web-based		Wi-Fi, Cellular and Reflex
Communications		WI-FI, Cellular and Reliex
Gold ORP Sensor (for		optional
Salt Chlorination)		

Three locations to serve you better!



CAT 4000®

Wireless, web-based water quality management.

Using the CAT 4000 system, you can easily log onto PoolComm[®] to activate your wireless account and begin monitoring your water quality. Using your personal PoolComm account, you can view water quality data, print charts, analyze graphs, customize your settings and receive alarm notifications via email or SMS. **Features:**

- Features:
- Wireless link to the PoolComm site with extensive North American coverage and 24/7 monitoring
- Incredibly simple to install and operate via simple menus and a bright alphanumeric display
- Compatible with existing chemical feed equipment, so initial investment is minimized
- Comes complete with CAT Professional Series pH and ORP sensors for unsurpassed performance
- Optional Wi-Fi^{\circ} communications protocol provides users free PoolComm access
- 5-year limited warranty on controller; 2-year warranty on sensors
- NSF/ANSI Standard 50 Certified

Item Number Description

IICAT4W50 CAT 4000 Controller with WIFI support Contact us for assistance and pricing for "Professional Package" and alternate options.



Commercial Intellichem® Chemical Controller

Dual sanitization support w/standalone ScreenLogic remote PC and iOS app connectivity. Premounted and pre-wired on 2' \times 2' plastic backboard. Containers ordered separately.

- Features:
- Dual sanitizer support
- Programmable chemical feed cycle and mix times for precise water balance
- Assures safe water conditions by preventing excess chemical addition in a 24-hour period
- Built-in Langelier Saturation Index calculator lets you know when your water chemistry is perfectly in or out of balance
- Flow sensor ensures chemicals won't feed without system flow
- · Password-protected access prevents tampering or accidental program change
- Use of ScreenLogic2[®] on PC and iOS offers the ability to keep track of pH and ORP levels and make adjustments locally or remotely
- Compatible with IntelliChlor® Salt Chlorine Generators, external dosing pumps, and CO2 systems
- Comes with #2 tube rated at 10gpd (larger tube sizes can be used)
- ScreenLogic for Commercial IntelliChem iOS app is available on Apple App Store
- ETL Listed to NSF 50 Standard

Item Number Description

 Ili2257703
 Commercial Intellichem Chemical Controller, 1 Pump System

 II2257803
 Commercial Intellichem Chemical Controller, 2 Pump System

Chemical Tanks and Accessories











Chem-Tainer

Double Wall Tanks These molded double wall tanks/dual containment tanks are

designed for stringent environmental concerns and codes. Seamless polyethylene construction.

Designed for both indoor and outdoor applications. Enclosed design will prevent rain and debris from collecting in containment tank. Tanks come standard with a vented manway. Non-vented and hinged manways are also available.



Stenner Tank Systems

Add a 7.5, 15 or 30 gallon tank assembly to your Stenner Pump for an additional charge. Contact us for pricing of unlisted configurations.

Adjustable Rate, Single Head

GPD	Tubing Size	PSI	Tube Number	Tank Size
2.5-50	3/8"	0–25	5	7.5 Gallons
4.3-85	3/8"	0–25	5	7.5 Gallons
2.5-50	3/8"	0–25	5	15 Gallons
4.3-85	3/8"	0–25	5	15 Gallons
2.5-50	3/8"	0-25	5	30 Gallons
4.3-85	3/8"	0–25	5	30 Gallons
	2.5–50 4.3–85 2.5–50 4.3–85 2.5–50	2.5-50 3/8" 4.3-85 3/8" 2.5-50 3/8" 4.3-85 3/8" 2.5-50 3/8" 2.5-50 3/8"	2.5-50 3/8" 0-25 4.3-85 3/8" 0-25 2.5-50 3/8" 0-25 4.3-85 3/8" 0-25 2.5-50 3/8" 0-25	2.5-50 3/8" 0-25 5 4.3-85 3/8" 0-25 5 2.5-50 3/8" 0-25 5 4.3-85 3/8" 0-25 5 2.5-50 3/8" 0-25 5 2.5-50 3/8" 0-25 5

	Model	Capacity		
Item Number	Number	(Gallons)	Diameter	Height
<u>IIC243550</u>	TC2435DC	35	24"	35"
<u>IIC273850</u>	TC2738DC	50	27"	38"
IIC283750	TC2837DC	65	28"	37"
<u>IIC353950</u>	TC3539DC	100	35"	39"
<u>IIC334550</u>	TC3345DC	120	33"	45"
<u>IIC344850</u>	TC3448DC	150	34"	48"
IIC415250	TC4152DC	200	41"	52"
<u>IIC525650</u>	TC5256DC	350	52"	56"
<u>IIC597150</u>	TC5971DC	500	59"	71"
<u>IIC748550</u>	TC7485DC	1000	74"	85"



LMI Chemical **Metering Pumps**

LMI produces the advanced electromagnetic, motor driven chemical feed and diaphragm type metering pumps that have been an industry standard for over 20 years. The familiar yellow and black pumps have a rugged, totally enclosed, chemically resistant housing for protection in the harshest environments. Encapsulated electronics and a rigid housing and stroke bracket ensure years of precise, repeatable performance. LMI's quality construction ensures a tight seal at low pressures and limits o-ring compression at high pressures while forming a secondary seal, reducing output loss. The unique four function valve provides positive anti-siphon protection, back pressure, priming aid and pressure relief.

Contact us for pricing, parts and selection assistance.

A. Flange Mounted Mixer

Flange mounts provide a steel flange with four plated bolts for mounting the mixer directly over the shaft hole in the tank cover or other flat surface. Flange mounts optimize minimal mounting area at a reasonable price. 1/20 HP at 1500 rpm unit is standard with 32" shaft, neoprene impeller, and prewired with 8 feet of rubber-covered power cord.

B. Bracket Mounted Mixer

Bracket mounts are constructed from 3/8" thick steel and have four plated bolts included for mounting the mixer on a tank cover or other flat surface. For minimum mounting space, the brackets are factory installed with mounting feet inboard. They may be reversed for shelf or overhang installations if desired. 1/4 HP at 1725 rpm unit is standard with 32" shaft, stainless impeller, and prewired with 8 feet of rubber-covered power cord.



Heavy-Duty Solution Tanks

Our solution tanks are rotomolded with rigid heavy-duty walls for maximum strength and durability under severe conditions. They safely handle many acids and caustic chemicals. Tanks come complete with high-strength rigid lids. The top flange provides extra strength and ease of handling.

- Service to 150°F/65°C
- Tough and chemical-resistant for prolonged storage and mixing of acids, caustics and many other chemicals
- Good impact and abrasion resistance Tank dimensions are approximate.

Item Number	Capacity	Depth (Approximate)	Diameter (Approximate)
	Capacity	· · · · · · ·	
<u>IIPT21450</u>	10 Gallons	20"	13"
IIPT21850	25 Gallons	24"	18"
IIPT22650	55 Gallons	34"	22"
IIPT22850	80 Gallons	48"	24"
IIPT22950	110 Gallons	32"	32"
<u>IIT229A50</u>	130 Gallons	32"	36"
IIPT23050	140 Gallons	44"	32"
IIPT23250	150 Gallons	48"	30"
IIPT23350	165 Gallons	48"	32"
IIPT23450	230 Gallons	48"	38"
IIPT23650	260 Gallons	48"	42"
<u>IIPT23850</u>	300 Gallons	46"	44"
<u>IIPT24050</u>	450 Gallons	52"	52"
IIPT24250	500 Gallons	62"	52"

Larger tanks are available. Please call our sales department for specifications and pricing.



Vapor Shield

Virtually eliminates chemical vapors from chemical container while allowing it to be pumped dry. Unit ships with 15' of tubing and weighted foot-valve/strainer. Fits cap-style (5 to 10 gallon) and plug-style (15 to 52 gallon) drums. Specify 1/4", 3/8", or 1/2" tube size.

Item Number **IIFMTEA50 IIB10H50** Epoxy coated shaft is available for an additional charge. Contact us for details.

Description A. Flange Mounted Agitator B. Bracket Mounted Agitator

Item Number **IIVSHLD50**

Description Vapor Shield - Specify 1/4", 3/8" or 1/2" tube size

Stenner Chemical Feed Pumps

Stenner Adjustable Output Metering Pumps

The Classic Series single head adjustable metering pump is built with three detachable components: the motor, feed rate control, and the pump head. The output is determined by three factors; the rpm of the motor gears, the percentage setting on the feed rate control, and the size of the pump tube. The motor shaft rotates at a fixed rpm, which drives the feed rate control to intermittently engage the roller assembly within the pump head according to the setting on the external dial ring. The dial ring is labeled L to 10 and has a 20:1 turndown.



Features:

- 3-point roller design assists in anti-siphon
 protection
- Pump head requires no valves, allows for easy maintenance
 Self-priming against maximum working
- Pumps off-gassing solutions and can run dry Output volume is not affected by back pressure
- . Easy to change pump tube; lubrication is not required
- Pump tubes and pump heads interchange
 between models

Pump does not lose prime or vapor lock Adjustable Rate, Single Head

pressure, foot valve not required

Item Number	GPD	Tubing Size	PSI	Tube Number
<u>II45M2167</u>	.5–10	1/4"	0–25	2
<u>II45M3367</u>	1.1-22	3/8"	0–25	3
II45M5367	2.5-50	3/8"	0-25	5
<u>II85M5367</u>	4.3-85	3/8"	0-25	5
<u>II45MH367</u>	.5–10	3/8"	26-100	2
<u>II85MH367</u>	.8–17	3/8"	26-100	2

Adjustable Rate, Dual Head

Item Number	GPD	Tubing Size	PSI	Tube Number
<u>II70DM567</u>	8.5–170	3/8"	0–25	5



Stenner Fixed Output Metering Pumps

The Classic Series single head fixed output metering pump is built with two detachable components: the motor and the pump head. The fixed rate pump does not have an output adjustment. The output is determined by the RPM of the motor gears and the size of the pump tube. The motor's output shaft rotates at a fixed rpm which drives the roller assembly within the pump head.

Fixed Rate, Single Head

Item Number	GPD	Tubing Size	PSI	Tube Number
II45MP267	10	3/8"	0–25	2
<u>II45MP367</u>	22	3/8"	0–25	3
II45MP567	50	3/8"	0–25	5
<u>1185MP267</u>	17	3/8"	0–25	2
II85MP367	40	3/8"	0-25	3
II85MP567	85	3/8"	0–25	5

Stenner S Series Peristaltic Metering Pumps

The S Series Pump is a smart peristaltic metering pump designed to interface with process control systems. Prevent unauthorized access to programmed settings with the password protection. Program the transfer function to activate a relay to start a second S Series as a backup to the primary pump.

The pump can be programmed to respond based on a selected pump condition such as tube leak, tube change, standby, repeat pulse, run, mode change, low or high signal, low or high flow, drive fault, signal overrun, transfer and off.

The totally enclosed pump is outdoor rated and built to NEMA 4X for demanding applications. The brushless DC motor is equipped with ball bearing support and the switch power mode offers energy efficiency. The splined shaft designed pump head and roller assembly allow smooth installation and replacement. Tube replacement is fast and easy with the patent pending QuickPro® pump head.



Features:

- Leak detection
- Backup pump capacity
- Three output relays
- Tube change timer

Adjustable Rate, Single Head

Item Number	GPD	Tubing Size	PSI	Tube Number
<u>IIS300367</u>	0.4-40	3/8"	0–25	3
IIS300467	0.6-60	3/8"	0–25	4
<u>IIS300567</u>	0.85-85	3/8"	0–25	5

Enclosed housing, NEMA 4X

Tube replacement without tools

Effortless tube replacement

Comes standard with 6' cord. 10' cord available

on request for a slight additional charge

display

Digital control panel with OLED operating



Stenner Econ T Dosing Pump

The Econ T is a compact, easy to program pump with flexibility to schedule up to 24 separate events within a 7 day period. The automatic dosing control is reliable for timed applications such as injection of enzymes, phosphate reducers and liquid solar blankets.

Features:

- Wall Mountable
- Simple programming with LCD display
- Control panel features a 24 hour integral clock
 with battery backup to maintain time of day

with battery backup to mail	italli tille of udy	
Item Number	Max GPD	Pressure
II10T1A67	2.5	0-25 psi
<u>II10T2A67</u>	5.0	0-25 psi
<u>II10T2B67</u>	8.5	0-25 psi
II10T2C67	15.0	0-25 psi
<u>II10T1F67</u>	0.6	26-80 psi
II10T2F67	1.3	26-80 psi
<u>1120T4F67</u>	3.4	26-80 psi
<u>II20T4G67</u>	12.3	26-80 psi
<u>II20T4H67</u>	21.7	26-80 psi

Other configurations available. Please contact us for pricing.

4 CALL TOLL-FREE: 1.800.437.8072 • FAX: 1.800.850.0262 • SHOP ONLINE: WWW.RECSUPPLY.COM

Stenner Parts and Accessories • Salt and UV Systems



IIAK60067 **IIAK70067**



Stenner QuickPro® Pump Head

1/4"

3/8

The QuickPro® pump head features a collapsible roller assembly for fast tube replacement without tools.

Item Number	Stenner Part	Description
IPQP25167	QP251-1	#1 QuickPro Pump Head, Complete
IPQP25267	QP252-1	#2 QuickPro Pump Head, Complete
IPQP25367	QP253-1	#3 QuickPro Pump Head, Complete
IPQP25467	QP254-1	#4 QuickPro Pump Head, Complete
IPQP25567	QP255-1	#5 QuickPro Pump Head, Complete
IPQP50067	QP500-1	QuickPro Roller Assembly
IPQP50067PK4	QP500-4	QuickPro Roller Assembly, 4-Pack

Stenner Replacement Tubes

-		
2-Pack Item Number	5-Pack Item Number	Tube No.
IP2000167PK2	IP2000167PK5	1
IP2000267PK2	IP2000267PK5	2
IP2000367PK2	IP2000367PK5	3
IP2000467PK2	IP2000467PK5	4
IP2000567PK2	IP2000567PK5	5



Stenner Parts and Accessories

Item Number	Stenner Part	Description
IPDBINJ67	UCDBINJ	Complete Check Valve Assembly 1/4"
IPDBINJ67PK5	MCDBINJ	Complete Check Valve Assembly 1/4", 5-Pack
IPINJ3867	UCINJ38	Complete Check Valve Assembly 3/8"
IPINJ3867PK5	MCINJ38	Complete Check Valve Assembly 3/8", 5-Pack
IPCVDB067PK2	UCCVDB0	Check Valve Duckbill, 2-Pack
IPCVDB067PK5	MCCVDB0	Check Valve Duckbill, 5-Pack
IPVIJOR67	CVIJOR	Check Valve O-Ring
IPAK30067	UCAK300	Injection Fitting with Nut & Ferrule 1/4"
IPAK10067PK10	UCAK100	Connecting Nut, 1/4", 10-Pack
IPAK10067PK24	MCAK100	Connecting Nut, 1/4", 24-Pack
IPNUT0067	MANUT00	Connecting Nut, 3/8"
IPADPTR67PK2	UCADPTR	Connecting Nut 3/8" with Adapter, 2-Pack
IPADPTR67PK5	MCADPTR	Connecting Nut 3/8" with Adapter, 5-Pack
IPAK20067PK10	UCAK200	Ferrule 1/4", 10-Pack
IPAK20067PK24	MCAK200	Ferrule 1/4", 24-Pack
IPST11467	ST114	Weighted Suction Line Strainer, 1/4"
IPST13867	ST138	Weighted Suction Line Strainer, 3/8"







IntelliChlor Salt Chlorine Generator uses common table salt to produce all the chlorine a pool needs, safely, effectively, and automatically. Same sanitation performance as manual chlorine addition without the drawbacks. An external ORP controller must be used. Pentair recommends Commercial

IntelliChem or Acu-Trol® systems. COMSYS-System includes: Primary Cell, Secondary Cells, Primary Power Center,

Secondary Power Centers, and the manifold.

Features:

- Each cell produces up to 2 lbs of chlorine per day
- Color LED status displays
- Performance data captured daily
- Automatic shut-off feature helps protect and prolong cell life
- Pre-mounted multi-power center configuration
- Must be used with an external ORP/pH Controller
- Self-cleaning
- Listed to UL 1563/CSA C22.2 No. 218-1
- Certified to NSF/ANSI 50

		Chorine per	
Item Number	Description	24 Hours	Pool Volume ¹
<u>II2097003</u>	COMSYS-2	2 lbs	6,700 Gallons
<u>II2097103</u>	COMSYS-4	4 lbs	13,333 Gallons
112097203	COMSYS-6	6 lbs	29,000 Gallons
<u>II2097303</u>	COMSYS-8	8 lbs	26,700 Gallons
112097403	COMSYS-10	10 lbs	33,333 Gallons
112097503	COMSYS-12	12 lbs	40,000 Gallons
112097603	COMSYS-14	14 lbs	46,700 Gallons
112097703	COMSYS-16	16 lbs	53,333 Gallons

¹NSF recommendation for commercial pools typically require 3 lbs. of chlorine production per every 10,000 gallons. Please consult your local codes for chlorine production requirements.



Commercial Bioshield® CVP UV Disinfection Sterilizer

When operating space is restricted, our vertical BioShield UV Systems provide the small footprint you need. These vertical models feature single-end, top-loading quartz sleeve(s) to minimize space required and maximize serviceability. Each model is extremely durable and features a corrosion-resistant remote power supply enclosure and UV vessel. All models are designed to deliver optimum UV performance by utilizing the UV lamp's UV-C output to its maximum potential. BioShield UV Systems are water-tight and designed for indoor/outdoor use. Each model is equipped with a flanged base for easy installation. Unit can also be installed horizontally.

Features:

- Enhanced, state-of-the-art electronic ballast, sized precisely to the lamp's power requirement, ensures optimal UV-C output and maximum "useful lamp life"
- Small footprint: vertical operation reduces required horizontal space
- Cost-effective Schedule 80 solvent welded PVC plastic vessels stand up to corrosive Chlorine environments
- Single-End UV lamp and guartz sleeve access for easy servicing

- Watertight design protects all electrical hardware from water damage
- Quality American-made, low-pressure Amalgam UV lamps offer up to 12,000 hours of continuous operation
- Choice of inlet/outlet port styles
- Included Over-Temp System Shutdown Sensor shuts down the lamp field to avoid damage when water temperature inside the vessel exceeds 120° F 6-foot power cord and 20-foot lamp cables

Contact us for selection assistance and pricing.

95

Blue-White & Pulsatron Chemical Feeders



Blue-White Flexflo® A2P Peristaltic Pump

Specially designed for commercial aquatics and water parks, the A2P enables users who require higher chemical feed requirements for sanitizing (sodium hypochlorite) and pH adjustment (acid) to move away from diaphragm technology and the inherent challenges experienced with these chemicals and adapt to peristaltic technology for less service, more trouble free and reliable chemical feed solution.

Additional Features:

- Peristaltic pump design does not have valves that can clog requiring maintenance.
- Self priming even against max line pressure. No bypass valves required. Cannot vapor lock or lose prime.
- Output rates to: 15.9 GPH (60.2 LPH) and pressures up to 50 PSI (3.4 Bar).
- Variable speed DC motor.
- Patented Tube Failure Detection (TFD) system. Senses tube failure by detecting chemical in the pump head. No false triggering.
- Outputs include: one 250V/3A relay to monitor TFD and FVS (Flow Verification System).
- Two PVDF molded squeeze rollers and two alignment rollers for optimum squeeze, unparalleled accuracy, and tube life.
- Heavy duty rotor single piece plastic rotor means no flexing and increased accuracy with no metal springs or hinges to corrode.
- Specially engineered tubing for long life at high pressures.

2 year warranty

IPA2PTF39

Item Number	Blue-White Model No.	Pump Tube	Operating Flow Range
IIA2P2E39	A2P25-SNEE	.093" ID	0.055 to 5.5 GPH
IIA2P2G39	A2P25-SNGG	.187" ID	0.16 to 15.9 GPH

Replacement Tubes

Replacement Tubes for Flex-Pro A2P Series Peristaltic Pumps Item Number Blue-White No.

A2P-SNEE-T

IT ALL TEOD	
IPA2PTG39	A2P-SNGG-T
	Blu
	Feat
	Feat
Longitude Barrison	· ·
A-2792	
	- mpro-

Blue-White Flexflo® Peristaltic Injector

- Features: Patented TFD (Tube Failure Detection) system
- protects against chemical spills from a worn out tube and activates an alarm output relay.
- Self-Priming against maximum line pressure.
- Cannot Vapor Lock or Lose Prime. New and Improved Pump Head provides increased performance and strength

	performance and strength.			
Item Number	Blue-White Model No.	Pump Tube	Max GPD	Max PSI
II10A6T39	A1N10A-6T	3/8"	16.0	100
II20A6T39	A1N20A-6T	3/8"	24.0	100
II10A7T39	A1N10A-7T	7/16"	52.5	50
II30A7T39	A1N30A-7T	7/16"	95.1	50



Replacement Tubes

Pump heads made before September 1, 2015, will require a retrofit kit to work with these new style tubes. Old style tubes have been discontinued by the manufacturer.

Replacement Tubes for A-100N Series Flex-Flo Peristaltic Pumps with New nn Lland av Datva**f**t Kit

Style Pump Head or Retrofit Kit			
Item Number	Blue-White No.	Tube Size	
IPA14T39	A1-4T	1/4"	
IPA16T39	A1-6T	3/8"	
IPA17T39	A1-7T	7/16"	
IP7255039		Retrofit Kit	

A-100N Series Replacement Parts

Item Number	Blue-White No.	Description
IPTI40439	TI40-4V	Injector Fitting, 1/4"
IPTI40639	TI40-6V	Injector Fitting, 3/8"
IPA014N39	A-014N-6A	Heavy Duty Injection Valve, 3/8"
IP7115939	71000-159	Roller Assembly for 4T & 6T Tubes
IP7135039	71000-350	Roller Assembly for 7T Tubes
IPC330639	C-330-6	Tube Nut, 3/8"



Blue-White FlexFlo® A1A Digital Peristaltic Pump

Specially designed for commercial aquatics, the A1A enables users who require higher chemical feed requirements for sanitizing (sodium hypochlorite) and pH adjustment (acid) to move away from diaphragm technology and the inherent challenges experienced with these chemicals and adapt to peristaltic technology for less service, more trouble free and reliable chemical feed solution.

Additional Features:

- Peristaltic pump design does not have valves that can clog requiring maintenance.
- Self priming even against max line pressure. No bypass valves required. Cannot vapor lock or lose prime.
- Output rates to: 100 GPD (15.8 LPH) and pressures up to 40 PSI (2.76 Bar).
- Energy efficient variable speed DC motor.
- Patented Tube Failure Detection (TFD) system. Senses tube failure by detecting chemical in the pump head. No false triggering.
- Remote Start/Stop: Non-powered dry contact closure for remote start/stop.
- One 48VDC @ 80mA relay.
- Heavy duty rotor single piece plastic rotor means no flexing and increased accuracy with no metal springs or hinges to corrode.
- Specially engineered tubing for long life.
- 3 year warranty

Item Number	Blue-White Model No.	Voltage	Operating Flow Range
<u>IIA1A4739</u>	A1A4-7T	115V AC	0.01 to 100 GPD
Also available in 230V AC and 22	OV AC configurations.		

Replacement Tube

Replacement Tube for Flex-Pro A1A Series Peristaltic Pumps				
Item Number Blue-White No. Tube Size				
IPA17T39	A1-7T	7/16"		



Pulsatron **Series E Plus Feeder Key Features:**

- Automatic Control available with 4-20 mADC direct or external pacing, with stop function.
- Manual Control by on-line adjustable stroke rate and stroke length.
- Agency approved for demanding outdoor and indoor applications.
- Auto-Off-Manual switch.
- Highly Reliable timing circuit.
- Circuit Protection against voltage and current upsets.
- Panel Mounted Fuse.
- Solenoid Protection by thermal overload with auto-reset.
- Water Resistant for outdoor and indoor applications.
- Indicator Lights, panel mounted.
- Guided Ball Check Valve Systems, to reduce back flow and enhance outstanding priming characteristics.
- Safe and Easy Priming with durable leak-free bleed valve assembly (standard).

Pulsatron Series E Plus				
Item Number	Pulsafeeder Model No.	GPD	PSI	Tube
IILPB4119	LPB4	24	100	3/8"
IILPE4119	LPE4	44	100	3/8"
IILPH6319	LPH6	120	100	1/2"
IILPK7319	LPK7	192	50	1/2"

CALL TOLL-FREE: 1.800.437.8072 • FAX: 1.800.850.0262 • SHOP ONLINE: WWW.RECSUPPLY.COM

Chlorine and Bromine

SANITIZERS



1" Chlorine Tablets

GLB 1/2 oz. tablets provide a powerful 90% available stabilized chlorine. These tablets are ideal for use in floaters, feeders and skimmers. 99% trichloro-s-triazinetrione.



Granular Dichlor

With 56% available stabilized chlorine, GLB Granular Dichlor offers easy pool sanitizing in a fast-dissolving formula. Ideal for daily chlorination. 99.5% sodium dichloro-striazinetrione. Does not contain calcium.

Description 1" Chlorine Tablets 50 lbs



Generation Brominating Disinfectant

GLB® Generation is a form of brominating hydantoin for pools. When used as directed, GLB Generation will disinfect pool water, keeping it clean, clear and free of odor. GLB Generation gives the effectiveness of chlorine without the chlorine odor.



Chlorine Stabilizer

(Cyanuric Acid) Maximizes available chlorine in pools. Specially designed to reduce chlorine loss from sunlight exposure.

Item Number

Item Number

AA7126205

Description Brominating Tablets 50 lbs

AA7126805

AA7122205

AA7122405

Description Chlorine Stabilizer 10 lbs

Granular Dichlor 25 lbs

Granular Dichlor 50 lbs



3" Chlorine Tablets

Use these 8 oz. slow-dissolving tablets for continuous disinfection with floaters, feeder or skimmers. With 99% trichloro-s-triazinetrione, our 3" tablets offer 90% available chlorine for effective sanitizing.

Item Number	Description
AA7123405	3" Chlorine Tablets 25 lbs
AA7123605	3" Chlorine Tablets 50 lbs



Rainbow Chlorine/ Bromine Erosion Feeders

High capacity feeders for 1" hard plumbing installations. The completely enclosed system allows no escaping gases and requires no venting. Water flows through the chamber, eroding tablets and introducing chlorine/bromine into your system.

A corrosion resistant check valve such as Rainbow's R172288 should be installed between the feeder inlet and outlet and the equipment to help prevent equipment damage. Damage to the heater or other equipment could result from a high concentration of sanitizer back flowing into it when the pump is shut off.

This feeder is designed to use only clean trichlor-strizinetrione or clean bromine tablets (slow dissolving type). Calcium Hypochlorite should never be used with this feeder under any circumstances.



TripleTab™

GLB TripleTab Chlorinating Tablets sanitize pool water, prevent algae and clarify pool water. TripleTab Chlorinating Tablets are slow-dissolving and stabilized for extended chlorine life.

		Maximum Ga	llons Treated
Item Number	Tablet Capacity	Chlorine	Bromine
<u>II7121503</u>	15 lbs	97,600	20,200
<u>II7123003</u>	30 lbs	160,000	40,000
<u>II7124003</u>	40 lbs	332,000	61,000

Item Number I AA7144605

Description TripleTab 22.5 lbs

Accessories Item Number	Description
117228804	R172288 Check Valve
117208203	R172082 Flow Rate Indicator

Shock and Balancers

SHOCK



Super Charge Chlorine Shock

Super Charge is a 68% active Calcium Hypochlorite granular product formulated especially for super chlorination shock treatments. Use 1 lb. for every 10,000 gallons.

Description
Super Charge 1 lb pouch
Super Charge 1 lb pouch – case of 24
Super Charge 25 lbs
Super Charge 100 lbs

Description


Oxy-Brite 2.2 lbs

Oxy-Brite 20 lbs

Oxy-Brite 2.2 lbs - case of 12

Oxy-Brite 5 lbs - case of 6

Oxy-Brite 20 lbs - case of 2 Oxy-Brite 50 lbs



pH Up and pH Down

Allows you to raise and lower pH levels as needed. Keeping proper pH levels will help ensure pool sanitizers are working at maximum efficiency and aid in preventing stain and scale formation.



Item Number

AA7141605PK12

AA7141805PK6

AA7142005PK2

AA7141605

AA7142005

AA7142205

Oxy-Brite® Non-Chlorine Shock

This non-chlorine shock creates sparkling water and shock treats all in one step. Oxy-Brite's unique blue water brightening crystals literally brighten water while its shock treatment oxidizes organic contaminants that cause odors, skin and eye irritation, and cloudy water. Effective in chlorine and bromine pools. Allows for swimming immediately after application.

BALANCER	
GLB	
Alkalinity	
Up	Ha
In consecution with the	
And a state of the	

Item Number AA7120305 AA7121005 AA7121005PK4

AA7124905

AA7124205

Alkalinity Up Increases alkalinity of pool water to prevent the pH level

from fluctuating.

Calcium Hardness Up

Increases water hardness to prevent equipment corrosion and scaling.

AA7121405

Description

pH Up – 8 lbs

pH Down - 10 lbs

Alkalinity Up 25 lbs Calcium Hardness Up 6 lbs Calcium Hardness Up 6 lbs - case of 4 Calcium Hardness Up 25 lbs

De-Chlor



Shoxidizer[®]

GLB Shoxidizer® shock oxidizer is a 4-in-1 proprietary blend of DuPont[™] Oxone[®], a powerful oxygen-based oxidizer, and a dry clarifier. This unique formulation provides the benefits of oxygen-based oxidation while boosting free chlorine concentrations. This one-two punch keeps water sparkling clean and clear by eliminating organic contaminants. 1 lb. treats 10,000 gallons.

Item Number	Description
AA7167505	Shoxidizer 1 lb pouch
AA7167505PK40	Shoxidizer 1 lb pouch – case of 40

Description

SuperSonic 25 lbs



Item Number AAMON0250 AAMON0350

Description De-Chlor 10 lbs De-Chlor 30 lbs



Soda Ash

Grade 100

Net Wt. 50 Lbs





SuperSonic

GLB® SuperSonic (73% cal hypo shock) is a highly effective multi-purpose product that sanitizes, clarifies, prevents algae and shock treats your pool. It is convenient, easy to use and won't over stabilize your pool water. The fast-dissolving formula can be used on all pool surfaces, does not contain cyanuric acid and leaves no residue.

Alkalinity Increaser - Bulk

(

SODIUM BICARBONATE U.S.P. NO. 5 ET WT. 50 LBS. (22.68 KG.)

(Sodium Bicarbonate) A safe, easy-to-use granular product that raises total alkalinity and acts as a buffer to prevent "pH bounce", staining and corrosion.

Soda Ash (pH up) - Bulk

A convenient, safe granular product for raising the pH of pool water with minimal effect on overall alkalinity.

Calcium Increaser - Bulk

83%-87% pure calcium chloride flakes. This product increases calcium hardness of swimming pool water.		
	Item Number	Description
	AABICAR50	Alkalinity Increaser 50 lb bag
	AA9030250	Soda Ash (pH Up) 50 lb bag
	AAMCCAL50	Calcium Increaser 50 lb bag

SuperSonic 1 lb pouch - case of 24 AA7144205PK24

Item Number

AA7144005

CALL TOLL-FREE: 1.800.437.8072 • FAX: 1.800.850.0262 • SHOP ONLINE: WWW.RECSUPPLY.COM



Chlorine neutralizer. Lower chlorine level safely with this product when chlorine concentration becomes too high.

GLB Specialty Pool Chemicals

STAIN CONTROL



Stain Magnet®

This granular formula quickly eliminates metallic stains from pool surfaces with no need to test the water or close the pool. Compatible with all types of pool surfaces. Follow treatment with GLB's powerful Sequa-Sol to prevent future staining.

Sequa-Sol®

Sequa-Sol sequestering agent holds iron, manganese, copper and calcium in solution so they do not react with other elements in the water. Prevents staining, scale, and rust on pool equipment, pipes and fittings.

Super Segua-Sol®

This specially formulated concentrated granular form of Sequa-Sol protects pool against minerals in the water. Ideal when filling pool or when adding make-up water.

Description
Stain Magnet 2.5 lbs
Stain Magnet 2.5 lbs – case of 12
Sequa-Sol Quart
Sequa-Sol Quart – case of 12
Sequa-Sol Gallon
Sequa-Sol Gallon – case of 4
Super Sequa Sol 2 lbs
Super Sequa-Sol 2 lbs - case of 12

FILTER CLEANERS



Filter Cleanse®

For sand, cartridge, and D.E. filters. This multipurpose granular formulation cleans and unclogs filters of grease, oils, and scale with a unique combination of acids and detergents. Unique chemistry will gradually change from red to yellow as it cleans.

Filter Fresh®

This specially developed, acid-based liquid cartridge cleaner removes debris with its overnight soak and rinse formula. Regular treatment with Filter Fresh helps filters operate at maximum efficiency.

TLC removes oil, grime, and mineral scale from common

pool surfaces such as tile, vinyl, and concrete. Its thick,

concentrated formula clings to upright surfaces longer for

Item Number	Description
AA7100605	Filter Cleanse 2 lbs
AA7100605PK12	Filter Cleanse 2 lbs – case of 12
AA7100805	Filter Cleanse 20 lbs
AA7100805PK2	Filter Cleanse 20 lbs – case of 2
AA7101005	Filter Fresh Quart
AA7101005PK12	Filter Fresh Quart – case of 12

CLEANERS

TLC[®]

more effective cleaning power.



Iten

AA7

AA7

<u>AA7</u> AA7 <u>AA7</u> AA7

Algimycin[®] 2000

Algimycin 2000 algaecide kills, prevents and controls all algae types. A special wetting agent penetrates and kills algae cells. This nonmetallic, poly-complex formula gives fast and effective control with no foaming or staining. It also acts as a clarifier and filter aid by removing algae fast.

Algimycin[®] 3000

Algimycin 3000 algaecide contains two active ingredients, including zinc sulfate monohydrate, to provide long lasting protection from algae. It kills and prevents green, yellow and black algae and is stable in pool water.

n Number	Description
7110405	Algimycin 2000 Quart
7110405PK12	Algimycin 2000 Quart – case of 12
7110605	Algimycin 2000 Gallon
7110605PK4	Algimycin 2000 Gallon – case of 4
7110505	Algimycin 3000 Quart
7110505PK12	Algimycin 3000 Quart – case of 12



Clear Blue® This super-concentrated clarifier adds sparkle while removing particles that dull pool water. Clear Blue clarifier improves filter efficiency and reduces sanitizer demand by removing

organic particles that clog filters without affecting pH.

Natural Clear®

Natural Clear clarifier is an enzyme-based water cleaner that quickly rids pools of organic contaminants that cause odors, scum lines, and cloudy water and helps keep filters clean.

Item Number Description AA7140405 Clear Blue Ouart AA7140405PK12 Clear Blue Quart - case of 12 AA7141005 Natural Clear Quart AA7141005PK12 Natural Clear Ouart - case of 12 AA7141205 Natural Clear Gallon AA7141205PK4 Natural Clear Gallon - case of 4



Drop N'Vac

With clarifying capabilities, Drop N' Vac drops unfilterable debris, including microparticles and dead algae, to the bottom of the pool for easy vacuum removal. This formula is effective over a wider range of pH levels than comparable products.

Item Number AA7140805 AA7140805PK12

Description Drop N' Vac Quart

Drop N' Vac Quart - case of 12

SPA FOAM CONTROL



Leisure Time Foam Down

Concentrated foam suppressant begins working immediately to eliminate foam. Apply directly to foam and watch it disappear. Compatible with all sanitizers including bromine, chlorine, ozone, and biguanide

Item Number AA7102805 AA7102805PK12

Description TLC Quart TLC Quart - case of 12 Item Number AA0641105 AA0641105PK12 Description Foam Down Quart Foam Down Quart - case of 12

Natural Chemistry Specialty Products



phosREMOVE

Reducing phosphate levels in swimming pools is easy with Natural Chemistry's PRO SERIES phosREMOVE. This product is a lanthanum based formulation. PRO SERIES phosREMOVE effectively and efficiently removes phosphates and reduces pool problems!

Pro Blend Enzyme and

Regular pool maintenance is easy with PRO SERIES Pro Blend.

The outstanding benefits of our SMARTZyme[™] technology

are combined with our industry leading phosphate removal

technology. Experience superior water quality with less work. SMARTZyme[™] technology breaks down filter

Phosphate Remover

clogging grime and grunge Continually removes phosphates Reduces overall pool maintenance

Item Number	Description
AA2050061	phosREMOVE 32 oz.
AA2050061PK12	phosREMOVE 32 oz. – case of 12
AA2050161	phosREMOVE Gallon
AA2050161PK4	phosREMOVE Gallon – case of 4

Description

Description ProZyme Pool Gallon

ProZyme Pool Gallon - case of 4

ProZyme Pool Five Gallon

Pro Blend Gallon

Pro Blend Five Gallon

Pro Blend Gallon - case of 4

alan



Item Number AA1530361 AA1530361PK6



Pool Perfect

PHOSfree[®] MAX

PHOSfree Max is a powerful and reliable phosphate remover

designed for both residential and commercial pool use. It

removes high levels of problem-causing phosphates from

swimming pool water. Keeping phosphate levels low will

help reduce pool problems, including calcium phosphate

scale as well as time and effort spent to maintain perfect

water. Pour it in and watch it work! PHOSfree Max reduces

phosphate levels to near zero in just 24 hours.

Pool Perfect's enzymes break down suntan oils, sunscreens, cosmetics, body oils and other forms of waste that contaminate pool water. As a result, pool water stays crystal clear, sweet smelling and silky soft. Pool surfaces such as walls and waterlines never need scrubbing and skin and eye irritations are eliminated.

Item Number	Description
AA0322061	Pool Perfect 2 Liter
AA0322061PK6	Pool Perfect 2 Liter – case of 6
AA0312161	Pool Perfect 3 Liter
AA0312161PK4	Pool Perfect 3 Liter – case of 4

Description

PHOSfree MAX Quart

PHOSfree MAX Quart - case of 6



Pool Perfect® MAX with PHOSfree®

Take pool maintenance to the next level! Pool Perfect Max is Natural Chemistry's premier maintenance formulation. Added weekly, this product reduces the amount of time and effort you have to spend on pool care. Its key benefits include: working as a continuous filter cleaner, removing maintenance levels of problem-causing phosphates, reducing scrubbing of scum lines and waterline ring -polishing water to sparkle like never before. Simply add one capful per 10,000 gallons of pool water each week so you can sit back and relax poolside!

Item Number

AA2052061

AA2052361

Item Number

AA2030161PK4 AA2030561

AA2030161

AA2052061PK4

ProZyme Pool

50% stronger than Pool Perfect, this concentrated formula (formerly known as Pool Perfect Commercial AF), is specifically for commercial and institutional pool water environments.

Item Number
AA1530161
AA1530161PK4

Pool Perfect MAX with PHOfree 3 Liter - case of 6



Spa Perfect

Special hot-water enzyme formula breaks down organic contaminants commonly found in spas including lotions, soaps, body oils and cosmetics.



ProZyme Spa

This concentrated formula, formerly known as Spa Perfect Commercial AF, is designed specifically for commercial and institutional pool hot water environments with high bather loads.

Item Number AA0413161 AA0413161PK12 Description Spa Perfect 1 Liter

Spa Perfect 1 Liter - case of 12

Pro Series® Stain and Scale Control

PRO SERIES Stain & Scale Control protects pools from the damaging effects of scale buildup and staining due to excessive calcium, iron, copper and other minerals. It works without the use of phosphates or harsh acids. This product also works very well at preventing/reducing scale from forming on chlorine generator cells and UV crystal lens in order to help maintain optimum performance. PRO SERIES Stain & Scale Control can be used with most sanitizing systems (do not use with biguanides) and is compatible with all pool surfaces.

AA2070161 AA2070161PK4 Description Pro Series Stain and Scale Control Gallon Pro Series Stain and Scale Control Gallon - case of 4



Item Number AA2040161 AA2040161PK4 AA2040561

Description ProZyme Spa Gallon ProZyme Spa Gallon - case of 4 ProZyme Spa Five Gallon



CALL TOLL-FREE: 1.800.437.8072 • FAX: 1.800.850.0262 • SHOP ONLINE: WWW.RECSUPPLY.COM 30



Description

Pool Perfect MAX with PHOfree 3 Liter



Item Number

Natural Chemistry Specialty Products & More



Item Number

AA2031161

AA2076061

AA2076061PK4

Extra Strength Clarifier

This concentrated formula is more highly concentrated than most available clarifiers on the market today. The product can be applied directly to the pool or by an automatic feed pump. Easy to use and cannot be overdosed. It is an environmentally friendly product that is safe to use.

Description

Phosphate Remover Commercial Strength

SeaKlear's most powerful phosphate removal treatment. Removes 9,000 pb pH in a single dose in 10,000 gallons, making it the optimal solution for commercial pools, for service professionals, and to combat extreme phosphate problems.

AA2031161PK4 Extra Strength Clarifier Gallon - case of 4

Description

Extra Strength Clarifier Gallon

Algae Break 90[®]

To control algae in your swimming pool, simply add Algae Break 90 every three months. Your pool will sparkle like never before. Keep algae at bay with Algae Break 90.



Description Algae Break 90 Gallon Algae Break 90 Gallon - case of 4



Instant Conditioner **Liquid Cyanuric**

Natural Chemistry's Instant Conditioner is a unique technology that dissolves instantly and starts working immediately to protect chlorine from sunlight. It is pH friendly due to being a salt, not an acid. It reduces pool down-time and will not damage pool surfaces or equipment. No more waiting for dry cyanuric acid to dissolve! One gallon of Natural Chemistry's Instant Conditioner adds 3.5 ppm of conditioner per 10,000 gallons. It is compatible with all pool types and sanitizing systems.

Item Number AA0740161 AA0740161PK4

Pool First Aid

Instant Conditioner Gallon - case of 4

Pool First Aid contains powerful and concentrated enzymes and an organic clarifier that is ideal for cleaning up problems in pools such as dead algae, high organics due to high bather load, oil leaks and spills, and vandalism. The organic clarifier in Pool First Aid clears cloudy water quickly.

Item Number Description AA0312261 Pool First Aid 2 Liter AA0312261PK6

Pool First Aid 2 Liter - case of 6

Description

Instant Conditioner Gallon

LIQUID POOL COVERS

Item Number

AAHS56050

IIHS11550

Heatsavr Liquid Pool Cover

Heatsavr liquid solar pool cover is completely safe for swimmers and pool equipment. Using a continuous dosing system ensures the best results. Use the HS115 seven-day programmable metering system to dispense Heatsavr to your pool.

Recommended dosage: 1 oz/day for every 400 sq. ft. of pool surface area or 15,000 gallons.



Heatsavr™ – Case of 4 Gallons Automatic Metering System

Item Number AADEBUG50

Description De-Bug Quart

Chitosan Clarifier

Commercial Strength Phosphate Remover Gallon - case of 4

Commercial Strength Phosphate Remover Gallon

SeaKlear Chitosan Clarifier is ideal for preventing common cloudiness. It effectively clears away dirt and oil with a simple dose, leaving your pool water clean, clear, and sparkling.

Item Number AA1012276

Item Number

AA4010176PK4

AA4010176

AA1012276PK4

Description Chitosan Clarifier Gallon Chitosan Clarifier Gallon - case of 4




Rescue Klear

SeaKlear's flagship Natural Clarifier is blended with scumfighting enzymes to tackle the most serious cloudy water emergencies. SeaKlear Rescue Klear is the ideal solution for cleanup after pool parties, vandalism, and weather-related disasters. And, best of all, it's made from environmentally friendly ingredients.

Item Number AA1030176 AA1030176PK4 AA1030276

Description Rescue Klear Gallon





Free & Klear

SeaKlear's three-in-one formula makes weekly pool maintenance simple by combining three key ingredients: best-in-class clarifier, phosphate remover, and enzyme cleaner

Item Number AA4040176 AA4040176PK4 Description Free & Klear Gallon Free & Klear Gallon - case of 4



Phoenix De-Bug

De-Bug prevents unwanted floating and diving insects from gathering on swimming pool water surface. This special formula reduces water surface tension allowing bugs and other debris to drip to the pool bottom. Materials on the pool bottom can then be easily vacuumed away. Quart bottle.

Taylor Test Kits



Taylor 2000 Series™

Maintaining safe pool/spa water for the public is an important responsibility. Therefore, precise test results are essential when checking the water quality of commercial pools and spas. Taylor's 2000 Series™ is designed for the kind of comprehensive, routine testing performed by service technicians, public and semi-public pool operators, and other professionals. Taylor's 2000 Series[™] uses printed color standards to achieve a reliable and accurate color match, making frequent test comparisons even easier. ⁺NSF Certified

2000 Series[™] kits in this column feature six different chlorine (High Range: 1-10 ppm, Low Range: 0.25-2.5 ppm), bromine (HR: 2-20 ppm, LR: .5-5 ppm) and pH (7.0 to 8.0) standards.

Some kits are now available with an optional salt test (1 drop = 200 ppm)



BB200501R

BB210501R

BB200501

BB2005SP

BB2005SA

BB210501

Complete[™] Test Kit

The Complete[™] kit includes nine tests for thorough testing: Total Chlorine, Free Chlorine, Bromine, pH, Acid Demand, Base Demand, Total Alkalinity, Calcium Hardness, and Cyanuric Acid. Includes 34 ounce reagent bottles.

Description

K-2005 High Range K-2005 High Range, Spanish[†] K-2005 High Range, plus salt test K-2105 Low Range



Service Complete Test Kit

This kit includes the same tests as the Taylor Complete Test Kit, but with 2 ounce reagent bottles, providing 150% more tests than the Taylor Complete.

	Item Number	Refill Kit	Description
	BB2005C01	BB2005C01R	K-2005C High Range [†]
	BB2005CSP		K-2005C High Range, Spar
	BB2005CSA		K-2005C High Range, plus sa
	BB2105C01	BB2105C01R	K-2105C Low Range

NSF

Complete FAS-DPD Test Kit

High Range, Spanish[†]

igh Range, plus salt test[†]

Description

Same as BB200501 except: uses BP905801 comparator, the sanitizer tests are titrations to eliminate color matching problems, and Free & Combined Chlorine 1 drop = 0.2 or 0.5 ppm/Bromine 1 drop = 0.5 or 1.25 ppm.

Taylor Complete comes with 34 ounce reagents. Taylor Service Complete is furnished with 2 ounce reagent bottles and comes with a larger carrying case

Item Number	Refill Kit	Description	Kit Type		
BB200601	BB200601R	K-2006 Complete FAS-DPD Kit [†]	Chlorine		
BB2006SP		K-2006 Complete FAS-DPD Kit, Spanish [†]	Chlorine		
BB2006SA		K-2006 Complete FAS-DPD Kit + salt test [†]	Chlorine		
BB210601	BB210601R	K-2106 Complete FAS-DPD Kit	Bromine		
BB2006C01	BB2006C01R	K-2006C Service Complete FAS-DPD Kit [†]	Chlorine		
BB2006CSA		K-2006C Service Complete FAS-DPD Kit + salt test*	Chlorine		



Item Number BB200001 BB200001R BB210001 BB210001R

Chlorine, Bromine, pH, Acid Demand and Base **Demand**. It may be upgraded to include all tests in the Complete[™] kits by adding replacement packs. Please call for details. Starter[™] kits include ¾ **ounce** reagent bottles.

Starter[™] Test Kit (DPD) The Starter[™] kit features six tests: **Total Chlorine, Free**

> Description K-2000 High Ranget K-2100 Low Range



Item Number BB174101 BB1741C01

Taylor Specialty Kits

Taylor Technologies has a test kit for just about any aquatic application. Some are listed below, but many more are available. If you don't see the kit you need here, contact us with your unique requirements.



K-1106 Commercial **Phosphate Kit**

Phosphates are nutrients for algae. This phosphate kit helps you control algae by identifying the phosphate level in your pool so you can adequately treat or prevent algae problems. Includes 2 color card comparators for measuring phosphates, High Range (0–6000 ppb) and Low Range (0–1000 ppb).

Item Number BB110601

Item Number





Item Number BB204101 BB204201

Taylor Test Kit Parts

Item Number	Description
BP324301	#3243 Cap, test cell, 11.5 mL, rectangular, plastic
BP326701	#3267 Cap, test cell, 5 mL, rectangular, plastic
BP402401	#4024 Test cell, 11.5 mL, calibrated, plastic
BP402501	# 4025 Test cell, 5 mL, calibrated, plastic
BP403001	#4030 Pipet, calibrated 0.5 mL and 1.0 mL, plastic with cap
BP919101	#9191 CYA Dispenser Bottle
BP919301	#9193 Test tube, CYA view, grad, 20-100 ppm, plastic
BP919401	#9194 Bottle, CYA dispensing, calibrated, 15 mL, plastic with cap
BP919801	#9198 Sample tube, graduated, 25 mL, plastic with cap

Taylor Professional Series[™]

Taylor's Professional Complete™ kits provide the pool professional a portable lab which can be used any time. Slide comparator with liquid color standards allow precise determinations of pH and sanitizer levels, while simple drop titrations are used for acid and base demand, total alkalinity and calcium hardness analyses. K-1741C Complete Kit also includes tests for copper, iron, and total hardness. Kits include the booklet "Pool & Spa Chemistry, a Testing & Treatment Guide with Tables" and the Watergram, a slide wheel which correlates pH, temperature, calcium hardness and total alkalinity for balanced water. Kits include 2 ounce reagent bottles.

Description K 1741 Taylor Professional Series Kit K-1741C Taylor Professional Series Complete Kit

Description K-1106 Phosphate Test Kit

K-1766 Salt Water Kit

For use with salt water chlorine generators.

Description

K-1766 Salt Water Kit

Deox Reagent Pack

Description Deox Reagent Pack with ¾ ounce Deox Reagent

Deox Reagent Pack with 2 ounce Deox Reagent

If you use monopersulfate shock, then you should use this add-on with your Taylor 2000 Series test kit to help obtain accurate chlorine readings. Pack includes R-0867 Deox reagent, a #4030 dropper, and an instruction card.

32





Taylor Reagents

Reagents are available in a variety of sizes for convenience. We stock all of the listed reagents. Please contact us for pricing and availability of any unlisted reagents.

Item Number	Reagent No.	Description	Size
BB0001A01	R-0001	Reagent #1 DPD	¾ oz.
BB0001C01	R-0001	Reagent #1 DPD	2 oz.
BB0002A01	R-0002	Reagent #2 DPD	¾ oz.
BB0002C01	R-0002	Reagent #2 DPD	2 oz.
BB0003A01	R-0003	Reagent #3 DPD	¾ oz.
BB0003C01	R-0003	Reagent #3 DPD	2 oz.
BB0004A01	R-0004	pH Indicator Solution (2000 Series)	³∕4 oz.
BB0004C01	R-0004	pH Indicator Solution (2000 Series)	2 oz.
BB0004E01	R-0004	pH Indicator Solution (2000 Series)	16 oz.
BB0005A01	R-0005	Acid Demand Reagent	³ ⁄4 OZ.
BB0005C01	R-0005	Acid Demand Reagent	2 oz.
BB0006A01	R-0006	Base Demand Reagent	³∕4 oz.
BB0006C01	R-0006	Base Demand Reagent	2 oz.
BB0007A01	R-0007	Thiosulfate N/10	³ ⁄4 OZ.
BB0007C01	R-0007	Thiosulfate N/10	2 oz.
BB0007E01	R-0007	Thiosulfate N/10	16 oz.
BB0008A01	R-0008	Total Alkalinity Indicator	³ ⁄4 oz.
BB0008C01	R-0008	Total Alkalinity Indicator	2 oz.
BB0008E01	R-0008	Total Alkalinity Indicator	16 oz.
BB0009A01	R-0009	Sulfuric Acid .12N	³ ⁄ ₄ oz.
BB0009C01	R-0009	Sulfuric Acid .12N	2 oz.
BB0009E01	R-0009	Sulfuric Acid .12N	16 oz.
BB0010A01	R-0010	Calcium Buffer	³ ⁄ ₄ oz.
BB0010C01	R-0010	Calcium Buffer	2 oz.
BB0010E01	R-0010	Calcium Buffer	16 oz.
BB011LA01	R-0011L	Calcium Indicator Liquid	³ ⁄ ₄ oz.
BB011LC01	R-0011L	Calcium Indicator Liquid	2 oz.
BB011LE01	R-0011L	Calcium Indicator Liquid	16 oz.
BB0012A01	R-0012	Hardness Reagent	³ ⁄ ₄ oz.
BB0012C01	R-0012	Hardness Reagent	2 oz.
BB0012E01	R-0012	Hardness Reagent	16 oz.
BB0013A01	R-0012	Cyanuric Acid Reagent	³ ⁄ ₄ oz.
BB0013C01	R-0013	Cyanuric Acid Reagent	2 oz.
BB0013E01	R-0013	Cyanuric Acid Reagent	16 oz.
BB103JC01	R-1003J	Phenol Red Indicator (Slide/Midget)	2 oz.
BB103JE01	R-1003J	Phenol Red Indicator (Slide/Midget)	16 oz.
BB0630A01	R-0630	Chromate Indicator	³ ⁄ ₄ oz.
BB0630C01	R-0630	Chromate Indicator	2 oz.
BB0718A01	R-0718	Silver Nitrate Reagent	³ ⁄ ₄ oz.
BB0718C01	R-0718	Silver Nitrate Reagent	2 oz.
BB0867A01	R-0867	Deox Reagent	³ ⁄ ₄ oz.
BB0867C01	R-0867	Deox Reagent	2 oz.
BB0870I01	R-0870	DPD Powder	2 02. 10 g.
BB0870J01	R-0870	DPD Powder	10 g. 1⁄4 lb.
BB0871A01	R-0871	FAS-DPD Titrating Reagent (chlorine)	³ /4 OZ.
BB0871C01	R-0871	FAS-DPD Titrating Reagent (chlorine)	⁵ /4 02. 2 oz.
BB0871E01	R-0871	FAS-DPD Titrating Reagent (chlorine)	16 oz.
BB0872A01	R-0871 R-0872		16 02. 3⁄4 0Z.
BB0872C01	R-0872	FAS-DPD Titrating Reagent (bromine) FAS-DPD Titrating Reagent (bromine)	% 02. 2 oz.
DD0072C01	N-U0/2	TAS OF D THRALING Reagent (Dromine)	2 UZ.



Replacement Comparators for Taylor 2000 Series

Item Number	Description
BP905601	High Range (Chlorine 1 to 10, Bromine 2 to 20, pH 7.0 to 8.0)
BP905701	Low Range (Chlorine 0.25 to 2.5, Bromine .5 to 5, pH 7.0 to 8.0)
BP905801	FAS-DPD
BP303001	Dual Cap for Comparator

Taylor Test Kit Accessories



#6191 SampleSizer®

Taylor SampleSizer®

BP(

Using Taylor's SampleSizer®, you won't need to flick off the excess water to get the meniscus to rest precisely on the fill line. Simply lower a SampleSizer® into the water to be tested. It will displace exactly the right amount to leave the correct volume to perform the test. Use BP619001 with Taylor's #9198 sample tube or Taylor 2000 Series comparators for 10 mL or 25mL measurements. Use **BP619101** with Taylor's 2000 Series™ comparators for 44 mL measurements. Iter

m Number	Description
619001	#6190 SampleSizer™ 10 mL/25 mL
619101	#6191 SampleSizer™ 44 mL

Taylor SpeedStir®

Taylor's #9265 SpeedStir[®] makes quick work of drop tests performed in Taylor's #9198 sample tube. This palm size, portable magnetic stirrer will thoroughly incorporate each addition of reagent in a fraction of a second. Includes sample tube, magnetic stirring bar, and four AA batteries.

Ataylor	Item Number		Description	
SpeedStir*	BP926501	#9265 Sp	beedStir® Start-Up Pack	
		A state of the sta		
	Circular	CYA	DPD Powder	
	Watergram	Dispensing	Unit Dose	
	-	Bottle	Dispenser	
Item Number		[Description	
BP602601		Watergram Water Balance Calculator – Circular		
BP919101		CYA Dispensing Bottle		
BB925001		Unit Dose Dispenser for DPD Powder		



taylor

TTi 2000 Colorimeter

The TTi® 2000 Colorimeter from Taylor Technologies offers water analysts reliable results plus a variety of features to maximize productivity. This handheld, multi-wavelength, microprocessor-controlled, menu-driven, direct-readout instrument employs LED light sources. Its portability and data-logging capabilities make it well suited for use at regulated pools and by service technicians.

Includes AC power adapter, USB cable, four AA batteries, two 25 mm sample cells, two 15 mm sample cells, one 50 mL dilution vial, one foam cleaning brush, and Quick-Start Guide. Five year warranty.

Item Number	Description
BBM200001	TTi 2000 Colorimeter Kit
BBK800001	Accuracy Check Kit
BB714601	Soft Carrying Case
BB950401	Hard Carrying Case

Reagent Packs for TTi 2000 Colorimeter

Harry Marrishan	Description
Item Number	Description
BBK800101	Chlorine (free/total), DPD
BBK800201	Bromine (total), DPD
BBK802401	Total Alkalinity
BBK802901	Total Hardness
BBK802701	pH 6.50-8.50
BBK803201	Cyanuric Acid
BBK803001	Calcium Hardness

LaMotte Test Kits



Color

Coló



ColorQ 2x Pool 4 Test Kit


This unique, multi-test pool and spa hand-held photometer has the same features as the ColorQ 2x PRO 7 except it reads four test factors directly on a digital display - Free Chlorine, Total Chlorine, Bromine, pH. If desired, instrument grade reagents (sold separately) may be added to the kit to measure other total alkalinity, hardness and cyanuric acid. The ColorQ Pool 4 kit uses liquid reagents

The ColorQ TesTabs PRO 4 kit uses TesTabs tablet reagents.

Reagent refill pack also includes 4 fresh test tubes.

Test results are sent directly to phone app.

Item Number	Description
BB208502	ColorQ 2x PRO 4
BB208202	ColorQ 2X TesTabs PRO 4



ColorQ 2x PRO 7 Test Kits

No color matching, no look up charts, no guessing! The unique, multi-test ColorQ 2x pool and spa hand-held photometer reads SEVEN primary test factors - Free Chlorine, Total Chlorine, Bromine, pH, Alkalinity, Calcium Hardness, and Cyanuric Acid – directly on a digital display. Featuring an innovative dual-optic design with wider path-length, the ColorQ provides reliable field results, eliminating the need to visually determine slight color variations.

The ColorQ 2x PRO 7 kit uses TesTabs tablet reagents for both the Calcium Hardness and Cyanuric Acid tests. All other tests are performed using liquid reagents.

The ColorQ 2x TesTabs PRO 7 uses no liquid reagents. It uses LaMotte TesTabs for all tests.

Reagent refill packs also include 6 fresh test tubes.

Test results are sent directly to phone app.

Item Number	Description
BB208602	ColorQ 2x PRO 7
BB208702	ColorQ 2x TesTabs PRO 7



Item Number BB7001N02

BB7002N02



BB209402

PRO 7

PRO-250 Series Test Kit

PRO250 Series professional water analysis kits are supplied in durable, blow-molded cases for years of dependable service. Each unit features liquid reagent systems for chlorine and pH. Total Alkalinity, Calcium Hardness, Acid Demand and Base Demand are analyzed with drop count titrations. Cyanuric Acid is measured by turbidity.

The PR0250 PLUS kit includes all of the above plus Copper and Iron tests. pH test range is 6.8-8.2 Free and Total Chlorine ranges are as follows:

- High Range: 0.5–10.0 ppm
- Low Range: 0.2–3.0 ppm

Description

PRO250 Test Kit PRO250 PLUS Test Kit

ColorQ 2x PRO 7-PLUS

The ColorQ 2x PRO 7-PLUS handheld professional pool photometer directly measures the seven primary tests of Free Chlorine (DPD), Total Chlorine (DPD), Bromine (DPD), pH, Alkalinity, Calcium Hardness, and Cyanuric Acid directly on a digital display. The Cyanuric Acid test is measured by using one TestTabs® tablet per test with 100 tablets included with the kit.

The ColorQ 2x PRO 7-PLUS, Pool Manager Handbook, Saturation Index Calculator, testing reagents, and trilingual instructions are packaged in a rugged carrying. Reagent refill pack also includes 6 fresh test tubes.

> Description ColorQ 2x PRO 7-PLUS



Item Number BB209702



Item Number

BB336802

34

BB3368N02

Pool Manager Test Kit

The popular all-tablet combination kit with the Octa-Slide color bars, which feature 8 translucent color standards for chlorine and pH. Public pool service personnel can test for these key factors of pool water chemistry: free chlorine, total chlorine, pH, total alkalinity, calcium hardness, acid demand, and cyanuric acid.

Range Chlorine 0.2-3.0 Chlorine 0.5-10.0



Each kit contains: (1) individual foil wrapped LFICA test strip (1) hollow fibre filter

Item Number BB7210002

Free Chlorine (DPD), Total Chlorine (DPD), Bromine (DPD), pH, Alkalinity, Calcium Hardness, Cyanuric Acid, Copper and Iron. The Cvanuric Acid, Copper and Iron test are measured by using one TesTabs® tablet per test with 100 tablets included with the kit. As a bonus, the photometer included with the ColorQ

ColorQ 2x PRO 9-PLUS

The photometer directly measures nine tests on a digital display:

2x PRO 9-PLUS can also test Biguanide and Biguanide Shock with optional reagents (sold separately). The ColorQ 2x PRO 9-PLUS photometer, Pool Manager Handbook,

Saturation Index Calculator, trilingual instructions (English, Spanish, French) and reagents are packaged in a rugged carrying case. Reagent refill pack also includes 10 fresh test tubes.

Description ColorQ 2x PRO 9-PLUS

LaMotte Legionella **Field Test Kit**

The Legionella Field Test™ uses Lateral Flow Immunochromatographic Assay (LFICA) technology to detect the presence of cell surface antigens from Legionella bacteria. It uses Legionella antibodies, tagged with red nanoparticles, which bind to any bacteria found in the sample and make them visible on a line on the device. Single-use kit.

- (1) syringe containing recovery buffer
- (1) 250 mL beaker
- (1) 60 mL syringe

Description Legionella Field Test Kit

LaMotte Reagents and Parts, Test Strips



Lamotte Visual Grade TesTabs Tablet Reagents

100 ct.	1000 ct.		
Item Number	Item Number	Description	
BB699902	BB6999M02		DPD #1 (6999A)
BB690502	BB6905M02		DPD #3 (6905A)
BB691502	BB6915M02		Phenol Red (6915A)
BB392002	BB3920M02		Alkalinity (3920A)
BB684602	BB6846M02		Ca Hardness (6846A)
BB699402	BB6994M02		Cvanuric Acid (6994A)

Lamotte ColorQ Instrument Grade TesTabs Tablets

Item Number	Description	Lamotte Number	Size
BB6903J02	DPD #1	6903A	100 ct.
BB6197J02	DPD #3	6197A	100 ct.
BB3880J02	pH	3880A	100 ct.
BB3882J02	Alkalinity (Original ColorQ)	3882A	100 ct.
BB3896J02	Alkalinity (ColorQ 2x)	3896A	100 ct.
BB3883J02	Calcium Hardness (Original ColorQ)	3883A	100 ct.
BB3887J02	Calcium Hardness (ColorQ 2x)	3887A	100 ct.
BB6996J02	Cyanuric Acid	6996A	100 ct.

LaMotte ColorQ & PRO250 Liquid Reagents

Item Number	Description	Lamotte Number	Size
BB6740G02	DPD #1A	P-6740-G	1 oz.
BB6740H02	DPD #1A	P-6740-H	2 oz.
BB6741G02	DPD #1B	P-6741-G	1 oz.
BB6741H02	DPD #1B	P-6741-H	2 oz.
BB6743G02	DPD #3	P-6743-G	1 oz.
BB6743H02	DPD #3	P-6743-H	2 oz.
BB7037G02	pH (ColorQ)	7037-G	1 oz.
BB7037H02	pH (ColorQ)	7037-H	2 oz.
BB7039G02	Total Alkalinity Indicator (ColorQ)	7039-G	1 oz.
BB7039H02	Total Alkalinity Indicator (ColorQ)	7039-H	2 oz.
BB7042G02	Calcium Hardness 1 (ColorQ)	7042-G	1 oz.
BB7042H02	Calcium Hardness 1 (ColorQ)	7042-H	2 oz.
BB7041G02	Calcium Hardness 2 (ColorQ)	7041-G	1 oz.
BB7041H02	Calcium Hardness 2 (ColorQ)	7041-H	2 oz.
BB7026H02	pH Indicator (PRO250)	P-7026-H	2 oz.
BB7028G02	Alkalinity 1 Indicator (PRO250)	P-7028-G	1 oz.
BB6111H02	Alkalinity Titrant (PRO250)	P-6111-H	2 oz.
BB4259H02	Hardness 1 Reagent (PRO250)	P-4259-H	2 oz.
BB7030G02	Hardness 2 Reagent (PRO250)	P-7030-G	1 oz.
BB7031H02	Hardness Titrant (PRO250)	P-7031-H	2 oz.

Lamotte Replacement Parts

Item Number	Description
BP017502	#0175 Tablet Crusher
BP051402	#0514 Tube Cleaning Brush
BP010602	#0106 Octa-Slide Tube, 5 & 10 mL
BP096902	#0969 Titration tube 60-400 ppm
BP092902	#0929 Hard/Alk Titration Tube
BP068802	#0688 Sample bottle with flip top
BP116102	#1161 CyA Double Tube
BP020102	#0201 ColorQ Test Tube 5 mL
BP068902	#0689 ColorQ Sample Bottle
BP110102	#1101 OctaSlide 2 Viewer
BP3401102	#3401-01 Chlorine OctaSlide 2 Bar 0.2-3.0
BP3403102	#3401-01 pH OctaSlide 2 Bar 6.8-8.2
BP3406102	#3406-01 Bromine OctaSlide 2 Bar 1.0-10.0
BP3428102	#3428-01 Chlorine OctaSlide 2 Bar 0.5-10.0
BP0205N02	#0205-NC ColorQ 2x Test Tube 10 × 20, no cap
BP0206N02	#0206-NC ColorQ 2x Test Tube 10 × 10, no cap
<u>BP048402</u>	#0484 ColorQ 2x Test Tube Caps, pack of 6

Visit RecSupply.com for part photos, manuals, tips and more!

Please contact us for unlisted Kits, Reagents and Parts!



Test Factor	Range
Free Chlorine	0–15.0 ppm
Total Chlorine	0–15.0 ppm
Bromine	0–33.0 ppm
рН	6.3–8.6
Calcium Hardness	0–1200 ppm
Total Alkalinity	0–250 ppm
Cyanuric Acid	5–150 ppm
Copper	0–3.0 ppm
Iron	0–3.0 ppm
Phosphate (BB4329H02 only)	0–1500 ppb
	_

LaMotte Mobile WaterLink® Spin Touch™

Certified to NSF/ANSI Standard 50.

The innovative WaterLink[®] Spin TouchTM photometer does all your pool and spa water testing for you. Each sealed reagent disk contains the precise amount of reagent needed to run a complete series of tests. Just fill one unique Spin reagent disk with less than 3 mL of water and all your vital tests are done automatically. In just 30 or 60 seconds all the test results are transferred into the DataMate[®] software and analyzed to display results and recommend precise treatment instructions. Stand-alone or cloud ready. No computer, smartphone or tablet necessary. Can communicate through Bluetooth[®] or USB. Rugged and portable with an innovative water-resistant housing and internal, rechargeable batteries. Fully compatible with DataMate[®] 10 and DataMate[®] Web (software purchased separately).

WaterLink Spin Touch includes photometer, instruction manual, quick-start instructions, 3 syringes, calibration check disk, troubleshooting disk, and USB cable/wall adapter. Mobile WaterLink Spin Touch also includes a durable, waterproof carrying case with foam inserts that holds the meter, disks and accessories.

Mobile Commercial Water Link Spin Touch includes an upright waterproof carrying case with foam inserts that is ideal for 3-use disk users.

Disks are compatible with Spin Touch and Spin Lab.

Item Number	Description
BB358002	WaterLink Spin Touch Lab
BB358102	Mobile WaterLink Spin Touch Lab with Carrying Case
BB358202	Mobile Commercial WaterLink Spin Touch Lab with Carrying Case
BB4328H02	Chlorine/Bromine Disk (pack of 50)
BB4329H02	Chlorine/Bromine plus Phosphate Disk (pack of 50)
BB4330H02	Chlorine/Bromine plus Borate Disk (pack of 50)
BB4334H02	3-Use Disk (pack of 50) Tests Free and Total Chlorine, Bromine and pH only.
D	

DataMate Web® software available by subscription from www.waterlinkconnect.com



LaMotte Insta-Test 5 Strips

Insta-Test strips provide the complete picture of a pool or spa's water quality faster than ever before. Insta-Test Strips test for:

- Free Chlorine: 0-10 ppm
- Bromine: 0-20 ppm
- Total Chlorine: 0-10 ppm
- Alkalinity: 0-240 ppm
- pH: 6.2-9.0
- Total Hardness: 50-800 ppm

• Cyanuric Acid: 0-250 ppm (Insta-Test 6 Plus only) Simply dip the strip, swirl three times and the results from all five tests are ready instantly! Insta-Test Strips are designed for use by pool and spa operators who wish to assess their total water quality. One bottle contains 50 strips.

Item Number BB297702 BB302802

Description Bottle of 50 Insta-Test 5 Test Strips Bottle of 50 Insta-Test 6 Plus Test Strips



ColorQ Refill Kits

For legacy ColorQ Test Kits. Not intended for use with the new ColorQ 2x kits.

Refill Kit	Description	
BB205602RD	ColorQ PRO 7	
BB207202R	ColorQ PRO 6	
BB205702RD	ColorQ TesTabs PRO 7	
BB205502R	ColorQ Pool 4	

THREE LOCATIONS TO SERVE YOU BETTER! • MOST IN-STOCK ORDERS SHIP THE SAME DAY!

Palintest Testing Equipment

Palintest Water Analysis Technologies



😢 Bluetooth

Item Number BBSP02574

Description Pooltest 25 Bluetooth® Standard Kit

test parameters.

🚯 Bluetooth

Item Number BBSP01074

Item Number

36

Pooltest 10 Bluetooth® Including the ten most important pool and spa parameters, water quality testing has never been so simple or connected.

Pooltest 25 Bluetooth®

The complete photometer, designed for the pool

professional and offering a comprehensive range of

The Pooltest 25 Bluetooth direct-reading photometer is a

fully featured, waterproof, precision pool photometer for

the most demanding professional. This instrument features

a complete range of swimming pool water tests, including

the more specialized tests such as phosphate and nitrate, as

well as the usual free and total chlorine, pH and alkalinity.

Bluetooth SMART connectivity enables data download and

sharing via smartphones and tablets. Pooltest 25 can also

connect via USB. Pooltest 25 stores up to 1000 results in its

on-board memory and can transfer them to a PC database,

spreadsheet, or pool chemistry software. Pooltest 25 is supplied in a hard plastic carry case with space to store

There instrument tests for over 25 test factors.

reagents and uses three AA batteries.

Pooltest 25 comes with a two year warranty.

The Pooltest 10 Professional Plus direct-reading photometer has built its reputation on reliability and ease of use. The Pooltest 10 has a large backlit screen and is fully waterproof. Pooltest 10 tests for Free and Total Chlorine, pH (phenol red), Cyanuric Acid, Alkalinity, Ozone, Calcium Hardness, Copper, Bromine, Iron and Phosphate. The Pooltest 10 stores up to 500 data sets for full traceability of results. The kit also includes 8 glass cuvettes, dilution tube, USB cable for PC connection, Bluetooth connectivity for smartphones and tablets, 10 crushing rods, cuvette brush, 10 mL syringe, and a starter supply of reagents. Pooltest 10 is supplied in a hard plastic carry case.

Description Pooltest 10 Bluetooth® Standard Kit



Lumiso Pooltest 6

The brand new Lumiso Pooltest 6 enables a complete water balance calculation, with tests for alkalinity, bromine, calcium hardness, chlorine, cyanuric acid and pH.

The Lumiso Pooltest Series is packaged in a custom case, inclusive of all necessary reagents and accessories. With space for additional items including spare test tubes and check standards, there is no need to carry additional equipment. The new Lumiso Pooltest Series removes the need for choice or dilution by including both standard (0 - 5 ppm) and extended range chlorine (0 - 10 ppm).

Test Ranges:

- Free/Total Chlorine: 0 to 5 ppm and 0 to 10 ppm
- Bromine: 0 to 10 ppm
- Alkalinity: 0 to 500 ppm
- Calcium Hardness: 0 500 ppm
- Cyanuric Acid: 0 150 ppm
 - pH: 6.5 to 8.4

Description Lumiso Pooltest 6

BBLM10674 Kit includes hard case, 5 test tubes, 240 reagents, 4 crushing rods, test tube brush, lint-free cloth, 10 mL syringe, and USB lead



Item Number

BBLM10374 Lumiso Pooltest 3 Kit includes hard case, 5 test tubes, 220 reagents, 4 crushing rods, test tube brush, lint-free cloth, 10 mL syringe, and USB lead

Lumiso Pooltest 3

extended range chlorine (0 - 10 ppm).

Cyanuric Acid: 0 - 150 ppm

Description

cyanuric acid.

Test Ranges:

pH: 6.5 to 8.4

Lumiso Pooltest 3 is ideal for monitoring of outdoor

pools, covering the three main tests chlorine, ph and

The Lumiso Pooltest Series is packaged in a custom case,

inclusive of all necessary reagents and accessories. With space

for additional items including spare test tubes and check

standards, there is no need to carry additional equipment.

The new Lumiso Pooltest Series removes the need for choice

or dilution by including both standard (0 - 5 ppm) and

Free/Total Chlorine: 0 to 5 ppm and 0 to 10 ppm



Palintest Reagents

50 count tablet packs include a tablet crusher and test instructions sheet. 250 count tablet packs include tablets only.

Item Number	Reagent	Number of Tests
BBPM01174	Free Chlorine/Bromine (DPD 1)	50
BBAP01174	Free Chlorine/Bromine (DPD 1)	250
BBPM03174	Free and Total Chlorine (DPD 1 & 3)	50
BBAP03174	Free and Total Chlorine (DPD 1 & 3)	250
BBPM01374	Free Chlorine (DPD 1) – Extended Range	50
BBAP01374	Free Chlorine (DPD 1) – Extended Range	250
BBPM03374	Free and Total Chlorine (DPD 1 & 3) – Extended Range	50
BBAP03374	Free and Total Chlorine (DPD 1 & 3) – Extended Range	250
BBPM18874	Alkalinity	50
BBAP18874	Alkalinity	250
BBPM25274	Calcium Hardness	50
BBAP25274	Calcium Hardness	250
BBPM08774	Cyanuric Acid	50
BBAP08774	Cyanuric Acid	250
BBPM13074	pH	50
BBAP13074	Hq	250

Palintest Accessories

Item Number	Description
BPPT80474	Pooltest 25 Check Standards
BPPT79174	Pooltest 9/Pooltest 10 Check Standards
BBSPC0674	Legacy Pooltest 3/Pooltest 6 Check Standards
BPLMC1074	Lumiso Pooltest 3/Lumiso Pooltest 6 Check Standards
BBPT55574	Test Tubes for Pooltest 3 and 6 (pack of 5)
BPPT59574	Glass Cuvettes with Caps (10 ml) for Pooltest 9, 10 and 25 (pack of 5)
BPPT52474	Plastic Test Tubes (10 ml) for Pooltest 9, 10 and 25 (pack of 5)
BPPT50274	Crushing/Stirring Rod (pack of 10)
BPPT36974	10 ml Syringe
BPPT51274	Dilution Tube

Please contact us for unlisted Palintest **Equipment, Reagents and Parts!**

Digital Testing Equipment

HM Digital pH Meter Measures pH and Temperature

- Waterproof housing
- Automatic Temperature Compensation (ATC)
- One-touch automatic digital calibration: auto ranging to 4, 7 or 10 pH
- Glass encased reference electrode helps retain moisture
- Sensors can be re-saturated to work again if dried
- Auto-off function, data-hold function and lowbattery indicator
- Large and easy-to-read LCD screen
- Includes a cap, batteries, lanyard, storage solution and pH 7.0 buffer

pH Range: 0.00 to 14.00, Accuracy: ±0.02 pH

Temperature Range: 0.0 to 80.0°C/32.0 to 176.0°F, Accuracy $\pm 2\%$

Item Number	Description
BBHM12050	PH-200 pH/Temperature Meter
BBHM12550	pH Electrode Storage Solution, 60 cc

Description

ORP-200 ORP/Temperature Meter

ORP Electrode Storage Solution, 60 cc



BB1740K02

LaMotte TRACER PockeTesters[™]

This TRACER PockeTester allows users to add a TCI (Total Chlorine), pH, or ORP sensor to test three factors. Just add a tablet to a sample cup to test Total Chlorine. A memory feature saves calibrations between sensor changes and stores up to 15 readings. Kits include rugged carrying case. ORP: -999 to 999 mV

- Total Chlorine: 0-10 ppm
- pH: 0.00 14.00

Item Number	Description
BB1740K02	TCI (Total Chlorine) TRACER Kit with pH, & ORP Sensor
BB174002	TCI (Total Chlorine) TRACER PockeTester
BB173202	TCI (Total Chlorine) Sensor Only
BB1741K02	pH TRACER Kit with TCI (Total Chlorine) Sensor
BB174102	pH TRACER PockeTester
BB173302	pH Sensor Only
BB1742K02	ORP TRACER Kit with pH Sensor
BB174202	ORP TRACER PockeTester
BB173402	ORP Sensor Only



Item Number

BBHM14050

BBHM14550

HM

HM Digital ORP Meter

- Measures Oxidation Reduction Potential (Redox) and Temperature
- Auto-ranging calibration with digital fine tuning Waterproof housing
- Replaceable probe
- Auto-off function, data-hold function and low-
- battery indicator Large and easy-to-read LCD screen
- Includes a cap, batteries, and lanyard

ORP Range: -999 to 1000 mV, Accuracy: ±2 mV Temperature Range: 0.0 to 80.0°C/32.0 to 176.0°F, Accuracy ±2%



Myron L Ultrapen PT1 Measures Electrical Conductivity, TDS and Salinity

PT1 comes with N-Type battery (installed), scoop, soaker cap, pocket clip, holster, lanyard and operating instructions.

- Salinity: 0.0010 to 9.999 ppt
- 1-9999 ppm or µS conductivity or TDS
- Waterproof

Item Number BB655501 BB6824F01



Ultrapen PT1 Conductivity/TDS/Salinity R-0868-25C-F Conductivity Solution 2500 µS, 32 oz. R-0868-39C-F Conductivity Solution 3900 µS, 32 oz.

Myron L Ultrapen PT2 **Measures pH and Temperature**

PT2 comes with N-Type battery (installed), scoop, soaker cap, pocket clip, holster, lanyard and operating instructions.

- pH accuracy of +/-0.01 pH Temperature range 32°F to 160°F (0°C to 71°C),
 - accuracy to .1º
 - 1, 2 and 3 point calibration
 - Automatic temperature compensation
 - Waterproof

Item Number	Description
BB655601	Ultrapen PT2 pH/Temperature
BB9904E01	R-1099-04-E Buffer Solution pH 4.0, 16 oz.
BB9907E01	R-1099-07-E Buffer Solution pH 7.0, 16 oz.
BB9910E01	R-1099-10-E Buffer Solution pH 10.0, 16 oz.





HM Digital EC/TDS Meter

- Measures electrical conductivity (EC), total dissolved solids (TDS), salinity and temperature
- Automatic Temperature Compensation (ATC) using three temperature coefficients
- Three non-linear EC-to-TDS conversion factors
- Four scales: µS, mS, ppm, ppt .
- Waterproof housing
- Detachable replaceable platinum sensor .
- Auto-off function, data-hold function and lowbattery indicator
- Large and easy-to-read LCD screen
- Includes a cap, batteries and lanyard

Measurement Range: 0-9990 µS; 0-8560 ppm; 0-9.99 mS; 0-8.56 ppt

Temperature Range: 0.0 to 80.0°C/32.0 to 176.0°F, Accuracy $\pm 2\%$

Item Number	Description
BBHM10050	COM-100 EC/TDS/Temperature Meter
BBHM10750	TDS 342 ppm NaCl Calibration Solution, 3 oz.
BBHM10850	TDS 1000 ppm NaCl Calibration Solution, 3 oz.

Chemical Safety & First Aid



Splash Goggle

Our Encon Splash Goggle is one of the most advanced protective goggle designs on the market. The heavy duty vinyl body incorporates a facial flange ergonomically designed to adjust to contour of the wearer's face. The curved lens allows 160° vision without distortion. The baffle vent system permits air circulation but stops the migration of liquid into the eyes. The clear lens resists fogging and screens out 99% of harmful UV radiation.

Item Number DD1511750

Description Splash Goggle

Chemical Gloves (pair)

Chemical Apron




Chemical Gloves

Neoprene coated glove provides the best all around performance against chemicals. A fabric lining provides comfort. Ideal for use in oils, acids, caustics and many solvents. Fully coated gauntlet. Preformed curved with flexed fingers. 12" gauntlet.

Item Number DD1027850

DD0038750



Chemical Apron

- $33" \times 49"$ green 18 mil heavy duty chemical protection apron.
- 40 mil grommets welded to apron for added strength
- Extra long nylon cross ties for easy size adjustment and comfort.

Economical plain-edge style provides superior flexibility and resistance to chemicals, punctures and abrasions.



Item Number

DD1970950 DD1971150

DD1971350

DD1971550

Item N

DD10

DD107 DD10

First Aid Kits, Metal Case

Our First Aid Kits contain products that meet the highest quality standards and revised ANSI Standard Z308.1-2003. They also conform with OSHA, federal, and most state requirements for First Aid Kits at public and semipublic recreational facilities.

The rugged molded steel case is constructed of heavy-gauge steel with high gloss paint and rustproof coating to withstand abuse and provide maximum protection from moisture. Contains unit packages equipped to handle most minor aches, pains, bumps, bruises and sprains. Also includes First Aid Guide, scissors and forceps.

Visit RecSupply.com for complete contents lists.

Size	
10 Unit	
16 Unit	
24 Unit	
36 Unit	



The Kemp USA First Aid Kits includes necessities such as bandages, adhesive tape, antiseptic prep pads, gauze, first aid cream, gloves, sterile dressings, scissors, splinter forceps, sting-stop prep pads, and more. The 24 and 36 unit first aid kits are perfect for the commercial pool operator. They come in a hard plastic case with two snap-shut latches. Visit RecSupply.com for complete contents lists.

Number	Size
70350	10 Unit
70550	24 Unit
70650	36 Unit

evesaline Wall Station

Item Number DD2703250 DP2603750



Emergency **Eye Wash Station**

Self-contained, easily installed system provides immediate eye flushing in the event of an accident involving acids, caustics or other water-soluble irritants. Stations are equipped with both double-back tape and screw holes for mounting. Bottle caps are covered with tamper-evident seals to guarantee sterility. The pull-out-bottle design is ideal for quick access in emergency situations.

Description Complete 32 oz. Station 32 oz Refill



Porta Stream **Eve Wash Station**

These self-contained, gravity-fed emergency eye wash stations help relieve eye irritation by removing loose foreign material, chlorinated water, or other contaminants. Requires no plumbing. Includes Eyesaline[®] concentrate, emergency eye wash sign, mounting bracket and illustrated operating instructions. The Porta Stream I offers 6 minutes of continuous flow. The 16-gallon capacity Porta Stream II offers 15 minutes of continuous flow at 0.4 gpm as required by required by ANSI Z358.1-2004.

The 70 ounce refill is easily mixed with tap water to provide six gallons of preserved, buffered saline solution.

em Number	Description
D3210050	Porta Stream I 6-minute station
D3220050	Porta Stream II 15-minute station
P3250950	70 oz. Refill (for PS-I)
P3251350	180 oz. Refill (for PS-II), case of 4



LIFE[®] OxygenPac **Emergency Oxygen**

For industrial and office workplace first aid programs, LIFE° OxygenPac, is simple and easy to use to give crucial lifesaving oxygen until medical help arrives. Durable case, clear cover, two-step instructions, simple on-off lever, constant reading supply gauge, portable with handle, the unit hangs on the wall with your first aid supplies.

LIFE OxygenPac is an inhalator for a breathing victim and a CPR resuscitator adjunct for a non-breathing victim... oxygen enriched mouth-to-mask resuscitation with hygienic one-way valve on LIFE° mask which universally fits both adult and child. Low-cost refillable (non-prescription), 90-minute supply. Shipped with cylinder full of 0, and ready to use, with wall bracket. Two settings: 6 or 12 liters per minute.

Item Number DD61250 DP10150

Description LIFE-612 Spare Cylinder Assembly



Three locations to serve you better!

CALL TOLL-FREE: 1.800.437.8072 • FAX: 1.800.850.0262 • SHOP ONLINE: WWW.RECSUPPLY.COM

Ite DI DI DI DI

Depth Markers and Signs

SAchesive

sealing comp

Item Number

Vinyl Stick-On Installation Kit

Must be used with all Inlays vinyl stick-ons. Kit includes aerosol adhesive, a tube of edge sealant and a one-time use applicator.

One kit will install forty $6" \times 6"$ or twenty-two $8" \times 8"$ tiles.

Description



Message Stick-Ons

All vinyl Stick-Ons are skid resistant with white background and black images. Installation kit must be used for all applications. Please call for pricing as pricing varies with the size of the message.



**Please specify:

6" × 6" smooth tile (S6) 6" × 6" nonskid tile (N6) 6" × 6" vinyl stick-on (V6) 8" × 8" nonskid tile (N8) 8" × 8" vinyl stick-on (V8) 4.25" × 5.5" plastic stick-on (P4)

THREE LOCATIONS TO SERVE YOU BETTER! • MOST IN-STOCK ORDERS SHIP THE SAME DAY!

Inches

HH21536S6

HH21537S6

HH21540S6

HH21545S6

HH21536V6

HH21537V6

HH21540V6

HH21545V6

HH21536N6

HH21537N6

HH21540N6

HH21545N6

HH21536N8

HH21537N8

HH21540N8

HH21545N8

HH21536V8

HH21537V8

HH21540V8

HH21545V8

N/A

N/A


N/A


Pool Signs



Size 18" × 24" OOSW3650









Always check your state or local requirements for signs, or call us for assistance!



Item Number Size 18" × 24" **OOSW250**





POOL RESERVED

FOR ENANTS ONLY

Size

18" × 12"



Item Number Size 18" × 24" OOSW2750



Item Number Size 00SW150 18" × 24"



Item Number Size 18" × 24" OOSW3B50



OOSW2050 12" × 18"




TELEPHONE AND PHONE NUMBERS ARE LOCATED: DIAL 911 Item Number

MERGENC

Size 005W1450 12" × 18"



12" × 18" 00SW8A50



NO

AT YOUR

38

Item Number

00SW1250









9" × 12" Signs Item Number Description				
00TC1350	Men			
00TC1450	Women			
00TC2150	In Case of Emergency Call 911			
00SW4050	Emergency Shut-off Switch			
00SP3850	No Smoking			
00SW4450	No Glassware			

40 CALL TOLL-FREE: 1.800.437.8072 • FAX: 1.800.850.0262 • SHOP ONLINE: WWW.RECSUPPLY.COM

Pool Signs

Pool Signs featuring Rex, The RecSupply Otter™

This popular line of pool signs features our company mascot helping communicate rules at the pool. All signs are 18" × 12".



ON

GREEN

Tailwind Ultra Heavy Duty Signs

WHITE

Durable 3/4" thick plastic.

Signs are made by engraving through outer layer of 1/4" HDPE sheet plastic to expose contrasting color core, making these signs bright and highly visible.

ON

RED

WHITE

• Hardware for mounting is not included. Holes are not drilled for mounting. This allows you to place the sign in its appropriate place as you see fit.

BROWN

ON

YELLOW

Signs are available in all color options. Please select color when ordering.

ON

WHITE

Custom signs are available - contact us today to request a customized sign mock-up.

	Dimensions	
Item Number	(W × H)	Message
00BH10077	24" × 18"	POOL OPEN
00AH10077	18" × 12"	POOL OPEN
00EH10077	12" × 10"	POOL OPEN
00BH10177	24" × 18"	POOL CLOSED
00AH10177	18" × 12"	POOL CLOSED
00EH10177	12" × 10"	POOL CLOSED
00BH20077	24" × 18"	STAFF ONLY
00AH20077	18" × 12"	STAFF ONLY
00EH20077	12" × 10"	STAFF ONLY
00BH21077	24" × 18"	AUTHORIZED PERSONNEL ONLY
00AH21077	18" × 12"	AUTHORIZED PERSONNEL ONLY
OOEH21077	12" × 10"	AUTHORIZED PERSONNEL ONLY
00BH30077	24" × 18"	EXIT ONLY
OOAH30077	18" × 12"	EXIT ONLY
OOEH30077	12" × 10"	EXIT ONLY
00BH31077	24" × 18"	EMERGENCY EXIT ONLY
OOAH31077	18" × 12"	EMERGENCY EXIT ONLY
OOEH31077	12" × 10"	EMERGENCY EXIT ONLY
00BH32077	24" × 18"	DO NOT ENTER
OOAH32077	18" × 12"	DO NOT ENTER
OOEH32077	12" × 10"	DO NOT ENTER
OOBH33077	24" × 18"	ENTER ONLY
OOAH33077	18" × 12"	ENTER ONLY
OOEH33077	12" × 10"	ENTER ONLY
00BV61077	18" × 24"	LIFEGUARD + ON DUTY
00AV61077	12" × 18"	LIFEGUARD + ON DUTY
00EV61077	10" × 12"	LIFEGUARD + ON DUTY
00BH61077	24" × 18"	LIFEGUARD + ON DUTY
00AH61077	18" × 12"	LIFEGUARD + ON DUTY
00EH61077	12" × 10"	LIFEGUARD + ON DUTY
00BV62077	18" × 24"	LIFEGUARD + STATION
00AV62077	12" × 18"	LIFEGUARD + STATION
OOEV62077	10" × 12"	LIFEGUARD + STATION
00BH62077	24" × 18"	LIFEGUARD + STATION
OOAH62077	18" × 12"	LIFEGUARD + STATION
00EH62077	12" × 10"	LIFEGUARD + STATION

	Dimensions	
Item Number	(W × H)	Message
00BH63077	24" × 18"	GUARD +
OOAH63077	18" × 12"	GUARD +
00BH64077	24" × 18"	LIFEGUARD + OVAL
OOAH64077	18" × 12"	LIFEGUARD + OVAL
00BH65077	24" × 18"	PLEASE DO NOT SOCIALIZE WITH OR DISTRACT THE LIFEGUARD
00AH65077	18" × 12"	PLEASE DO NOT SOCIALIZE WITH OR DISTRACT THE LIFEGUARD
00BH66077	24" × 18"	DO NOT BREATHE UNDER THE WATER
OOAH66077	18" × 12"	DO NOT BREATHE UNDER THE WATER
<u>00BV70077</u>	18" × 24"	NO LIFEGUARD ON DUTY
00AV70077	12" × 18"	NO LIFEGUARD ON DUTY
<u>00EV70077</u>	10" × 12"	NO LIFEGUARD ON DUTY
<u>00BH70077</u>	24" × 18"	NO LIFEGUARD ON DUTY
OOAH70077	18" × 12"	NO LIFEGUARD ON DUTY
OOEH70077	12" × 10"	NO LIFEGUARD ON DUTY
00BV75077	18" × 24"	WARNING NO LIFEGUARD ON DUTY, CHILDREN SHOULD NOT USE POOL WITHOUT ADULT SUPERVISION
00AV75077	12" × 18"	WARNING NO LIFEGUARD ON DUTY, CHILDREN SHOULD NOT USE POOL WITHOUT ADULT SUPERVISION
00BV76077	18" × 24"	WARNING NO LIFEGUARD ON DUTY
00AV76077	12" × 18"	WARNING NO LIFEGUARD ON DUTY
<u>00BV77077</u>	18" × 24"	NO LIFEGUARD ON DUTY + SWIM AT YOUR OWN RISK
<u>00AV77077</u>	12" × 18"	NO LIFEGUARD ON DUTY + SWIM AT YOUR OWN RISK
<u>00BV77577</u>	18" × 24"	WARNING NO LIFEGUARD ON DUTY, SWIM AT YOUR OWN RISK
00AV77577	12" × 18"	WARNING NO LIFEGUARD ON DUTY, SWIM AT YOUR OWN RISK
00BV80077	18" × 24"	NO DIVING (with symbol)
00AV80077	12" × 18"	NO DIVING (with symbol)
00BV81077	18" × 24"	WARNING SHALLOW WATER NO DIVING (with symbol)
00AV81077	12" × 18"	WARNING SHALLOW WATER NO DIVING (with symbol)

Spineboards



Iron Duck Base Board

- Offers the leading strength and safety in its weight class
- Rated for the lowest amount of deflection in the 400 to 500 lbs. weight class.
- X-Ray and CT scan translucent, MRI Scan compatible.
- Flat surface patient area won't compromise CPR efforts or aggravate cervical spine injuries. Made of a roto-molded HDPE (high-density
- polyethylene) shell over non-toxic, eco-friendly foam for durability and easy cleaning.
- 14 oversized hand holds can accommodate gloved hands. 12 optional offset composite pins can be located in the lower third of the handholds to keep pins out of
- the way while lifting patients.
- Capacity: 500 lbs. Float capacity: 250 lbs.
- Also available with 12 board pins at an additional charge. Dimensions: $72" \times 16" \times 1.75"$

Weight: 16 lbs.

Color: Yellow.

Item Number	Description
DD3585050	Base Board
DD3585P50	Base Board with 12 board pin

Iron Duck Pedi Air **Complete Spineboard**

- This pediatric sized board is especially designed for children infant to 5 years old.
- The board's patented Dual Plane Head Drop System supports the larger occipital area of a child's head and allows you to immobilize a patient, establish neutral spine alignment and maintain their airway all at the same time.
- The only pediatric immobilization board that is rotomolded from high-density polyethylene (HDPE) to create a one piece seamless product, eliminating cross contamination.
- X-Ray and CT Scan translucent, MRI compatible. Dimensions: $48" \times 12" \times 1.5"$

Weight: 7.5 lbs. Select color: Yellow, Teal.

Description Pedi Air Complete Spineboard Kit Pack of 3 pedi replacement head block sets

Iron Duck Body Loc

Includes carrying case and the following 3" wide straps:

- One black/orange pelvis strap (78" L)
- One black/yellow femur strap (73" L)
- One black/red chest strap (68" L)
- One black/green upper tibia strap (63" L)
- One black/blue lower tibia strap (58" L)

Our Body-Loc strapping system is perfect for first responders. The original design provides extremely efficient immobilization using color coded straps with reflective anatomical positioning labels for fast, foolproof assembly. Hook and loop closures allow quick, secure connections while allowing adjustment to accommodate patient of any size.

Iron Duck Board Loc

- Fully adjustable.
- Hook and loop closures.
- Includes a nylon pouch (color may vary).

Board Loc is fully adjustable to fit patients in a wide range of sizes. Hook and loop closures provide secure connection while allowing infinite adjustment. A reflective center stripe aids in foolproof assembly.



CJ Rescue 6 Spineboard

The CJ6 Spineboard Flow-Thru System has adjustable buoyancy and includes the rescue board, body straps, head immobilizer and 2 flotation rods installed. 100% virgin HDPE with no metal makes the CJ6 X-ray translucent. Includes integral hook and bumper on both ends. New snap-in straps are extra long and easily field replaceable. Accommodates up to 500 pound individual. Dimensions: $78" \times 20"$.

- Built-in runners.
- Easily wipers clean.
- Holds up to 500 lbs.
- X-Ray translucent and MRI/CT scanning safe.

Item Number DDPR6F50

Description

CJ6 Spineboard - Flow-Thru System



Prowood 1000 Spineboard

This is the complete oversize spineboard package. Particularly useful for two-guard rescues. Constructed primarily of marine grade plywood. Includes board, teflon runners and bumpers, head immobilizer, head strap, and four body straps. Ships UPS Oversize.

- Hard wood runners.
- Holds up to 500 lbs.
- Marine grade plywood construction.
- Polyurethane bumpers.

Description





DDCJ10050

Head Immobilizer Kit




Rescue Board Cover

CJ Spineboard Accessories

- Body Strap Set Includes (4) pairs of straps, stainless steel staples, and plastic stoppers.
- Head Immobilizer Kit Includes (1) two-piece head immobilizer, (1) head strap, and (8) adhesive strips.
 - Head Immobilizer (only) Includes (1) two-piece head immobilizer and (1) head strap.
- Head Strap (only) Includes (1) head strap.
- Rescue Board Cover Protects your CJ Spineboard from the elements. Made from durable nylon with adjustable elastic cord for snug fit. Quick releases strap for easy removal in emergency situations.

item Number	Description	
DPCJ10050	Replacement Body Strap Set	
DDCJ50K50	Replacement Head Immobilizer Kit	
DDCJ50R50	Replacement Head Immobilizer Only	
DPCJ1050	Replacement Head Strap Only	
DPPR62050	Replacement Head Bed Only	
DPPR66050	Rescue Board Cover	



Kit contains one Pedi Board, one set of

restraint straps (pedi), one shoulder strap,

one chest strap, four body straps, two wrist

restraints, and six disposable head blocks.

Item Number

DD3584050

DD3584350

Item Number DD3003050 Body Loc DD3000050 Board Loc



Immobilization and Rescue









Description

Black Reflective 10-Point Strap

Color Coded 10-Point Strap

Item Number

DD1030750

DD1030850

Item Number

DD128050

DD169150

Kemp 10-Point Straps

The Kemp USA Reflective 10-Point Straps are a favorite among EMS professionals for their functionality. The straps assembly is made of heavy nylon. It comes with its own carrying case which has reflective strip along the side to help when using in dark areas.

AB Spine Board

Our AB Spine board is an economical yet extremely strong board. Made of durable polyethylene with a heavy duty shell, this spine board has a weight capacity of 700 lbs. It comes with 21 handholds and 8 pins for your strapping needs. This product is waterproof, making it excellent for water rescue. The AB Spine Board is x-ray translucent.

Dimensions: $72" \times 18" \times 2.5"$

Item Number	Color	
DD10993OR	Orange	
DD10993RD	Red	
DD10993BL	Royal Blue	
DD10993WH	White	
DD10993YL	Yellow	





Original Best Strap[™] System

The Original Best Strap[™] System provides fast and firm total body immobilization. Secure patient to a backboard in seconds using the 12 point color coded strap system. The Original Best Strap[™] has 5 adjustable torso/limb straps with an adjustable center strap. The suspender style shoulder straps are designed for comfort around the patient's neck, rather than the choking "V" style found on other strap systems. Made of nylon webbing with Velcro[®] closures and EZ Peel[™] ends.

 Description
 Color

 Original Best Strap System
 Multi

 Carrying Case for Best Strap System
 Multi



Item Number

DD2143050

DD21430BK

DD214300R

DD21430YL

Universal Head Immobilizer



Our Universal Head Immobilizer conforms to any type of board. Consists of one base, two head pillows and two head

straps. High density foam head pads are comfortable and supportive. Vinyl covering makes it easy to clean and maintain.

Color

Black

Yellow

Orange

Red (stock)





Economy Best Strap™ System

The Economy Best Strap[™] System with Velcro[®] provides fast and firm total body immobilization. The Economy Best Strap[™] has 4 adjustable torso/limb straps with an adjustable center strap. The suspender style shoulder straps are designed for comfort around the patient's neck, rather than the choking "V" style found on other strap systems. Made of polypropylene webbing with Velcro[®] ends.

Item Number	Description	Color
DD1381BK	Economy Best Strap System	Black
DD169150	Carrying Case for Best Strap System	





Patho-Shield Strap

Our Patho-Shield restraint straps are designed for quick, easy use. They are 100% impervious to blood and other body fluids. Very flexible and easy to adjust. Each 2-piece strap has a total connected length of 5^r. Straps may be ordered with either a side release buckle or an auto buckle. Color: Orange.

	Item Number	Description
Α	DD1300P50	Auto Buckle with Loop Ends
В	DD1310P50	Auto Buckle with Speed Clips
С	DD1360P50	Side Release with Speed Clips

First Aid and Rescue Products



Stuffed Lifeguard Pack #1

We took our lifeguard fanny pack and stuffed it full of useful things!

Each kit contains:

- 1-CPR Mask with Oxygen Inlet in a hard case with Gloves and a wipe.
- 10-BZK Antiseptic Wipes
- 10-Adhesive Bandages 3/4" × 3"
- 5-Butterfly Bandages

Item Number

DDFPS1BK

DDFPS1BL

DDFPS1NA DDFPS1RD

- 2-Plastic Bandages 2" × 4.5
- 4-Gauze Pads 3" × 3"
 3-Sting Relief Pads
- 2 Roll Gauze Tape
- 1-Triangular Bandage w/Pins
- 1-Instant Ice Pack

4.5"		•	6-Pair Vinyl Gloves
	Color		
	Black		
	Royal Blue		
	Navy		
	Red		



Lifeguard Fanny Pack Heavy duty, three zipper, quick release buckle. Plenty of room for first aid and personal items. White logo.



Royal Blue

Navy

Color

Red

Color

Clear



Premium Hip Pack

Made to withstand the rigorous use of EMS professionals in the field, made of durable, tear-resistant nylon construction including a heavy adjustable 45" waist strap.

Item Number DD10103RD

44

DDFPBL

DDFPNA



Item Number DD10103CL



Stuffed Lifeguard Pack #2

Each kit contains:

- 1-CPR Mask with Oxygen Inlet in a hard case with Gloves and a wipe.
- Foil Blanket

- Black Bengal Whistle
- Break-Away Safety Lanyard
- Vinyl Gloves

Item Number	Color
DDFPS2BK	Black
DDFPS2BL	Royal Blue
DDFPS2NA	Navy
DDFPS2RD	Red



Kemp Complete CPR Mask

This bestselling CPR mask comes complete with head strap and 02 inlet. It is packaged in a compact, hard-shell, pocket-sized carrying case and features a one-way valve with filter. This mask prevents mouth-to-mouth contact with the victim's face. It has a contoured soft vinyl cuff that shapes easily to adult, child and infant facial contours. Its transparent dome allows the rescuer to check the victim's mouth for lip color and secretions. The mask is ready to use with no need to assemble valve and filter, which saves valuable time in emergencies. Includes gloves and a wipe.

Item Number DD1050150 Description Kemp Complete Rescue Mask



Kemp Combo Adult/Child

CPR Mask Same contents as the Kemp Complete CPR Mask, but also includes a child adapter which provides a better fit for smaller faces.

Item Number DD1052550 Description Kemp Combo Adult/Child CPR Mask



Ambu Pocket Rescue Mask

Diverts patient's exhaled air away from the rescuer and prevents mouth to mouth contact. Its clear design allows visibility to check victim's mouth for lip color and secretions. Made of durable plastics. **Basic Rescue Mask** includes reusable mask, replacement one-way valve and filter, one set of vinyl gloves, two alcohol wipes and a hard carry case.

Complete Rescue Mask has all the same features of the Basic Rescue Mask, but also includes oxygen inlet and head strap.

Item Number DD2521350 DD2521250 Description Basic Rescue Mask Complete Rescue Mask

CALL TOLL-FREE: 1.800.437.8072 • FAX: 1.800.850.0262 • SHOP ONLINE: WWW.RECSUPPLY.COM

Clear Hip Pack

The Kemp USA Clear Guard Hip Pack allows excellent visibility of contents. GUARD printed on the front. Our clear hip pack is water-resistant to help keep contents dry. Mesh bottom.

First Aid and Rescue Products



Ambu Spur II Bag Valve Mask

Ambu SPUR II is the only single use resuscitator that is made from a SEBS polymer instead of PVC. This classifies Ambu SPUR Il as environmentally safe and fully disposable, thus eliminating all risk of cross contamination.

Ambu SPUR II resuscitators come in individual, resealable carrying bags, complete with mask and any special accessories. Color-coded for fast size identification.

Item Number DDM404050 DDM403050 DDM405050

Size
Infant
Child/Pediatric
Adult



Ambu Res-Cue Key

The Ambu Res-Cue Key is a proven, easy-to-use and inexpensive barrier with a one-way valve that prevents direct mouth-to-mouth contact and provides the rescuer with the peace of mind that he or she is safe from the possibility of cross contamination.



Tarpaulin Fluid-Resistant Large Trauma Bag

Dimensions: $18" \times 12" \times 12"$

The Tarpaulin Fluid-Resistant Large Trauma Bag is the same premium quality and design as the Premium Large Trauma Bag but constructed using a heavy-duty water-resistant Tarpaulin material. This is extremely helpful to keep the bag clean from the elements, as well as from patient's bodily fluids.

Item Number DD2482050

Color

Blood-Borne Pathogen

Blood-borne kits are mandated by many state agencies and are a must around a pool area. This kit comes with fluid-solidifying powder, bio-scoop with detachable scraper, biohazard bag with tie, germicidal cloth, medical grade gloves, BZK towelette, trash bag with tie, and paper towels, all in a sealed pouch. This kit also features an eye shield and gown.

Item Number Description DD1059750 DD1059950 Blood-Borne Kit Refill



Tarpaulin Fluid-Resistant Ultimate EMS Backpack

Dimensions: $13" \times 20" \times 17"$

The Tarpaulin Fluid-Resistant Ultimate EMS Backpack is the same premium quality and design as the Premium Ultimate EMS Backpack but constructed using a heavy-duty water-resistant Tarpaulin material. This is extremely helpful to keep the bag clean from the elements, as well as from patient's bodily fluids.



Response Kit

Blood-Borne Kit with Hard Case



First Aid Blanket

This economical blanket can be used for first aid and other general purposes. It is 80% wool and 20% synthetic fibers.

Item Number DDB004650

Color Dimensions 60" × 90'

Snyder's Lifeguard Training Manikin™

The original Snyder's Lifeguard Training Manikin is an indispensable tool for training and testing of lifeguards. It is scientifically designed to:

- Approximate towing an average size person in water. Provide valuable endurance conditioning for in-service training
- Be used for personal pre-test preparation.
- Provide the same degree of difficulty for all students in testing situations.
- Have many applications in lifesaving courses.
- Help establish minimum standards for pre-
- employment tests.
- Be virtually indestructible.
- Be lightweight and portable with no maintenance required.

DD10104RD Red

Color

Color

Rod

11133

Item Number

Premium Large Trauma Bag

Dimensions: $17.5" \times 13" \times 10"$

This popular bag features easy-to-access high visibility reflective zip pulls and a higher visibility reflective trim. The Premium Large Trauma Bag also includes a pull out kneeling pad for the rescuer to use while working on a patient. Featuring optimum organization, this bag is suitable to accommodate the most modern supplies used by emergency professionals. Tuck-away padded backpack harness and a gel foam padded shoulder strap are also included.

Premium Ultimate EMS Backpack

Dimensions: $13" \times 20" \times 17"$ The backpack has two large front pockets and a lower pocket that features elastic loops on the inside. The upper pocket comes with a zippered pouch on the outside. On the sides, it features two pockets; the one on the right comes with dividers and the pocket on the left comes with 4 standard size removable pouches. All zippers have a high visibility reflective zip pull to ensure quick and easy access. The large pocket of the bag features three large utility pouches and one extra-large utility pouch. On the bottom of the bag is a strap to hold a D Tank Cylinder. This bag comes with highly visible reflective trim, all metal black nickel hardware, molded feet on the bottom for extra protection, and handles if the person decides to carry it.

Item Number DDSAM0150 Description Lifeguard Training Manikin Item Number

DD10115RD

Ring Buoys and More



Jim-Buoy USCG Approved Ring Buoys

Solid, closed-cell plastic throughout. Soft and resilient to the touch. The fine Sof-Tex surface resists weather and temperature extremes, is easily cleaned with soap and water, and will not rot or mildew. Double UV inhibitor prevents deterioration.

With Rope Molded Into Core

The rope is looped and securely bonded inside the molded core-practically impossible to tear out! No straps to wear or deteriorate. Its unique design allows the rope to stand out in the ready position to be more easily grasped in the water. This design also offers more space for custom lettering, if desired.

Item Number	Diameter	Color
DDGX2008	20"	White
DDGX20008	20"	Orange
DDGX2408	24"	White
DDGX24008	24"	Orange
DDGX3008	30"	White
DDGX30008	30"	Orange

With White Webbing Straps

Popular, traditional appearance.

Item Number	Diameter	Color
DDG20WH	20"	White
DDG200R	20"	Orange
DDG24WH	24"	White
DDG24OR	24"	Orange
DDG30WH	30"	White
DDG300R	30"	Orange



Jim-Buoy USCG Approved **Hard Shell Ring Buoy**

The newest addition to our line of US Coast Guard Approved Ring Buoys, this Type IV PFD features a rock-hard cross link polyethylene shell for added durability. Molded-in rope holes allow for easy rope replacement. UV resistant with 3/8" polypropylene rope.

For this style, the white ring buoys have white rope; the orange ring buoys have black rope.

Item Number	Diameter	Color
DDHS20W08	20"	White
DDHS2008	20"	Orange
DDHS24W08	24"	White
DDHS2408	24"	Orange
DDHS30W08	30"	White
DDHS3008	30"	Orange

25'



21" and 30" diameter models also available. Contact us for pricing.



Jim-Buoy ST Series Economy Ring Buoy

- Vinyl coated, soft, resilient skin.
- Available in a variety of sizes and webbing colors.
- Ideal for decorative use, yet functional.
- Webbing colors (stocked): Blue (BL), Red (RD), Pink (PK). White (WH) and Yellow (YL) also available in full cases on request.

Webbing Color

Specify

Specify

Specify



Life Ring Cabinet Combo

Our Jim-Buoy life ring cabinet helps protect your ring buoy from misuse and the effects of weather and sunlight. It totally encloses a life ring, 60 foot life line, and foot-anchor float. Unbreakable polycarbonate window with stainless steel hinge and fittings.

Available in your option of cabinet colors: White (08), Orange (OR), Red (RD) or Yellow (YL). Ships with white ring buoy.



Item Number	Description
DD5030A08	Cabinet/Ring Buoy/Life Line Combo 20"
DD5050A08	Cabinet/Ring Buoy/Life Line Combo 24"
DD5070A08	Cabinet/Ring Buoy/Life Line Combo 30"

ur Own **Ring Buoy Lettering Kit** TTERIN Four sets each letters and numbers. 11.00 All letters and numbers are 2" height. Easy to peel and apply. UV coated. Resists scratching and fading. Item Number Color DD9108 Black



Ring Buoy Wall Hook Wall mount style with hardware included.

Stainless Steel



Heaving Lines

- 30 or 60 foot polypropylene heaving line with lemon foot.
- Durable anodized aluminum bracket fits all life ring buov sizes.
- Mildew resistant.

DD8006008 DD59686050

Item Number	Description
DD8003008	30' Jim-Buoy Line & Life Ring Bracket
DD8006008	60' Jim-Buoy Line & Life Ring Bracket
DD5986050	60' of 1/4" Line with Lemon Foot

Fox 40[®] Water Safety Rope & Float

Softer and easier to handle than conventional coarsely braided ropes. Made from extra-fine polypropylene filaments woven into high-density braid. Float made of expanded polyvinyl chloride for maximum toughness.

Description Water Safety Rope and Float, 50 ft.

CALL TOLL-FREE: 1.800.437.8072 • FAX: 1.800.850.0262 • SHOP ONLINE: WWW.RECSUPPLY.COM

Item Number

DD950550

DDST2508

Rescue Tubes and Accessories



ExoTube™ Rescue Tube

Reduce costly rescue tube replacement by purchasing the most durable rescue tube available. the ExoTube.

The ExoTube features:

- Strong nylon mesh that completely encases the tube, eliminating cracking and splitting
- Rescue tube and nylon mesh are totally bonded into one piece for superior strength
- The nylon mesh creates a textured surface for superior grip

• Nylon mesh is sewn to all exiting straps so foam and straps cannot separate at the ends of the tube 50" ExoTube includes 6 foot towline, adjustable 2" shoulder harness with extra length for head clearance, Velcro towline tie down and reach assist loop.

Each EvoTube comes with a one year full warranty

Each Exolube comes with a one year full warranty.				
Item Number	Inlcudes Brass Hardware	Length	Color	
DD36050	Yes	40"	Red	
DD36250	No	40"	Red	
DD36150	No	50"	Red	

ExoTube™ Rescue Tube with Your Custom Logo

Add your logo to the ExoTube. Quantities of 13 or more are eligible for a price break.

DD360C50	40" with brass hardware	Red
DD362C50	40"	Red
DD361C50	50"	Red



Kemp Rescue Tube

The 40" tube is ideal for swimming pools or lakefront. The 50" tube is ideal for swimming pools, waterparks and lifequard training.

Item Number	Description	Color
DD37050	Traditional 40" L × 6½" W × 3½" D	Red
DD37250	Waterpark 50" L × 6½" W × 3½" D	Red



Rescue Tube Cover

DD37550

This nylon covered neoprene sleeve will add life to your rescue tubes by preventing deterioration due to nervous fingers, weathering, careless handling and other rescue tube enemies. Our covers will more than pay for themselves when you consider the rescue tube longevity they create! Length: 28".

Item Number	Color
DD35950	Red



Kemp 54" Cut-Away Rescue Tube

The 54" cut-away rescue tube is narrower and longer than the standard rescue tubes and is a favorite of guards with smaller hands.

Description	Color
Cut-A-Way 54" L × 6½" W × 3¼" D	Red



Premium 39" Rescue Tube

Our Premium Rescue Tube is a multi-functional product that can be used at water parks and for lake, beach or pool rescues. It can be used for towing a victim, supporting the rescuer, or handed to a victim for assistance. Molded from EVA foam, our rescue tube features reinforced ends, polypropylene cord, a 2" shoulder strap equipped with a stainless steel snap hook, two stainless steel 0-rings, and LIFEGUARD logo embossed in the foam on both sides. It is a vibrant yellow, making it very visible. It is also durable, able to withstand heavy use.

Dimensions: 39	$10 \text{ ng} \times 6^{\circ}$	wide $\times 3^{\circ}$	tnick.

Item Number	Description
DD38050	Premium 39" Rescue Tube



Fox 40[®] Rescue Throw Bag

Durable waterproof rescue throw bag contains 50 feet of premium braided floating rope with 900 lb. breaking strength. Easy to use and handle.

Item Number	Description	Color
DD951TB50	Rescue Throw Bag, 50 ft.	Red
DD9030250	Rescue Throw Bag, 90 ft.	Orange



Safety Pool Hook

This sturdy anodized aluminum safety pool hook fits a standard straight pole (do not attach to telescopic poles). It is helpful in emergencies and ideal as a teaching device. **Purchase hardware separately if required.**

 Item Number
 Description

 DD15304
 Hook only

 DP2103004
 Hardware to attach to pole



Plain Handles

One piece straight pole in strong drawn aluminum or fiberglass. $1\%^{\prime\prime}$ diameter.

Item Number	Description
<u>CC11250</u>	12' aluminum handle
<u>CC11650</u>	16' aluminum handle
<u>CC9110404</u>	16' fiberglass handle

Speedo Lifeguard Apparel

Speedo[®] Guard Apparel

The Speedo Guard Collection is designed for the active lifeguard - inspired by those who save lives. Endurance Lite has all the performance properties of our Endurance+ fabric in a 10% lighter weight that won't weigh you down in the water. 100% chlorine resistant and lasts 20 times longer than regular spandex. 4-way stretch. Lightweight and quick drying - resists sagging, bagging, fading and snagging. Super Pro back styling is a top-seller features wide straps for superior support and comfort. Guard logo on center front chest. Low drag profile. Fully front lined. Fabric: 51% PBT/49% Polvester.



Speedo Endurance Lite Tankini

Available in sizes XS, S, M, L, or XL. Color: Red.





Speedo Endurance Lite Sport Bra

Available in sizes XS, S, M, L, or XL. Colors: Red, Navy.

Item Number	Color	
DD81105RD	Red	
DD81105NA	Navy	



Speedo Endurance Lite Thin Strap Top

Available in sizes XS, S, M, L, or XL. Colors: Red, Navy.





Speedo Endurance Lite Hipster Bottom

Available in sizes XS, S, M, L, or XL. Colors: Red, Navy. Item Number Color DD81107RD Red DD81107NA Navv



Color

Red

Speedo Endurance Lite Swim Short

Available in sizes XS, S, M, L, or XL. Colors: Red, Navy. Item Number





Speedo Endurance Lite One-Piece Suit

Super Pro Available in sizes ranging from 28 to 40. Color: Red.

Item Number



Color

Speedo Endurance Lite One-Piece Suit

Flvback

Available in sizes ranging from 28 to 40. Colors: Red, Navy.



Speedo Endurance Lite One-Piece Suit

Energy Back Available in sizes ranging from 28 to 40. Color: Red.

Item Number DD81102RD



Speedo Endurance Lite One-Piece Suit **Quark Splice Pulse Back**

Available in sizes ranging from 28 to 40. Color: Red.

Color Red

Color

Lifeguard Apparel and Sunblock



THREE LOCATIONS TO SERVE YOU BETTER! . MOST IN-STOCK ORDERS SHIP THE SAME DAY!

Whistles and Air Horns





Fox 40 Classic Whistle

The famous durable, pealess Fox 40 whistle is the preferred choice for personal safety and rescue professionals worldwide. Excellent for use at pools and waterfronts. Its intense high-pitched trill can be heard over long distances. Chambers are designed to self-clear when submerged in

water. Lanyard purchased separately.

Item Number	Color
LLFOX40BK	Black
LLFOX40BL	Blue
LLFOX40GR	Neon Green
LLFOX40NE	Neon Yellow
LLFOX400R	Orange
LLFOX40PK	Pink
LLFOX40PU	Purple
LLFOX40RD	Red
LLFOX40WH	White
LLFOX40YL	Yellow





Fox 40 Mini Whistle with Lanyard

Don't let the size fool you - these mighty whistles pack some punch! A more compact version of the Fox 40 Classic with a smaller mouthpiece. The 3-chamber design produces a high-pitched, ultra-shrill tone at 109 dB, and fits easily into a pocket or purse.

Item Number	Color
LLFOXMNBK	Black
LLFOXMNBL	Blue
LLFOXMNGR	Neon Green
LLFOXMNNE	Neon Yellow
LLFOXMNOR	Orange
LLFOXMNPK	Pink
LLFOXMNPU	Purple
LLFOXMNRD	Red
LLFOXMNWH	White
LLFOXMNYL	Yellow



Item Number	Color
LLFXCMGBK	Black
LLFXCMGBL	Blue
LLFXCMGGR	Neon Green
LLFXCMGNE	Neon Yellow
LLFXCMGOR	Orange
LLFXCMGPK	Pink
LLFXCMGPU	Purple
LLFXCMGRD	Red
LLFXCMGWH	White
LLFXCMGYL	Yellow



OFFICIAL FOLLIPMEN

Fox 40 Sharx Whistle with Lanyard

The Fox 40 Sharx is perfect for outdoor activities including hiking, camping, and watersports. Distinct, loud and clear sound for when being heard is of the upmost importance. Includes stainless steel ring and lanyard.

Item Number	Color
LLFXSHXBK	Black
LLFXSHXBG	Black/Green
LLFXSHXGR	Green
LLFXSHXOB	Orange/Blue
LLFXSHXPG	Purple/Green
LLFXSHXYB	Yellow/Blue




Description

EcoBlast Air Horn + Pump



Fox 40 EcoBlast Air Horn + Pump

The non-toxic EcoBlast rechargeable safety signal air horn can be refilled quickly and easily by any bicycle pump, air compressor, or at a local service station. Up to 50 half-second blasts per 80 PSI charge. The powerful 120 dB sound power can be heard up to one mile away. 100% ozone safe and can be stored indoors and outdoors.



Fox 40 Sonik BLAST CMG

Whistle With Lanvard

- Flawless patented pealess whistle emits sound power of +120dB.
- Extremely easy to blow, cannot be overblown.
- Superior clear loud blast carries over long distances.
- 4 sound-producing resonators built into 2 chambers.
- Includes cushioned mouth grip and lanyard.

•	•
Item Number	Color
LLFXSBCBK	Black
LLFXSBCBL	Blue
LLFXSBCGR	Neon Green
LLFXSBCNE	Neon Yellow
LLFXSBCOR	Orange
LLFXSBCPK	Pink
LLFXSBCPU	Purple
LLFXSBCRD	Red
LLFXSBCWH	White
LLFXSBCYL	Yellow

50

Item Number DD950950



Air Horn

This air horn is ideal for coaches, sports officials, camp counselors, lifeguards and referees, while also meeting the needs of sports enthusiasts. 100% ozone safe. It features a removable trumpet for easy transport and storage, and it meets USCG requirements for boating safety.

Item Number Description DD1042550 5.5 oz. Air Horn Hazardous shipment charges may apply.

CALL TOLL-FREE: 1.800.437.8072 • FAX: 1.800.850.0262 • SHOP ONLINE: WWW.RECSUPPLY.COM

Lanyards & Lighting Detectors

1/8" diameter round cord neck lanyard with swivel hook for whistle attachment.



LLFXCLBL

LLFXCLGR

LLFXCLNE LLFXCLOR

LLFXCLPK

LLFXCLPU

LLFXCLRD LLFXCLWH

LLFXCLYL



Fox 40 FlexxCoil

The Fox 40 FlexxCoil is made of high quality durable plastic with spring back memory. A convenient, flexible, and comfortable accessory for wrist or arm. Every FlexxCoil comes with a 1" brass ring.

Color	
Black	
Blue	
Neon Green	
Neon Yellow	
Orange	
Pink	
Purple	
Red	
White	
Yellow	



Fox 40 Breakaway Lanyard Lanyard colors match Fox 40 whistle colors.





DDNB18BL

Lanyards

Item Number

LL18RBK

LL18RWH

LL18RBL

LL18RNA

LL18RGR

LL18RYL

LL18RRD

LL18ROR

LL18RPU

Swim ID Neck Bands

Color

Black

White

Blue

Navv

Green

Yellow

Red

Orange

Purple

SwimID neck bands offer a simple and highly visible way for lifeguards and monitors to know who belongs in the deep end at a glance. SwimID uses a simple stoplight system:

- Green no restrictions
- Yellow some restrictions
- Red shallow pool only
- Blue use for your custom purpose

Based on tested swimming competence, swimmers wear the assigned color breakaway band around the neck. This allows for easily determining any swimmer's skill level while in the pool.



Colors may be mixed and matched to receive quantity price break



StrikeAlert Lightning Detector

Blue

StrikeAlert is a small and affordable lightning detector that provides an early warning of approaching lightning strikes from as far away as 40 miles and lets you know if the storm is coming your way.

An audible alarm sounds when there's a strike and a corresponding LED light illuminates accordingly at lightning distances of 20-40 miles, 12-24 miles, 6-12 miles and within 6 miles.

The detector is housed in a small pager-like casing that can be clipped on a belt loop and runs on two AAA batteries. It's perfect for outdoor sporting events and activities.

Item Number Color **LLFXBLBK** Black LLFXBLBL Blue LLFXBLGN Neon Green **LLFXBLNE** Neon LLFXBLOR Safety Orange Pink **LIFXBIPK** LLFXBLPU Purple **LLFXBLRD** Red White LLFXBLWH LLFXBLYL Yellow



Item Number

LLQRSWCBK



- The Quick-Release Strap and Carabiner can attach to almost anything - a belt loop, backpack or PFD.
- Made from durable material with quick-release clip, carabiner and brass key ring.
- resistance.

Heavy-duty strap connects carabiner and buckle.



Description

StrikeAlert HD





Built on the trusted StrikeAlert technology, StrikeAlert HD is the first personal lightning detector with a graphical display that shows you the lightning strike distance (from 0 - 40 miles away) as well as a 1-hour storm trend and intensity. Most other personal lightning detectors offer only 180° tracking, but StrikeAlert HD offers complete 360° tracking - in all directions, so there are no blind spots.

You can set the unit to alert you to danger with both an audible and vibrate warning. StrikeAlert HD achieves up to 80 hours of operation from two AA batteries.




- Side release buckle has center support rib for crush

Material

Black Plastic

Red Plastic

Metal



Item Number

Life Vests



Item Number	Size	Color
DD5000450	Adult	Blue
DD5000550	Adult Oversize	Blue
DD1000450	Adult	Red
DD1000550	Adult Oversize	Red



Type II Life Jackets

USCG approved Type II life jacket. The shell is 150 denier polyester. Child models include single belt and top tie. Adult models include single belt only.

Child

Sillis	Auvii			500p and water	l.
Item Number	Size	Color	Item Number	Dimensions	Life Jacket Capacity
DD423050	Child 30-50 lbs	Orange	DD9222450	55" H × 43" W × 36" D	24
DD425050	Child 50-90 lbs	Orange	DD9224850	55" H × 75" L × 36" D	48
DD427050	Adult 90 lbs+	Orange	DD9226450	72" H × 75" L × 48" D	64





Adult Super Soft USCG **Approved Safety Vest**

Soft, vinyl-coated, closed-cell foam that dries quickly, easy to clean and comfortable sizes for the entire family! Colors: Yellow (YL), Black (BK), and Blue (BL),

Youth Sunset Oranae

	colors. Tellow (TE), black (bk), and blac (bE).
Item Number	Size
DD10220**	X-Small 31" – 34"
DD10225**	Small 34" – 37"
DD10230**	Medium 37" – 40"
DD10235**	Large 40" – 43"
DD10240**	X-Large 43" – 46"
DD10245**	XX-Large 46" – 48"



X-Small Yellow Small Flamingo Pink Small Fierce Green

Children's Super Soft USCG Approved Safety Vest

Super buoyant and comfortable children's sized vests made of closed-cell, unsinkable foam that is vinyl-coated for long-lasting summer fun. X-Small and Small have adjustable leg strap for extra safety. Colors: Yellow (YL), Flamingo Pink (PK), Fierce Green (FG), Marina Blue (BL), and Sunset Orange (SO).

Item Number	Size		
DD10205**	X-Small 21" – 23"		
DD10210**	Small 23" – 24"		
DD10215**	Youth 26" – 29"		



Life Vest Storage Cart

Small Marina Blue

The vest storage cart has been redesigned to offer a larger storage capacity as well as an increased stability; it is ideal for keeping your vests in order. This PVC storage unit allows you to hang your vests, allowing them to dry properly while keeping your storage room neat and clean. Now equipped with 6 crossbars for more hanging options, the vest storage cart can fit approximately 60-70 vests. Equipped with a high-density plastic base and non-marking swivel castors, this unit is durable and easy to maneuver. Swim equipment and hangars are not included. Dimensions: 64" L \times 30" W \times 75-1/2" H

Some assembly required.

Item Number Ship Weight Ship Via 95 lbs FedEx Ground

Life Jacket Rack

Our Life Jacket Racks are made of recycled plastic, never needs paint, and is weather resistant. This life jacket rack is perfect for helping keep your life jackets organized and off the ground. Life jackets not included.

- Made of recycled HDPE plastic with stainless steel fasteners.
- Never needs painting or staining and will not rot or splinter.
- A UV inhibitor has been added to resist breakdown and fading from prolonged exposure, making it versatile in all climates.
- HDPE is unaffected by most corrosive substances and will not absorb moisture or promote bacterial growth.
- To maintain the original finish, clean regularly with soap and water

CA	L	TO	L
			_

L-FREE: 1.800.437.8072 • FAX: 1.800.850.0262 • SHOP ONLINE: WWW.RECSUPPLY.COM

59

Tailwind Guard Chairs





HHLG500RD



HHLG50550





HHLG51050

HHLG51550







HHLG52550

Tailwind Lifeguard Chairs

The Tailwind Lifeguard Chairs offer comfortable seating with traditional design. Tailwind chairs are virtually maintenance free with no straps to replace. They will not rot, splinter or rust, may be left outdoors year round, and never need painting or staining. Chairs come complete with cup holder and umbrella holder (umbrella sold separately). All hardware is stainless steel. All steps and platform surfaces are nonslip. Assembly required. Upgraded hardware for salt conditions is available with pricing on request.

Please specify color: White, Green, Cedar, Sand or Black. Also, Red is now available at an additional charge. Color sample available on request.

WHITE	SAND	CEDAR	GREEN	BLACK	RED
		SECTION ALLOW	NICE AND	CALL SARAN MOV	
				Dimensions	Seat
Item Number		Description		H × L × W	Height
HHLG50050	Standard			51" × 30" × 29"	30"

HHLG50050	Standard	51" × 30" × 29"	30"
HHLG50550	Standard - one front step	51" × 33" × 29"	30"
HHLG51050	Standard - two front steps	61" × 41" × 30"	40"
HHLG51550	Standard - three front steps	70" × 43" × 30"	50"
HHLG51750	Standard · four front steps	82" × 49" × 36"	60"
HHLG52050	Medium - side ladders	70" × 48" × 59"	50"
HHLG52550	Medium - three front steps	70" × 62" × 59"	50"
HHLG53050	Tall - side ladders	85" × 52" × 59"	64"
HHLG53550	Tall - front steps	85" × 72" × 59"	64"
HHLG54050	Tall - side ladders	93" × 54½" × 59"	72"
HPWH56550	Accessory – Optional Hard Surface Wheel	Kit for Tailwind Chairs (a	any model)
HPWH56350	Accessory - Optional Wheel Kit for Tailwing	d Chairs (any model)	
HPCH50250	Accessory – Anchoring Kit for HHLG50050	or HHLG50550	
HPUH1050	Accessory – Umbrella Holder		
Specify Color: White, Green, Cedar, Sand or Black.			

Dimensions Seat Item Number Description $H \times L \times W$ Height HHLG500RD Standard 51" × 30" × 29 30' HHLG505RD Standard one front step 51" × 33" × 29" 30' HHLG510RD Standard two front steps 61" × 41" × 30' 40' 70" × 43" × 30" HHLG515RD Standard three front steps 50' 82" × 49" × 36' HHLG517RD Standard · four front steps 60' 70" × 48" × 59" HHLG520RD Medium · side ladders 50" HHLG525RD Medium · three front steps 70" × 62" × 59' 50' 85" × 52" × 59" Tall - side ladders HHLG530RD 64' HHLG535RD Tall · front steps 85" × 72" × 59' 64" HHLG540RD Tall - side ladders 93" × 54½" × 59" 72' HPWH565RD Accessory - Optional Hard Surface Wheel Kit for Tailwind Chairs (any model) Accessory - Optional Wheel Kit for Tailwind Chairs (any model) HPWH563RD HPCH502RD Accessory – Anchoring Kit for HHLG50050 or HHLG50550 HPUH10RD Accessory - Umbrella Holder Color: Red.



HHLG53050

HHLG53550






NO LIFEGUARD

ON DUTY

IFEGUARD

ON DU



Two-Sided Lifeguard Sign

- Reversible sign reads "LIFEGUARD ON DUTY" or "NO LIFEGUARD ON DUTY".
- Hangs on back of Tailwind lifeguard chairs.
- Durable 3/4" thick plastic.
- Dimensions: $15" \times 6"$
- Signs are made by engraving through outer layer of 1/4" HDPE sheet plastic to expose contrasting color core, making these signs bright and highly visible.
- Hardware for mounting is not included. Holes are not drilled for mounting. This allows you to place the sign in its appropriate place as you see fit.

Item Number

Description Two-Sided Sign for Tailwind Lifeguard Chairs

THREE LOCATIONS TO SERVE YOU BETTER! • MOST IN-STOCK ORDERS SHIP THE SAME DAY!

Paragon Guard Chairs

Paragon Lifeguard Chairs

Paragon Aquatics offers a wide selection of fixed, movable and portable chairs for every need. Designed to harmonize with the Paraflyte Diving Towers, the Paraflyte fixed series chairs feature both sloping pedestal and access ladder. The movable, portable and semipermanent chairs can be moved about as needed or to avoid the sun.

All fixed or semipermanent chairs have a rugged platform extending to the pool edge, permitting a safe, fast takeoff by a lifeguard. All chairs except the Standard feature a colorful molded plastic chair.

Chairs supported on seat pedestals have a 360° swivel. Anchors and escutcheons are included except with the movable and portable models. All chairs (except 'Portable' models) have holders for life rings and umbrellas. Life rings and umbrellas must be ordered separately.



Portable

Weighing under 100 lbs, this chair can be easily lifted by one person. Sloping front ladder allows easy access to molded contour seat. Angled legs give extra stability. Seat is six feet above deck (4-step unit); 4 feet 6 inches (3-step unit); and 3 feet 10 inches (2-step unit).

Item Number	Description	Ship Weight
HH2040110	4-Step	95 lbs.
HH2046010	3-Step	89 lbs.
HH2045010	2-Step	85 lbs.
Wheel Kit Item Number	Description	
HH2040410	4-Step	
HH2040310	3-Step	
HH2040210	2-Step	



Paraflyte Series

a non-skid surface.

Item Number HH2100110

304 stainless steel, polished to a 320 grit finish.

Paraflyte Club

All Paragon Paraflyte lifeguard chairs have a platform height of 4'6", a seat height of 6'0" above the deck, and are

supported by a stainless steel flanged pedestal which is set back 3'0" from the pool wall. The ladder at side is set

back 3' 1-5/8" from the pool wall. Combination ladder risers and guard rails are .065" wall × 1.90" diameter, Type

All platforms (footboards) are constructed of laminated wood, coated with fiberglass and polyester resin and have

All permanent Paraflyte lifeguard chairs are furnished with pedestal, pedestal anchor, rear anchors, (where required)

and escutcheon plates. All are furnished with holders for rescue tube and umbrella.

Acclaimed Paraflyte styling and quality. A single anchor at pedestal base supports the entire chair. The vertical access ladder requires less deck space and does not need separate anchors. Platform is laminated wood coated with fiberglass and polyester resin.

Description	Ship Weight
Paraflyte Club	175 lbs.
Additional Pedestal Anchor	

Paraflyte Ladder at Rear

Recommended for general use. Ladder at rear with flared guard rails provides easy access to the platform. The horizontal rails provide protection and serve as arm rests.

Paraflyte Ladder at Sides

Two access ladders, one at each side, allow the lifequard to dismount quickly and safely-from either side-when unable to plunge directly into the pool. Two guards can each stand in an elevated position for unbroken surveillance during guard



Rover

Designed for pools where the guard chair must be anchored, but still capable of being moved easily to another location on the deck (for instance, to keep direct sun out of lifeguards' eyes). Rear legs are anchored to sockets set in the deck. Front wheels allow for easy movement. Comes with two pairs of anchors. Additional sets must be ordered separately.

	L change and relay	of instructions.
Item Number	Description	Ship Weight
HH2000110	Ultraflyte	187 lbs.
HH2000210	Superflyte	157 lbs.
HH2100510	Additional Pedestal Anchor	
HH2810210	Additional Rear Anchor	
HH2830110	Additional Deluxe Escutche	eon
Item Number	Description	Ship Weight
HH2000310	Paraflyte Ladder-at-Sides	183 lbs.
HH2100510	Additional Pedestal Anchor	•
HH2810210	Additional Side Anchor	
HH2830110	Additional Deluxe Escutche	eon

Item Number	Description	Ship Weight
HH2030310	Rover	185 lbs.
HH2810210	Additional Anchor, each	
HH2830110	Paragon Deluxe Escutcheon	

Wheel-A-Round Movable An ideal solution for a chair that is needed at different

locations at different times. Both rugged and stable, yet can be easily moved by one person. The semi-pneumatic wheels roll easily on deck or lawn. The perfect chair for supervision, instruction, and judging. The wide ladder at front leads directly to platform. Available with seat at eight-feet, six-feet or four-feet above deck. Not suitable for diving.



Paraflyte OSHA Chair

Designed for usage that requires chairs to comply with federal OSHA regulations. Guard rails are 42" above the platform and extend to the front of the platform.

Item Number Description Ship Weight	
HH2000410 OSHA Chair 192 lbs.	
HH2100510 Additional Pedestal Anchor	
HH2810210 Additional Rear Anchor	
HH2830110 Additional Deluxe Escutcheon	

Paragon Seat Upgrade

Upgrade the seat on your new Paragon lifeguard chair to the improved folding, cushioned seat.

Item Number	Height	Ship Weight	
HH2030110	8 ft.	235 lbs.	
HH2030210	6 ft.	225 lbs.	
HH2030510	4 ft.	215 lbs.	

Description Upgrade to New Cushioned Seat

Item Number

Paragon Guard Chairs and Accessories

Griff's VISION Guard Station[™]

zero-depth entry.

front or the rear.



Item Number Description HH2034010 1-Step 2-Step HH2034110 3-Step HH2034210



Item Number HH2033010 HH2033110 HH2033210



All Terrain	
All lerrain	
Griff's Guard	Stati

Finally, the most versatile lifequard chair ever! The All Terrain Griff's Guard Station® is super portable, easily tipped and rolled to a different location.

The lifequard station has a patent-pending design

that minimizes the footprint on the pool deck while

maximizing the frontal edge. Side to side access will facilitate

Available in 3 models: (1-step, 2-step and 3-step).

Accommodates most pool gutter profiles, including

Provided with wheels and can be moved from the

uninterrupted coverage of the pool during shift changes.

Fold down cushioned seat provided.

Ships flat and assembles in minutes.

- indoor and outdoor pools, waterparks, or beaches.
- Large pneumatic wheels can be locked or are easily
- coverage of water by lifeguard during shift change.
- Cushioned seat swivels for easy entry and can be folded unauthorized use.
- Includes umbrella ring guide, umbrella/life ring holder,

Seat Height

5 ft. 6 ft.

Griff's Guard Station®

Griff's Guard Station helps to increase lifeguard effectiveness. Griff's Guard Station feature front entry, elevated viewing station, easy access, and non-skid surface. A wide front step provides additional station and brings the guard closer to the pool edge. Heavy duty wheels allow convenient, easy portability. Stainless steel and fiberglass construction assures long lasting and trouble-free service.

Advantages:

- Proven to decrease boredom while increasing attention and concentration, necessary for the safety of both swimmers and lifeguards.
- Allows quicker, safer responses to emergencies. Promotes alertness without diverting attention
- from water. Reduces chance of shoulder strap harness on the
- rescue tube "hanging" the lifeguard from a height. Increases patrolling and communication with guests.
- Encourages standing to add height to surveillance angle.
- Description HH2038510 Flat Station HH2038610 Step Station HH2038710 Full Height Station Sun Shade Color Options:



Sun Shade for Griff's Guard Stations Item Number Sun Shade Option	
HH2039510	For Flat Station
HH2039610	For Step Station
HH2039710	For Full Height Station



Lookout Lifeguard Chair

The Lookout Lifeguard Chair is designed for pools that do not require a full height chair. The Lookout Chair offers an elevated station with plentiful room for two lifequards during shift change. Two- and three-step models are furnished with 19" cycolac tread(s) and four-inch wheels for increased portability. The frame is 1.90" O.D. $\times .065"$ wall type 304 polished stainless steel. All structural components are stainless steel. The seat is capable of a 360° swivel and has a stainless steel sloping support mounted on a fiberglass platform.

	5		
Item Number	Seat Height	Platform Height	Ship Weight
HH2035010	30"	12" 1-step	115 lbs.
HH2036010	42"	24" 2-step	135 lbs.
HH2036510	54"	36" 3-step	140 lbs.
HH2037710		Optional wheel kit for	or 1-step

ion

- Designed to work on most terrains to easily adapt to
- removable within seconds to help prevent vandalism loss. Front and rear chair access allows for uninterrupted
- down when not in use, minimizing UV wear and deterring
- Nonskid, vented decking surface.
 - and appropriate warning labels.

4 ft.



Item Number HH2037010



Lookout Dual Side Mount Chair

This guard chair features easy access onto and off of the chair from both sides. This model is ideal for pool decks with limited space or if lifeguard shifts require simultaneous change. The seat is 54" above the pool deck and features full 360° rotation with a stainless steel sloping support pedestal. The 4' square platform is 36" above the deck surface. Wheels are provided for easy mobility to various locations on the pool deck. Includes life ring holder.

> Ship Weight 200 lbs.

Lookout Platform Chair

Ship Weight

300 lbs

The Lookout Platform Chair is an important addition to lifequard station optionally allowing two guards on the platform at the same time to maintain uninterrupted guard changes. Stainless steel construction with 360° swivel seat, $36" \times 60"$ nonskid platform, dual entrances and umbrella/ rescue tube holder.



THREE LOCATIONS TO SERVE YOU BETTER! • MOST IN-STOCK ORDERS SHIP THE SAME DAY!

S. R. Smith Guard Chairs







O Series Guard Chair

- Compact design easy to place anywhere around pool.
- Lightweight and easily moved by one person.
- Unique shape allows guards to enter & exit from any angle.
- Easy access life-ring holder.
- Built-in umbrella stand.
- 1.9" × .065" wall, 304 steel for strong, commercial support.
- 360° swivel seat.
- Custom colored footboard treads available.

Rescue Tube Sold Separately




Item Number	Description	Seat Height
HHLGC0112	LGC-1001 O Series Guard Chair	30"
HHLGC0212	LGC-1002 O Series Guard Chair	42"
HP1310012	Replacement Seat	



Low Profile Lifeguard Chair

- Versatile—great for indoor pools.
- Flexible design ideal when permanent installation not desired.
- 1.9" imes .065" wall stainless steel.
- Swivel stand and umbrella holder for lifeguard comfort.
- Height: 30", 42", or 54"
- Footboard: $38"W \times 42"L$ with slip-resistant surface.
- Seat: Fiberglass with 360° swivel seat.
- Required deck space: $38" \times 42"$.



Portable Lifeguard Chair

- Easy to place and move anywhere around pool area.
 Extended observation platform with swivel seat for better vision.
- Umbrella support stand for shade.
- 1.9" × .065" wall, 304 stainless steel for commercial support.
- Footboard: 18" W × 42" L.
 - Seat: Fiberglass with 45° Swivel.
 - Treads: Three, stainless steel.
 - Height: 6 ft.

Item Number	Description	Seat Height
HHPLS2012	PLS-204 Portable Lifeguard Chair	6 ft.
HP1311112	Replacement Seat with Swivel	
HH8-60909	Replacement Seat Only	
HHDF10512	Replacement Tread	

Vista Portable Chair

- Excellent for temporary or semi-permanent applications.
 Solid laminated fir core platform with fiberglass-
- some familiared in core platform with inberglassreinforced acrylic designed for durability and longevity.
- Swivel seat for improved visibility plus umbrella & rescue tube holders.
- $1.9" \times .065$ " wall, 304 stainless steel for commercial support.
- Footboard: $30"W \times 42"L$.
- Seat: Fiberglass with 360° rotation swivel seat.
- Treads: White molded plastic.
- Required deck space: $52" \times 42"$.
- Height: 6 ft. and 8 ft.

Item Number	Description	Seat Height			
HHLS33012	LPLS-330 Low Profile Lifeguard Chair	30"	Item Number	Description	Seat Height
HHLS34212	LPLS-342 Low Profile Lifeguard Chair	42"	HH4850012	US48500 Vista 6 ft. Portable Chair	6 ft.
HHLS35412	LPLS-354 Low Profile Lifeguard Chair	54"	HH4855012	US48550 Vista 8 ft. Portable Chair	8 ft.
HP1311112	Replacement Seat with Swivel		HP1311112	Replacement Seat with Swivel	
HH8-60909	Replacement Seat Only		HH8-60909	Replacement Seat Only	
HHDF10312	Replacement Tread for LPLS-342		HH2470112	Replacement Tread	

⁵⁶ CALL TOLL-FREE: 1.800.437.8072 • FAX: 1.800.850.0262 • SHOP ONLINE: WWW.RECSUPPLY.COM

S. R. Smith & H2O Innovations Guard Chairs

Sentry[®] Lifeguard Chair

Designed to complement any aquatic environment, Sentry lifeguard chairs provide an elegant look that will stand the test of time.

- Outdoor furniture style and appeal.
- Constructed from HDPE for strength and low maintenance.
- Textured treads for slip resistant surface.
- Marine grade 316 stainless steel hardware. .
- Integrated umbrella & cup holder.
- Wheel kit available (sold separately) to facilitate transport.
- Easy to assemble.
- Seat height: 30", 42", and 66". UPS Shippable.



HP1311912

HP861012

Cantilever Institutional Lifequard Chair

- Heavy-duty commercial lifeguard stand.
- Large acrylic skin footboard has non-skid top surface.
- Footboard: 30" W \times 42" L.
- Seat: Fiberglass with 360° swivel seat.
- Four steps welded to support column.
- Height: 6 ft.

Replacement Seat with Swivel

Replacement Armchair Style Seat Only

Item Number	Description	Seat Height
HHLGC3012	SLGC-30 Sentry Lifeguard Chair	30"
HHLGC4212	SLGC-42 Sentry Lifeguard Chair	42"
HHLGC6612	SLGC-66 Sentry Lifeguard Chair	66"
HHLGS6612	SLGC-66-S Sentry Lifeguard Chair with center supports	66"
1101000410	Life Diser Linet	

SR Smith





Item Number Description HP1350212 Wheel Kit for 30" Sentry Lifeguard Chair Wheel Kit for 42" and 66" Sentry Lifeguard Chair HP1350312



Institutional Chair

- Moderate to tall lifequard chair.
- Extended observation platform with swivel seat for better vision.
- Umbrella support stand for shade.
- $1.9" \times .065"$ wall, 304 steel for commercial support.
- Footboard: $18"W \times 42"L$.
- Seat: Fiberglass with swivel seat.
- Treads: Three, stainless steel.
- Height: 6 ft.
- Anchors and escutcheons purchased separately. Four required.

Ť/	
Outlook I	

Outlook Lifequard Chair

Ideal, all-purpose guard chair for permanent installation on commercial and competition pools. Solid laminated fir core platform with fiberglass-

Seat Height

6 ft.

- reinforced acrylic designed for durability and longevity. Swivel seat for improved visibility plus umbrella
- and rescue tube holders.
- $1.90" \times .065"$ wall, 304 Stainless Steel for commercial support.
- Footboard: 30" W \times 42" L.
- Seat: Fiberglass with 360° swivel.
- Height: 6 ft. (Outlook I) or 5 ft. (Outlook II)
- Includes anchor.

Item Number	Description	Seat Height
<u>HH4860012</u>	US48600 Outlook I	6 ft.
HH4870012	US48700 Outlook II	5 ft.
HP1311112	Replacement Seat with Swivel	
HH8-60909	Replacement Seat Only	
HHDF10612	Repl. Tread for US48600	
<u>HH2470112</u>	Repl. Tread for US48700	

Item Number	Description	Seat Height
HHGS20512	ILGS-205 Institutional Chair	6 ft.
HPS100B12	AS-100B Deck Anchor Assembly	
HP1311112	Replacement Seat with Swivel	
HH8-60909	Replacement Seat Only	
HHDF10312	Replacement Tread	



HHLS10112

Guardian Lifeguard Chair

- Extended observation platform for better vision.
- Swivel stand and umbrella holder for Lifequard comfort.
- $1.9" \times .109"$ wall lower column assembly.
- Uni-mount jig assembly for easy of installation.
- Footboard: $18"W \times 42"L$ with slip-resistant surface.
- Seat: Fiberglass with 360° swivel seat.
- Four white cycolac treads.
- Height: 6 ft.

UMLS-101 Guardian Lifeguard Chair



H2O Innovations Portable Guard Station

H20 Innovations Portable Guard Station is the most convenient portable chair available. Transport wheels allow any guard to relocate the chair with ease. The unique chair is designed and intended to supplement larger permanent guard stations and helps promote the "5 Minute Scanning Strategy". Comes with standard red upholstery with embroidered "Guard" emblem and Guard Symbol in the chair back. The "standing" option on the H20 Innovations Portable Guard Station is a feature found only on much higher priced and bulkier alternatives.

Fluted PVC/aluminum reinforced frame is extremely durable, yet light. Standard wheel kit ensures that any guard can relocate the unit easily. All exposed surfaces are corrosion resistant. Exposed PVC surfaces are manufactured with UV protection for outdoor use. Canvas upholstery and 1" thick high density foam seat cushion keep guards comfortable, vet in an alert position. Nonskid surfaces on foot stool area. One year warranty.

Dimensions H × W × D

HH2470112	Replacement Tread	HHGS10S50	Replacement Cushion and Chair	Back	
HH8-60909	Replacement Seat Only	HHGS10150	Storage Box Option	—	
HP1311112	Replacement Seat with Swivel	HHGS10050	Portable Guard Station	53" × 23" × 29"	

HHGS10050

Seat Height

6 ft

Lifeguard Umbrellas and Buoys



6¹/₂' Printed Life Guard Umbrella

Features the same superior construction as our vinyl umbrellas, but with your choice of vinyl or acrylic material imprinted with the words "LIFE GUARD."

Great for lifeguard chairs and other poolside uses. Umbrella is $6\frac{1}{2}$ in diameter with six ribs. Aluminum center pole. Manual lift and tilt feature.

Colors: Red or Royal Blue.

Item Number	Diameter	Material	Color
HH639ATLR	6½ ft.	Acrylic	Red
HH639ATLB	6½ ft.	Acrylic	Royal Blue
HH639ATLRV	6½ ft.	Vinvl	Red



Premium Vinyl Guard

Umbrella

Constructed of tough, durable vinyl laminate material and $1\frac{1}{2}$ " \times 7 $\frac{1}{2}$ ' heavy duty aluminum pole. Umbrella is 6 $\frac{1}{2}$ ft. in diameter with six ribs of alternating panels. Features commercial quality, heavy gauge automatic tilt.

Listed in the pricing table are our stocked colors. Other colors also available at the same price include: Solid: Royal Blue, Forest Green, Navy Blue, Red,

Yellow, Turquoise, Teal, White. Alternating: Yellow/White, Turquoise/White, Teal/

White, Red/Yellow, Forest Green/Yellow.

Item Number	Color
HHUB91650	Royal Blue/White
HHUR90650	Red/White
HHUM90750	Forest Green/White



Premium Vinyl Guard Umbrella Colors



Barrier Float

For use in assembling barrier/swim area systems. Continuous rope passes through buoy, no need for shackles. Solid high density polystyrene body coated with white marine enamel. Available with orange vinyl bands and "SWIM AREA" decal only. Dimensions: $12^{"} \times 36"$

White

Utility Buoy

Designed to float upright with 35-40 lbs. of chain or equivalent weight. If more internal ballast is required, please advise. Full 12" diameter cylinder rises 40" plus above the water line for excellent visibility. The 13" diameter base assures complete stability. Closed-cell polyurethane foam extends 8" above the water line. Seamless outer shell. Features a 5/8" eye bolt at extreme bottom of the buoy. Specify vinyl daymark from list below.

Regulatory Buoy

Provides outstanding visibility with large 10" diameter cylinder rising 40" above the water line. The huge 19" diameter base assures maximum stability in the most turbulent waters. Built with rock hard outer shell for years of rugged service. Designed to float upright with 35-40 lbs. of chain or equivalent weight. If more internal ballast is required please advise. Specify vinyl daymark from list below.

Vinyl Daymarks for DD425R08 and DD427R08

Forest Green/Yellow

Guaranteed for 5 years against fading and weathering. Two (2) daymark sheets required per buoy.

Controlled Area Dayr	narks:	Exclusion Are	a Daymarks:
NO WAKE		KEEP OUT	SKI AREA
SLOW NO WAKE		NO BOATS	NO SKIING
		NO SWIMMING	FISHING
Danger/Hazard Dayn	narks:	SWIM AREA	NO FISHING
DANGER		DAM	
ROCKS			
HAZARD			
Itom Number	Description		

Item Number	Description
DD423-008	Barrier Float - "SWIM AREA"
DD425R08	Utility Buoy (Specify Daymark)
DD427R08	Regulatory Buoy (Specify Daymark)
DP1008	Replacement Vinyl Daymark Sheet (2 required per Buoy)

Pool Rope, Floats and Hooks



Twisted

Polypropylene Rope

Our blue and white twisted polypropylene rope is noted for its buoyancy. It is lightweight, strong, and absorbs very little moisture. This rope is manufactured from rough monofilament which has been stabilized against the sun's ultraviolet ravs.

Rope by the foot		
Item Number	Diameter	Color
DD9001450	1/4"	Blue/White
DD9003850	3/8"	Blue/White
DD9001250	1/2"	Blue/White
DD9003450	3/4"	Blue/White
DD12YTR50	1/2"	Yellow
Speels of Done (Plus	(Mhita)	

Spools of Rope (Blue/White)		
Item Number	Diameter	Length
DD9014S50	1/4"	600'
DD9038S50	3/8"	600'
DD9012S50	1/2"	600'
DD9034T50	3/4"	300'
DD9034S50	3/4"	600'



Rope Clamp

Made of chrome plated brass. Both halves integrally cast molded to suit poly rope. Complete with fasteners. Can be used by themselves or with various types of hooks.

Item Number	Description
DD5950	Rope Clamp for 3/4" Rope
DD5850	Rope Clamp for 1/2" Rope
DD5750	Rope Clamp for 3/8" Rope



Lever Style Swivel Hook Snap Style Swivel Hook

Made of chrome plated brass having a closed swivel eye on one end with the opposite end a snap hook complete with brass spring. Used in conjunction with two piece rope clamp (required, order separately).

Item Number DD414646 DD413446 DD413346

Description Lever Style Hook for 3/4" Rope Snap Style Swivel Hook for 3/4" Rope Snap Style Swivel Hook for 1/2" Rope








Item Number DD5150 DD5250

NNPH82B50

NNPH8250

NNPH82E50







Item Number Description Standard Rope Hook for 3/4" Rope DD5350 DD5450 Standard Rope Hook for 1/2" Rope



Brass Cup Anchors Chrome plated bronze

Choose removable triangular eye or integrated cross bar

Description Cup Anchor with Cross Bar Cup Anchor with Removable Triangular Eyebolt

Replacement Eyebolt



Handi-Lock Floats

Handi-Lock Floats are made of linear polyethylene treated with chlorine inhibitors and ultraviolet stabilizers for durability and long life.

- Self-locking feature fixes on line without additional expense of float keepers. .
- Three sealed compartments for optimum buoyancy in case of puncture.
- Blue-white-blue colors have excellent visibility and will not fade.

Three inside diameters to accommodate 3/8", 1/2" and 3/4" rope (twisted or hollow braid).

Stock colors: Blue/White/Blue and Red/White/Red. Other colors available on request.

5"×9" Floats	Rope Size	Color	
DDF595020	1/2"	Blue/White/Blue	
DDF595120	1/2"	Red/White/Red	
DDF597520	3/4"	Blue/White/Blue	
DDF597620	3/4"	Red/White/Red	
3"×5" Floats	Rope Size	Color	
DDF353820	3/8"	Blue/White/Blue	
DDF353920	3/8"	Red/White/Red	



Polyethylene Floats

Unsinkable, durable, polyethylene floats are available in two sizes. Require floatkeepers to maintain position on rope (see below).

Floatkeepers

Secures $5" \times 9"$ Polyethylene Floats to 34" twisted line. Two pieces and 2 screws per set. One set holds one float in place.

5"×9" Floats	Rope Size	Color	
DD590BW04	3/4"	Blue/White	
DD590RW04	3/4"	Red/White	
DD590R04	3/4"	Solid Red	
3"×5" Floats	Rope Size	Color	
DD350BW04	1/2"	Blue/White	
DD350RW04	1/2"	Red/White	
DD350W04	1/2"	Solid White	
Item Number		Description	
DP7104	FI	oatkeeper Set for ¾" Rope	

DDEZ35

DDEZ45

DDEZ55



Competitor EZ-LOCK Floats The new EZ-LOCK Float is a 5" \times 9" self-locking float with a twist lock design. The EZ-LOCK Floats are an innovative product

that allow the floats to quickly adhere to a rope. EZ-LOCK Floats are made of linear polyethylene and treated with LifeSpan+™ for durability and longevity. Competitor EZ-LOCK Floats are the only float available that fits 3/8", 1/2", and 3/4" ropes.

Color

Blue/White/Blue

Red/White/Red

Red/White/Blue

Stainless Steel Anchors

Anchored into pool wall for use with racing lanes and life

lines. Cast stainless steel cup anchor with integral bar or triangular eye bolt for attaching multiple lines.

oats		
014		
014		
014		



Description

Paragon

With Integral Anchor Bar HH316SS10 HH7031610 With Triangular Eyebolt

Paragon Rails and Handrail Covers

Paragon Grab Rails

Competition pools require unobstructed racing lines and steps built into the wall. Grab rails are necessary in order to use these steps safely. All grab rails are made of one continuous length of smooth, corrosion resistant, stainless steel pipe, 1.900" diameter, with wrinkle-free bends. The heavier the traffic, the heavier the tubing that you should select. Custom designs available upon request. Specification sheets also available on request. Priced per pair. Order separately: 4 anchor sockets and escutcheon plates for each pair of grab rails.




General Purp	pose rigule 4
Use this style if the deck is	s flat and without unusual curbs

Wall Thickness

.145"

.109"

.065



Paragon Heavy Duty Stair Rails

Stair rails should be used at all entry steps. They are a necessary safety feature to allow safe entry and exit from the pool. Two bend rails should be used if the upper anchor can be located 12" or less from the vertical wall of the pool. Three bend rails should be used if the anchor is located more than 12" from the pool wall.

Two and Three Bend Rails

Item Number	Wall Thickness	Bends	Dimension A		
HH3410110	.065"	2	48"		
HH3410210	.065"	2	60"		
HH3410310	.065"	2	72"		
HH3420110	.065"	3	48"		
HH3420210	.065"	3	60"		
HH3420310	.065"	3	72"		





Paragon Sloping Stair Rails

Provides a handhold for in-pool stairs without the need for an underwater anchor socket. Stainless steel rail is $.065" \times 1.9"$ OD. Horizontal width is 4.5'.

Item Number <u>HH3430110</u> HH3430710

Description Sloping Stair Rail Welded Sloping Stair Rail

Safety-Grip Handrail Cover

For ultimate safety and reduced liability risk, install Safety-Grip! Safety-Grip zippered handrail covers help keep your pool users safe from injury caused by wet, oily or hot stainless steel hand rails and ladder rails. Safety-Grip has UV stabilizers and is for use outdoors and in high traffic swimming pool entries. Safety-Grip Covers are algae and mildew resistant and come with a one year limited warranty.

Designed for low maintenance, Safety-Grip cleans easily with citrus-scented Safety-Grip Cleaner. Just spray, let sit for a few minutes, and rinse clean.



Safety-Grip Handrail Cover

Item Number	Length	Rail Diameter
HHHCH350	3 ft.	1.90"
HHHCH450	4 ft.	1.90"
HHHCH550	5 ft.	1.90"
HHHCH650	6 ft.	1.90"
HHHCH750	7 ft.	1.90"
HHHCH850	8 ft.	1.90"

**Specify Color: Royal Blue (stock), Aqua-Teal, Beige.

Custom lengths are available. Please call for details Covers for 1.5" diameter rails are available at no extra charge. Please call for details.

Safety-Grip Cleaner Item Number HHHCL50

Size 16 oz.



Item Number

<u>HH3010110</u>

HH3010210 <u>HH3010310</u>

California

For use on pools with wide gutters or where the distance from the deck to the water is greater than usual.

Item Number Wall Thickness HH3040110 .145 HH3040210 .109" HH3040310 .065



Adjustable

Front leg is adjustable in field so it can be set atop curbs or into gutters. Choose this model when unusual conditions will not permit use of other styles of grab rails.

Item Number HH3030110 HH3030210 HH3030310

Wall Thickness 145 .109 065



Pretzel Bend Requires the least amount of deck width. Can usually be mounted on the pool wall rather than the deck slab. Has

the most narrow profile as the legs are offset laterally instead of front to back.

> Wall Thickness .145' .109" .065"

HH3020310

Ladders and Treads



Paragon Commercial Swimming Pool Ladders

Swimming pool ladders offer the most convenient method of pool entry wherever stairs cannot be used. Each ladder consists of two frames with treads bolted between them. All frames are made of corrosion resistant stainless steel and the heads of the bolts have flat rounded heads curved to fit the tubing of the frames. Ladders are fabricated from sturdy stainless steel tubing 1.900" O.D. in .065", .109" or .145" wall tubing thickness. Heavy duty ladders are for commercial and institutional use to withstand heavier usage.

Ladders are also available with cross braces for extra rigidity and strength.

All ladder styles which have the frames resting against the pool wall include rubber bumpers to prevent damage to the wall.

Anchor sockets and escutcheon plates are not included with ladders and must be ordered separately.

61



- Expand-N-Lock Bumper (each) HP100EX12
- HPB100A12 Rubber Ladder Bumper-Male (each)

М

- HP4420110 Rubber Ladder Bumper-Female (each)
- THREE LOCATIONS TO SERVE YOU BETTER! MOST IN-STOCK ORDERS SHIP THE SAME DAY!

S. R. Smith Rails



S.R. Smith Artisan Series Rails

The Artisan Series Hand Rail is a patented, designer inspired rail that provides an elegant custom look for any pool environment. This is the ideal choice for pool renovation projects, as the Artisan Series Rails easily retrofit into existing anchor settings. Powder coating is available with pricing on request.

- 1.90" O.D. tubing
- .065" wall thickness
- Available made from Type 304 or 316L stainless steel. Type 316L is marine grade and recommended for salt pools.
- Powder Coating is available

Artisan Series, Type 304 Stainless Steel

Item Number	Description	
HHA101S12	Hand Rail (single)	
HHA100112	Hand Rail (pair)	
HHA100212	Stair Rail (single)	
HHA100312	Ladder	
HHA100412	Deck Mounted Stair Rail (single)	
HHA100512	Deck Mounted Hand Rail (pair)	

Artisan Series, Type 316L Stainless Steel (Marine Grade)

Item Number	Description	
HHA111S12	Hand Rail (single)	
HHA110112	Hand Rail (pair)	
HHA110212	Stair Rail (single)	
HHA110312	Ladder	
HHA110412	Deck Mounted Stair Rail (single)	
HHA110512	Deck Mounted Hand Rail (pair)	
SR Smith.		



S.R. Smith Meridian Series Rails

The Meridian Series Hand Rail is a patent-pending, designer inspired rail that provides an elegant custom look for any pool environment. This is an ideal choice for pool renovation projects, as the Meridian Series Rails easily retrofit into existing anchor settings. Powder coating is available with pricing on request.

- 1.90" 0.D. tubing
- .065" wall thickness
- Available made from Type 304 or 316L stainless steel. Type 316L is marine grade and recommended for salt pools.
- Powder Coating is available

Meridian Series, Type 304 Stainless Steel

Item Number	Description
HHM101S12	Hand Rail (single)
HHM100112	Hand Rail (pair)
HHM100212	Stair Rail (single)
HHM100312	Ladder
HHM100412	Deck Mounted Stair Rail (single)

Meridian Series, Type 316L Stainless Steel (Marine Grade)

······································			
Item Number	Description		
HHM111S12	Hand Rail (single)		
HHM110112	Hand Rail (pair)		
HHM110212	Stair Rail (single)		
HHM110312	Ladder		
HHM110412	Deck Mounted Stair Rail (single)		





S.R. Smith Standard Plus Commercial Swimming Pool Ladders

S.R. Smith's Standard Plus Ladders are made from thick 1.90" OD stainless steel tubing and are suitable for heavy-duty use in commercial aquatic facilities. All bends are 4" radius. These ladders can be configured with either durable plastic or stainless steel treads.

Width	Steps	Standard .065" Wall	Crossbrace .065" Wall
	2-Step	<u>HH1000112</u>	<u>HH1007312</u>
23"	3-Step	<u>HH1000412</u>	<u>HH1007612</u>
23	4-Step	HH1000712	<u>HH1007912</u>
	5-Step	<u>HH1001012</u>	<u>HH1008212</u>
	2-Step	<u>HH1001312</u>	<u>HH1008512</u>
29"	3-Step	<u>HH1001612</u>	HH1008812
29	4-Step	HH1001912	<u>HH1009112</u>
	5-Step	<u>HH1002212</u>	<u>HH1009412</u>
	2-Step	HH1002512	<u>HH1009712</u>
35"	3-Step	HH1002812	HH1010012
20	4-Step	HH1003112	HH1010312
	5-Step	HH1003412	HH1010612

S.R. Smith 20" Safety-Pool Step Retrofit Kit

The Safety-Pool Step offers extra security and foot support, while also preventing automatic pool cleaners from getting trapped behind the ladder.

- Heavy-duty molded plastic
- Textured stepping surface for safety
- Includes treads, protective side skirts and mounting hardware (US thread)
- Fits ladders with 20" anchor to anchor centerline dimension

	Item Number	Description
	HH9602C12	Safety-Pool Step Retrofit Kit, 2-Step
	HH9603C12	Safety-Pool Step Retrofit Kit, 3-Step
	HH9604C12	Safety-Pool Step Retrofit Kit, 4-Step
	HH9605C12	Safety-Pool Step Retrofit Kit, 5-Step



S.R. Smith Commercial Grade Stainless Steel Anchors

- Marine grade 316 stainless steel provides high corrosion resistance for harsh pool environments.
- Helps extend the life of pool deck equipment and keeps it looking newer.
- Stainless steel products placed in stainless steel anchors resist the galvanic corrosion that can cause discoloration when dissimilar metals are placed together.
- Ideal for commercial stanchion posts, games, ladders and rails.
- Anchors include bonding screw and mounting holes for deck anchor channels.

Item Number	Anchor Type	Anchor Depth	Fits Rail Diameter
HH204MG12	Wedge Anchor	4"	1.5"
HH104MG12	Wedge Anchor	4"	1.9"
HH206MG12	Stanchion Anchor with Cap	6"	1.5"
HH106MG12	Stanchion Anchor with Cap	6"	1.9"

Vinyl Rails, Steps and Anchors







Escutcheons

(photo shows color choices)

Saftron Vinyl Rails and Ladders

- Features: New fully reinforced construction provides for a more rigid and stronger feel while maintaining Saftron's signature durability.
- Industry standard designs and sizes.
- No rusting, pitting, or scaling.
 - Never gets hot.
- Solid color throughout. Will not fade.
- Impervious to pool chemicals.
- Available in five standard colors (Black, Graphite Gray, Gray, Beige, Taupe and White).
- Custom designs and colors are available.
- Fully encapsulated steel reinforcement.
- Non-conductive.
- NSF Approved material.
- Easy to clean.
- 5 year warranty.

Item Number	Description	Height	Width
HHP24850	2-Bend Hand Rail	35"	48"
HHP26050	2-Bend Hand Rail	35"	60"
HHP36050	3-Bend Hand Rail	35"	60"
HHP36650	3-Bend Hand Rail	35"	66"
HHP37250	3-Bend Hand Rail	35"	72"
HHP32650	Return to Deck Grab Rail (3-Bend)	35"	26"
HHP34050	Return to Deck Grab Rail (3-Bend)	35"	40"
HHP34850	Return to Deck Grab Rail (3-Bend)	35"	48"
HHP44850	Return to Deck Grab Rail (4-Bend)	35"	48"
HH24LC350	Commercial Cross-Braced Ladder 3-Step	67"	24"
HH24LC450	Commercial Cross-Braced Ladder 4-Step	79"	24"
HH24LC550	Commercial Cross-Braced Ladder 5-Step	91"	24"
HH30LC350	Commercial Cross-Braced Ladder 3-Step	67"	30"
HH30LC450	Commercial Cross-Braced Ladder 4-Step	79"	30"
HH30LC550	Commercial Cross-Braced Ladder 5-Step	91"	30"
HH36LC350	Commercial Cross-Braced Ladder 3-Step	67"	36"
HH36LC450	Commercial Cross-Braced Ladder 4-Step	79"	36"
HH36LC550	Commercial Cross-Braced Ladder 5-Step	91"	36"
HHESC50	Vinyl Escutcheons 4.5" diameter round (pai	ir)	
HHANCH50	Saftron Anchor Socket – White plastic		

NOTE: Rails and Ladders include matching Escutcheons



Recessed Steps

Stainless Steel - 14 gauge type 304 stainless steel, all welded construction. Inside is sandblasted for a slipresistant surface. Dimensions: $15"W \times 5"H \times 6"D$

Cycolac – Injection molded plastic. Furnished white with pebble texture 1/4" nominal thickness. Dimensions: 151/2" W × 53/4" H × 53/4" D

Item Number	Description	
HHRS175	RSC Stainless Steel	
HH9400112	S.R.Smith Cycolac	



Manhole Steps Molded hand grips and bright red reflectors

- Injection molded of Polypropylene
- Quick and easy drive-in installation
 - Pullout force in excess of 1500 lbs.

 - Leg centers: 13"

Item Number HHP485050

Description 15-1/4" Manhole Step - Polypropylene

Anchor Socket

4" cast bronze with locking bronze wedges and stainless steel bolt. For 1.9" OD ladders and rails.

Item Number	Description
<u>HH1001350</u>	4" Bronze Anchor Socket for 1.9" Tubing
HPPW-4C50	Replacement Wedge for HH1001350
HH4015B50	4" Bronze Anchor Socket for 1.5" Tubing
HPPW50	Replacement Wedge for HH4015B50
Contract up for pricing and quailab	alling of other replacement wedges and enchar sources

tact us for pricing and availability of other replacement wedges and anchor covers



1.9 Replacement Wedge

cover for anchor sockets. Deluxe Chrome Plated Bronze (CPB)

Item Number HH6019B50 HPPW6C50



Chrome-Plated **Bronze Keyhole**

Item Number	Style	Pipe Size	Finish
HHP100A12	Keyhole	1.9"	304 S.S.
HHP100F12	4.5" Round	1.9"	304 S.S.
HH0019S50	4.5" Round	1.9"	Stainless Steel
HH306EP12	6" Round	1.9"	Stainless Steel
HH306PW12	6" Round	1.9"	S/S Powder Coat (White)
HH306RG12	6" Round	1.9"	S/S Powder Coat (Rock Grey)
HH306TP12	6" Round	1.9"	S/S Powder Coat (Taupe)
HH306SG12	6" Round	1.9"	S/S Powder Coat (Silver Grey)
HH306RB12	6" Round	1.9"	S/S Powder Coat (Royal Blue)
<u>HH1050</u>	Keyhole–Deluxe	1.9"	CPB
HH0015S50	Round	1.5"	Stainless Steel

unit has locking set screw.



Paragon 1.5" Deck Anchors

Item Number	For Rail Diameter	Depth	Material
HH2810510	1.5"	4"	Bronze
HH105SS10	1.5"	6"	Stainless Steel

Paragon 1.5" Escutcheons

Item Number	Description	
HH2830310	Stainless Steel Escutcheon Cover, 1.5" Round	
HH303SS10	Stainless Steel Escutcheon Cover with Set Screw, 1.5" Keyhole	

S.R. Smith Pool Access Lifts









Splash! Aquatic Lift System

The Splash! Aquatic Lift is a semi-portable lifting system designed for swimming facilities seeking to provide userfriendly access to their swimming pools. The Splash! is battery powered and operated by a screw driven actuator. The design and durability of the system ensures consistent operation and minimizes service problems. The Splash! lift is attached to the pool deck using a provided square anchor socket.

The Splash! is virtually maintenance free. The components are made from corrosion-resistant materials, including powder-coated aluminum (arms), and powder-coated stainless steel (base, mast, and seat frame). The hand control is completely waterproof, and allows either the user or the attendant to control its operation with ease. The control box and battery are water resistant. If the lift is used outdoors, an optional full cover is available for purchase and is recommended to protect the system. Pricing includes integrated armrests and footrest.

The optional Activation Key prevents unauthorized use and is ideal for unattended pool environments. Lifts ship via motor freight.

The Splash! lift is available in the following models:

Splash! - Standard Splash! lifts provide 400 lb lifting capacity. Mounted to deck with company supplied square anchor socket

Splash! Hi/Lo - The perfect lift for facilities that have an above ground spa and an in-ground pool. The dual position chair allows a single lift to be used in both locations.

Splash! Spa - Designed for use with spas up to 52" (132 cm) above the deck.

Splash! Extended Reach – For use with pools with unusual gutter configurations requiring a longer reach to the water line. Splash! Extended Reach has a weight capacity of only 300 lbs.

Item Number	Description	
HHP500050	Splash! Aquatic Lift	
HHSPHL50	Splash! Hi-Lo Lift	
HH3750050	Splash! Spa	
HH3700050	Splash! Extended Reach	
HHSPCAD50	Splash! Caddy	
Order options separately fron	n the table of Options and Accessories.	

Splash! 300

The Splash! 300 offers easier installation because it can be installed by core drilling, with no additional footings required on a standard 4" reinforced deck.

- Third-party tested & verified ADA compliant.
- LiftOperator® Intelligent Control includes a 24 Volt rechargeable battery.
- 344° rotation helps ensure a safe transfer area.
- Powder-coated stainless steel and aluminum construction.

Lifting Capacity: 300 lbs.

Item Number	Description		
HH3030012	Splash! 300 Lift		
HH3530012	Splash! 300 Hi/Lo Lift		
HH3753012	Splash! 300 Spa Lift		
Order options separately from the table of Options and Accessories.			

Splash! Round Post

The Splash! Round Post can be installed in an existing round deck anchor. Optional Secure-It Kit™ can be added to keep the lift from rotating in the anchor socket.

Lifting	Capacity:	300	lb
---------	-----------	-----	----

64

Lifting Capacity. 500 lbs.				
Item Number	Description			
HH3000R12	Splash! Round Post Lift			
Order options separately from th	a table of Ontions and Accessories			



PAL Portable Aquatic Lift

The PAL is a completely portable aquatic lift, requiring no mounting to the pool deck. It contains over seven hundred pounds of counter weight to support a lifting capacity of 300 lbs. Its padded handle and ball bearing casters make the PAL easy to move, making it the perfect fit for facilities requiring accessibility to more than one water location, as well as for those who wish to store the unit away when it is not needed.

The unique design of the PAL allows it to be adapted to virtually all swimming pool configurations. Its arms reach over the pool edge and can vary in length depending upon the amount of required clearance. The PAL works well with edgeless designs, as well as with pools with curbs, gutters and skimmers. Either the user or attendant can operate the PAL easily with the LIftOperator Intelligent Control. The seat is deep enough to provide stability and has no edge to facilitate transfers. Set-up consists of rolling the lift into place along the edge of the pool and locking the wheels. Includes a battery, charger, battery console cover, waterproof control, rotomolded seat with integrated armrests, footrest, seat belt assembly and Secure-It Kit so the lift can be fixed to the deck.

The optional Activation Key prevents unauthorized use and is ideal for unattended pool environments. Arm rest option sold separately. Lifts ship via motor freight.

The PAL Portable Aquatic Lift is available in the following models:

PAL – Standard portable aquatic lift is the perfect lift solution for facilities wishing to service more than one pool Pal Hi/Lo – A variation of the PAL designed for in facilities that have both in-ground pools and above ground spas PAL Spa – Designed for above ground pools and for above ground spas up to 52" above the deck

une	year	parts	ana	litetime	lapor	warran	ty.	

Item Number	Description	
HHPAL50	PAL Lift	
HHPALHL50	PAL Hi-Lo Lift	
HH2750050	PAL Spa	
Order entions concrete	by from the table of Options and Assessaries	

ons separately from the table of Options and Accessorie



PAL2 Portable Aquatic Lift

The PAL2 includes all the great features of our original PAL pool lift, with a modernized look and durable matte finish. It is a portable, free-standing pool lift that comes with the PAL Secure-It Kit so that it can be fixed to the deck. Standard features include the LiftOperator Intelligent Control (mounted on the mast), a 24-volt rechargeable battery, waterproof hand control, rotomolded seat with integrated armrests, footrest, seatbelt assembly and Secure-It Kit so the lift can be fixed to the deck.

The optional Activation Key prevents unauthorized use and is ideal for unattended pool environments.

Third party tested and verified ADA compliant. Powder coated stainless steel and aluminum construction. 300 pound lifting capacity. Arm rest is optional. Lift ships via motor freight.

Item Number Description PAL2 Lift HH2020012

Order options separately from the table of Options and Accessories.

LiftOperator Intelligent Control by S.R. Smith

The LiftOperator Intelligent Control is the most technologically advanced pool lift control on the market. With an emergency stop button that can stop the lift mid-cycle and an audible safety alert that can bring a stranded user to the attention of your facility personnel, the LiftOperator ensures user safety. The control's internal memory stores information about pool lift usage that can be pulled onto a standard USB drive, and uploaded onto your computer for analysis. The optional Activation Key prevents unauthorized use – ideal for unattended pool environments. LiftOperator is now included as standard equipment with the following lift models: PAL/PAL2 Series, aXs2 Lift, multiLift (2-button control), Splash! Series.

S.R. Smith Pool Access Lifts and Accessories



multiLift™

The multiLift is a flanged pool lift that is a snap to install! The Wheel-A-Way[™] option provides flexibility to remove the lift for seasonal storage. Right or left side mounting means less to think about when selecting a pool lift location on the deck. The multiLift comes standard with our LiftOperator[®] Intelligent Control System.

The optional Activation Key prevents unauthorized use and is ideal for unattended pool environments.

Lifting Capacity: 350 lbs.

Item Number	Description
HH5750012	multiLift
Order options separately fron	the table of Options and Accessories.

ML300

The ML300 is a flanged mounted pool lift that is ideal for a wide range of pool applications. The ML300 comes standard with the LiftOperator® Intelligent Control System.

- Third party tested & verified ADA Compliant.
- Seat includes integrated armrests.
- Retrofit anchor jig is standard.
- Flange mounted with 4 anchor bolts.
- LiftOperator[®] includes a 24V rechargeable battery.
- Powder-coated stainless steel and aluminum construction.

Lifting Capacity: 300 lbs.

Linding capacity: 500 lbs.	
Item Number	Description
HH7530012	ML300 Lift with anchor
Order options separately from	the table of Options and Accessories.





aXs2 Lift

The aXs2 is a low profile pool lift that is an ideal access solution for community and hospitality swimming pools.

- Third-party tested & verified ADA compliant.
- 360° rotation for transfer safety and flexibility and small footprint for narrow decks.
- Compact design requires minimal deck space.
- Integrated armrests.
- Sturdy and generous rotomolded seat.
- 300 lb/136 kg lifting capacity.
- LiftOperator[®] Intelligent Controller with 24V battery.
- Full range of operation from handset and control box.
- Powder-coated stainless steel and aluminum construction.

Includes Battery, Charger, Battery Console Cover, Waterproof Hand Control, Stainless Steel Anchor Socket and Cover, Armrests, Footrests and Seat Belt Assembly.

Item Number	Description
Item Number	Descriptio

HH3100012	aXs2 Lift with Anchor	
HH3100C12	aXs2 Lift with Caddy	
HH3100N12	aXs2 Lift with Caddy, without Anchor	
HH3100R12	aXs2 Lift Round Post, without anchor	
Order options separate	ly from the table of Options and Accessories	



DAL Sorios

DAL 2 Corior

MI 200

Enlacht Corior

- V - O

S.R. Smith Lift Options and Accessories

Item Number	Description	PAL Series	PAL 2 Series	ML300	Multi-Lift	Splash! Series	aXs2
HHAK12	Activation Key option when purchased with new lift	√	✓		√	√	√
HH200350	Arm Rests, White	✓		✓	✓	\checkmark	
HPAX23212	Replacement Arm Rests, Pair		✓				√
HHBAJ150	Linak Battery	Pre-2012				Pre-2012	Pre-2012
HH0149512	LiftOperator Battery	2012 and later	2012 and later	✓	2012 and later	2012 and later	2012 and later
HH1035012	Linak Charger	Pre-2012				Pre-2012	Pre-2012
HP0153012	LiftOperator Charger	2012 and later	2012 and later	✓	2012 and later	2012 and later	2012 and later
HP0160012	4-Button Hand Control	✓	✓			\checkmark	\checkmark
HP0160112	2-Button Hand Control			✓	✓		
HP0002450	Seat Pad	✓	✓		✓	\checkmark	\checkmark
HH100050	Seat Belt	✓	✓	✓	✓	✓	✓
HH200550	Spine Board Attachment (Spine board sold separately)	✓	✓		✓	\checkmark	\checkmark
HH200050	Stability Vest	✓	✓	✓	✓	✓	✓
HH92050TA	Total Cover, Tan, PAL & Splash! Lifts	✓	✓			\checkmark	
HH50052TA	Total Cover, Tan, multiLift & ML300 Lifts			✓	✓		
HH9006TA	Total Cover, Tan, aXs2 Lifts						✓
HH97051TA	Cover, Tan, Mast/Seat Saver Combo (New Style Seat)					✓	
HH97050TA	Cover, Tan, Seat Saver (New Style Seat)	✓	✓	✓	✓	\checkmark	✓
HH94011TA	Cover, Tan, Mast Only					✓	
HP4070012	LiftOperator, 4-Button Replacement Kit	✓	✓			\checkmark	✓
HP4070112	LiftOperator, 2-Button Replacement Kit			✓	✓		
HP1151512	Additional LiftOperator Activation Keys, Pack of 4	✓	✓		✓	\checkmark	✓
HH91100TA	Cover, Tan, LiftOperator Console	✓	✓	✓	✓	✓	✓
HP2190A12	PAL Secure-It Kit	✓	✓				
HP3190A12	Splash! Secure-It Kit					✓	
HH5005512	Multi-Lift Wheel A-Way Cart Option			✓	✓		
HP500012	Sign – POOL LIFT AVAILABLE, Metal, 9" × 12"						
HP5100A12	Sign – POOL LIFT WARNING, Metal 9" × 12"						

Aqua Creek Pool Access Lifts



Aqua Creek Products

THE LEADERS IN RECREATION, FITNESS AND ABILITY!

Standard Features of Aqua Creek ADA Compliant Lifts

- Powder coated stainless steel construction.
- Rechargeable battery operation, including charger.
- Water-resistant push button remote control handset.
- Flip-up arms and adjustable footrest.
- Adjustable lap belt.
- Independently third party verified to meet ADA standards by Wyle Labs.
- Manufacturer's warranty.
- ADA Pool Lift sign ships with the lift.

Ships by truck.

ADA Compliant Aqua Creek Lifts

	ADA	UL	Above		Weight
Description	Compliant?	Certified?	Ground?	In-Ground?	Capacity
Ranger 2™	√	√		√	350 lbs.
Admiral™	✓	\checkmark		✓	450 lbs.
Ambassador	✓			✓	350 lbs.
Mighty Voyager	✓	\checkmark		✓	325 lbs.
Scout 2™	✓	✓	✓	✓	375 lbs.
Mighty 400 Lift	✓	\checkmark	\checkmark	\checkmark	400 lbs.
Mighty 600 Lift	✓	✓	✓	✓	600 lbs.



Admiral Lift

his ADA compliant lift maintains many of the same benefits of the Pro Pool lift, along with new features. Its field-reversible feature allows you to change the direction of the seat on site, allowing for left or right entry into the pool. It comes standard with the new adjustable base plate, therefore providing additional flexibility in pools with clearance issues. This lift is available with the same color options, solar charging station, anchoring systems, and accessories as the Pro Series lifts.

Colors

BLUE (STANDARD

- Setback range 14.5" to 19".
- 450 lb weight capacity.
- Anchor purchased separately, if required.
- Battery operated.
- UL Certified to meet pool lift standard 60335-2-1000
- Five year structural warranty.
- Five year prorated electronics warranty.

Item Number	Description	
HHADMRL76	Admiral Pool Lift, without Anchor	
HH46QAB50	Quick Set Anchor Kit	
HH428HT50	Transport Cart for Admiral/Ranger Pool Lift	
Seat and Footrest are now available in either Blue, Tan, Grav or White!		



Ranger 2 Lift

The Ranger 2 Lift is an economical ADA compliant lift that maintains Aqua Creek's standards for durability and reliability. It's an ideal solution for use on smaller hotel and motel pools as well as for backyard enthusiasts who enjoy their independence. It is designed to be independently operated by the user, allowing the individual full control of the lift with an easy 2 button handset.

- Setback range 14.5" to 19".
- 350 lb weight capacity.
- Field reversible design.
- Anchor purchased separately, if required.
- UL Certified to meet pool lift standard 60335-2-1000.
- Five year structural warranty.
- Five year prorated electronics warranty.

Item Number	Description
HHRNGR276	Ranger 2 Lift, without Anchor
HP4CAJP50	Anchor for Ranger Series Lifts
HH428HT50	Transport Cart for Ranger Series Pool Lifts
HHAACA76	Adjustable Height Seat Option for Ranger 2
Seat and Footrest are now avail-	able in either Blue, Tan, Gray or Whitel

Does your swimming pool comply with ADA requirements for accessibility?

If you are a Title II (Public Industry - School District, Municipality, City, County) or Title III (Private Industry - Lodging, Recreation, Education, etc.) entity with a pool, you are required to provide "accessible means of entry for pools."

- Any pool with under 300 linear feet of pool wall must provide one means of access, and that means must be either a pool lift or a sloped entry.
- Any pool with over 300 linear feet of pool wall must provide two means of access, one of which must be either a pool lift or sloped entry. The second means of access for large pools can be any of the five designated means of access, which are: pool lifts, sloped entries, transfer walls, transfer systems, or accessible pool stairs.
- Wave action, leisure river, and other pools where user entry is limited to one area require either a sloped entry, lift, or transfer system.
- Wading pools require a sloped entry.
- Spas require either a lift, transfer wall or transfer system.

Compliance with ADA standards became a requirement on January 31, 2013. Please contact us to discuss what the ADA requirements mean for your facility. We can help you select the best products for your unique set of circumstances.



Ambassador Lift

Developed from Aqua Creek's original Pro Pool Lift, the Ambassador features an additional reach allowing clearance for wide gutters and spa benches. This extended reach can also clear a curb or pool wall, making this lift ideal for raised perimeter pools and spas.

- 300 lb weight capacity.
- Higher seat for easier wheelchair transfers.
- Includes pull out leg rest, flip-up armrests and a water resistant handset.
- Rechargeable battery operation (charger included).
- Increased setback.
- Five year structural warranty.
 Five year prorated electronics warranty.

Item Number	Description
HHPXRDN76	Ambassador Extended Reach Lift, without Anchor
HHPXRDR76	Ambassador Lift, Reverse Configuration, without Anchor
HH910SA76	Ambassador Standard Deck Anchor
HH910S876	Ambassador 8" Deck Anchor
HH14STC50	Transport Cart for Ambassador/Pro Pool-XR Lift

Seat is now available in either Blue, Tan, Gray or White!



Features:

 Includes ADA fixing kit, which allows lift to be fastened to deck.

Mighty Voyager Lift

The Mighty Voyager Lift provides a whole new perspective on pool access. An ADA Compliant and UL Certified Pool Lift that is also portable allow the user to move the lift away from the side of the pool in certain cases to allow for facility events or to simply store the lift. A robust 325 pound weight capacity is provided by separately purchasing sand that is readily available at your local pool supply or home improvement supply store. The 15" opening on the ballast housing allows for easy filling and removal of the sand if necessary.

- 325 lb weight capacity.
- Five year structural warranty.
- Five year prorated electronics warranty.

Item Number	Description
HHVGRPL76	Mighty Voyager Portable Lift
Seat, Footrest and Portable Weig	the shroud are now available in either Blue, Tan or Gray!

Aqua Creek Pool Access Lifts and Accessories



Mighty 400 and 600 Lifts

The Mighty lifts provide accessibility solutions with versatility, greater water drafts, and a setback up to 44". Designed for in ground anchoring, the Mighty series will accommodate existing "standard" Scout 2 and Revolution concrete anchors. Created for its adaptability, the Mighty lifts can be purchased with a pedestal for additional wall clearance or unusual gutter profiles.

- Mighty 400 Lift features a 400 lb weight capacity and is suitable for up to 12" deck-to-water applications.
 Mighty 600 Lift features a 600 lb weight capacity and is suitable for up to 14" deck-to-water applications.
- 360° rotation. Features: Setback up to 44". Stainless steel construction with powder coat finish. Adjustable seat height and lap belt. Five year structural warranty. Flip-up armrests. Five year prorated electronics warranty. Item Number Description HHMT40076 Mighty 400 Lift, without anchor HHMT60076 Mighty 600 Lift, without anchor HH808SA50 6" Deep Anchor for Scout Excel and Mighty Series Lifts HHMT1PD76 Mighty Lift Pedestal, 1' HHMT2PD76 Mighty Lift Pedestal, 2' Mighty Lift Pedestal, 3' HHMT3PD76 Mighty Lift Pedestal, 4' HHMT4PD76 Transport Cart for Mighty Series Lifts HPMTTC76 HH734RS50 Spineboard Attachment Plastic components are now available in either Blue, Tan, Gray or White! Solar Charging Station Pull-Out Leg Rest **Cycle Attachment** Headrest

Batterv

Aqua Creek Lift Options and Accessories

Chest Strap

(New Style)

Item Number	Description	Ranger 2	Admiral	Ambassador	Voyager	Scout Excel	Mighty
HH422H250	Optional Headrest, newer seats (slots in top of seat)	✓	✓	√	√	✓	√
HHF423S50	Optional Chest Strap	√	✓	\checkmark	✓	✓	\checkmark
HPF38SB76	Seat Belt, 2 Piece, 2" Wide with Velcro, Black	included	included	included	included	included	included
HPFLRB76	Pull-Out Leg Rest, Blue	\checkmark	✓	included	✓	✓	✓
HPFLRT76	Pull-Out Leg Rest, Tan	✓	✓	included	✓	√	✓
HPFLRG76	Pull-Out Leg Rest, Gray	✓	✓	included	✓	√	✓
HPFLRW76	Pull-Out Leg Rest, White	✓	✓	included	✓	√	✓
HH019CA50	Cycle Attachment	✓	✓	✓	✓	√	✓
HH004AB50	F-004AB Battery for Linak Controls, 24V	✓	✓	✓	✓	√	✓
HH044CH50	F-044CH Charger for 24V Batteries, Linak	✓	✓	✓	✓	√	✓
HP04ABV76	F-004ABV Battery for Vito Controls, 24V	✓	✓	✓	✓	√	✓
HP44CHV76	F-044CHV Charger for 24V Batteries, Vito	✓	✓	✓	✓	√	✓
HP100JH50	F-100JHV 2-Button Handset, Vito	✓	✓	✓	✓		
<u>HP104JV76</u>	F-104JHV 4-Button Handset, Vito					√	
HH44SCH76	Solar Charging Station	✓	✓	✓			
HH45SCH76	Solar Charging Station					\checkmark	
HH48SCH76	Solar Charging Station						✓
HPF120P76	Safety Cover, Lockable, Blue	✓	✓	✓	✓		
HPF120T76	Safety Cover, Lockable, Tan	✓	✓	✓	✓		
HPF120G76	Safety Cover, Lockable, Gray	✓	✓	✓	✓		
HPF120H76	Premium Safety Cover, Lockable, Blue	✓	✓	✓	✓		
HPF450B76	Safety Cover, Lockable, Blue					√	
<u>HPF450T76</u>	Safety Cover, Lockable, Tan					\checkmark	
HPF450G76	Safety Cover, Lockable, Gray					√	
HPF450H76	Premium Safety Cover, Lockable, Blue					√	
HPFMTLC76	Safety Cover, Lockable, Blue						\checkmark
HPFMTLT76	Safety Cover, Lockable, Tan						✓
HPFMTLG76	Safety Cover, Lockable, Gray						✓
HPFMTLH76	Premium Safety Cover, Lockable, Blue						✓
HP904CV76	Safety Cover, Chair-Only (18" or 22" seat)	✓	✓	✓	\checkmark	\checkmark	\checkmark

Vovaaer Lifts

- ----



Scout Excel Lift

Quieter, sleeker, and more attractive, the Scout Excel is perfect for almost any pool design. With the new base not only can you set the lift further back from your pools edge but the adjustable seat pole, combined with an optional pull out leg rest, allows you to clear short spa walls and pool curbs of up to 26 inches high.

- Adjustable seat pole.
- Stainless steel construction.
- Durable powder coat finish.
- 375 lb weight capacity.
- Can be adapted to most existing 6" deep anchors.
- UL Certified.
 Five year structural warranty.
- Five year structural warranty. Five year pro-rated electronics warranty.

Item NumberDescriptionHHSCTXL76Scout Excel Lift, without AnchorHH808SA506' Deep Anchor for Scout Excel LiftHH808105010' Deep Anchor for Scout Excel LiftHP4SCTC50Transport Cart for Scout Excel LiftHH734RS50Spineboard Attachment

Plastic components are now available in either Blue, Tan, Gray or White!



THREE LOCATIONS TO SERVE YOU BETTER! • MOST IN-STOCK ORDERS SHIP THE SAME DAY!

Pool and Spa Access



Aqua Creek Super Power EZ Pool Lift

Aqua Creek's Super EZ Pool Lift offers economical manual lifting capabilities up to 400 pounds for above ground pools and spas. The Super EZ Lift was designed to clear up to a 58" high wall up to 10" thick, making it ideal for use on any above ground pool or spa. The Super Power EZ Pool Lift™ is battery operated.

- Setback range 9" to 12"
- 400 lb weight capacity
- 360° manual rotation
- Five year structural warranty
- Five year prorated electronics warranty

Item Number	Description
HH194PH50	Super Power EZ Pool Lift, without Anchor
HH612TL50	Deck Anchor
HPF440B76	Safety Cover, Lockable, Blue
HPF440T76	Safety Cover, Lockable, Tan
HPF440G76	Safety Cover, Lockable, Gray
HPF440H76	Premium Safety Cover, Lockable, Blue



Aqua Creek Spa Lift Elite

The Elite offers easy push button operation and 360 degrees of powered rotation. This lift is capable of clearing wall heights up to 68 inches. Whether relaxation, rehabilitation, or socialization is your goal, the Spa Lift Elite is the solution for stress free access to your personal backyard or commercial spa.

- Adjustable pull-out leg rest
- Wall height range 21" 68"
- 300 lb weight capacity
- Flip-up armrests
- 360° powered rotation
- Five year structural warranty
- Five year prorated electronics warranty
- UL Certified

Item Number	Descri	ption					
HH06SLE50	Spa Lif	t Elite,	withou	it And	chor		
HPPAAK876	Anchor	Kit, sta	andard	l cond	crete		
HH07WDA76	Anchor	Kit, wo	od de	ck			
B1 11	ALC: 1 1	1.11		_	-		

Plastic components are now available in either Blue, Tan, Gray or White!



Aqua Creek Spa Lift Ultra

The Spa Lift Ultra is a ADA compliant lift designed to provide access to both residential and commercial elevated pools & spas. Easy push button handset operation. Access your personal backyard or commercial spa environment while enjoying the benefits of relaxation along with increased independence.

- Wall height range 29" 51"
- 400 lb weight capacity
- Rechargeable battery with wall mount charger
- 360° powered rotation
- Five year structural warranty
- Five year prorated electronics warranty
- UL Certified

 Item Number
 Description

 HH05SLU76
 Spa Lift Ultra, without Anchor

 HPPAAK876
 Anchor Kit, standard concrete

 HH07WDA76
 Anchor Kit, wood deck

 Plastic components are now available in either Blue, Tan, Gray or White!



Aqua Creek Aqua Walker™

The Aqua Creek Aqua Walker is constructed of furniture grade PVC tubing. This adjustable, water-proof walker allows for mobility assistance both in and out of the water. The Aqua Walker comes with removable 4" armrest cradles for extra support.

- Adjustable height range of 32" to 45"
- Tool-free conversion from armrest walker to standard walker
- Solid rubber wheels
- Solid Tubbel Wheel

Item Number

68

Description Aqua Walker™



ADA-Compliant Models

IGAT-180 – Our standard model. Automatic 180° seat turns forward into water. IGAT-180 AD – Entire lift is above-deck for pools with covers or those where competitive swim events are held. IGAT-180/135 – Automatic 135° seat turns forward into water. For pools and spas with benches or built-in seats.

Item Number	Description	
HHIGAT850	IGAT-180 Lift	
HHIGATD50	IGAT-180 AD Above Deck Lift	
HHIGAT350	IGAT-180/135 Lift	
HHFUA50	Flip-Up Arm	
HHIGHR50	Headrest	
HHGATSB50	Seat Belt	
HHIGRB50	Rescue Board Attachment	



Pentair AquaTRAM® 90+ Lift

Choose the only ADA Compliant lift that's backed by Pentair's commitment to help people enjoy water, the world over. When you install an AquaTRAM 90+ lift, you provide safer, easier swimming pool access for swimmers with physical disabilities. If a 90° rotation is required, the AquaTRAM 90+ lift will fit your budget comfortably. And with the backing of the industry leader, Pentair Commercial Aquatics™, there's every reason to feel confident about the quality of your purchase. Lifting capacity: 400 lbs. 5-year limited warranty.

Features:

- Most versatile lift available
- Rotates 90° to the left and right for easy access
 Improved reach to clear spa benches and most
- Improved reach to clear spa benches and most gutter types
- Available in two anchor configurations
 (Quickset square and round)
- Detrofit assilv to existing anchor
 - Retrofit easily to existing anchors

•	Fully compliant with ADA guidelines
---	-------------------------------------

- Rechargeable battery-powered operation for easy use
- Comfortable seat with adjustable lap belt
- Simple-to-operate controls provide easy access in and out of pool.
- Stainless steel with corrosion-resistant epoxy powder-coated finish

Item Number	Description	
HH1142010	AquaTRAM 90+ Lift, Quickset, with Dual Wedge Anchor	
HH1142110	AquaTRAM 90+ Lift for Round Anchor, with Anchor	
HH1134310	Safety Cover	
HH1122510	Transport Cart	
HH1144010	Solar Charging Assembly	
AquaTRAM 90+ Lifts are available without anchors. Additional anchors and adapter sleeves for existing round anchors are also available. Contact us for current pricing on these options.		

CALL TOLL-FREE: 1.800.437.8072 • FAX: 1.800.850.0262 • SHOP ONLINE: WWW.RECSUPPLY.COM

Spectrum Pool Access Lifts



Swim-Lift[®] Traveler II XRC500

The Traveler II XRC500 is our stainless steel extended reach radio frequency controlled aquatic assisted access lift. It is designed for use on existing or new in-ground swimming pools and spas. Anchor assemblies and accessories are sold separately. The Traveler II XRC500 facilitates installations with setback dimensions of 6" to 33" providing versatile anchor placement.

- ADA/ABA compliant and Title 24: California Code of Regulations
- 500 pound lifting capacity
- Electropolished passivated stainless steel
- Large, spacious seat design for greater ease of transfer, excellent lumbar support and durability
- Standard adjustable padded headrest Swing-out footrest for ease of transfer
- Pinchless flip up outer arm
- Patented overhead transfer assist system
- Safe operating system with rechargeable battery and charger
- Two watertight wireless operating controls
- Single anchor point
- Seat connection can also be used with a spineboard or wheelchair
- Easy to move with use of Transport Cart

Anchor sold separately.

Field measurements required. Download production worksheet on this item's page at www.RecSupply.com.

Item Number	Description	
HH2671047	Swim-Lift Traveler II XRC500	
HH5452347	Transport Cart for XRC500	
HH2363847	Bronze Anchor Assembly	
HH5437747	Cover for Traveler II XRC500	
HH4293247	Custom Wheelchair Attachment	
HH4232347	Custom Spineboard Attachment	



The Gallatin WP400 is one of our stainless steel water powered assisted access lifts. It is designed to accommodate both in-ground pools and spas without customization. The Gallatin requires no more than 12" of total depth (deck to floor/bench) for proper installation. The standard unit will accommodate anchor locations of 18" to 30" from the pool wall.

- 400 pound operating load capacity
- ADA/ABA compliant and Title 24: California Code of Regulations
- Passivated stainless steel construction
- Dual lift operating controls, allowing operation from the deck and/or the pool
- New seat design for greater ease of transfer, excellent lumbar support and greater durability
- Upgraded foot rest and arm rest
- Standard adjustable padded headrest

The Spectra-Force Pressure Booster System option may be added to generate water pressure for the operation of the Gallatin WP400. The system consists of a 1/2 HP stainless steel centrifugal pump, hydro-pneumatic pressure sustaining tank, adjustable pressure switch, liquid filled pressure gauge, bronze check valve, fittings and connectors.

New construction requires preset anchor and water box. Installation into existing deck requires retrofit anchor. Anchor sold separately.

Field measurements required. Download production worksheet on this item's page at www.RecSupply.com.

Item Number	Description	
HH2733647	Swim-Lift Gallatin WP400	
HH2702847	Spectra-Force Pressure Booster	
HH2736447	Cover for Gallatin WP400	
HH2745047	Preset Anchor	
HH2740047	Retrofit Anchor	
HH2040047	Water Box	

Water Box

construction)

(for new

SpectraForce Pressure

Booster Pump



Features:

- **Fully ADA Compliant**
- 350 pound operating load capacity Self operable from the deck and water
- 90 lifts per battery charge
- All stainless steel construction (electropolished 304L grade)
- Coated with Spectra Shield® for maximum corrosion protection
- Stabilizer bar significantly improves lift stability during transfer
- Spacious seat with excellent lumbar support designed for ease of transfer
- Rotationally and vertically powered with 360 degree continuous powered rotation
- Proprietary Robust Operating System and Actuator outperforms the competition
- Accommodates pool wall setback of 6" to 22" and water draft up to 12"
- Easy to install, even into existing concrete decks
- Improved rotation system for a smooth ride

Item Number	Description	Weight Capacity
HH5312147	Motion Trek 350	350 lbs.
HH5312D47	Motion Trek BP 350 Deluxe	350 lbs.
HH6314547	Motion Trek BP 400	400 lbs.
HH6314D47	Motion Trek BP 400 Deluxe	400 lbs.
Motion Trek Lifts are a	vailable without anchors. Contact us for current	t pricing on these options

out anchors. Contact us for current pricing



Swim-Lift[°] Lolo WP400

The Lolo WP400 is one of our stainless steel water powered assisted access lifts. It is designed to accommodate in-ground pools with a minimum deck-to-pool-bottom dimension of 42" (typically 36" water depth). The standard unit will accommodate various anchor distances from the pool wall. 400 pound operating load capacity

- ADA/ABA compliant and Title 24: California Code • of Regulations
- Dual lift operating controls, allowing operation from the deck and/or the pool
- Dual anchor points for added stability-easy to install, even in existing facilities
- New seat design for greater ease of transfer, excellent lumbar support and greater durability
- Two armrests-outer armrest flips up allowing for
- horizontal transfer from a wheelchair
- Upgraded foot rest
- Standard adjustable padded headrest

The Spectra-Force Pressure Booster System option may be added to generate water pressure for the operation of the Lolo WP400. The system consists of a 1/2 HP stainless steel centrifugal pump, hydro-pneumatic pressure sustaining tank, adjustable pressure switch, liquid filled pressure gauge, bronze check valve, fittings and connectors.

New construction requires preset anchor and water box. Installation into existing deck requires retrofit anchor.

Anchor sold separately.

Field measurements required. Download production worksheet on this item's page at www.RecSupply.com.

Item Number	Description
HH2755047	Swim-Lift Lolo WP400
HH2702847	Spectra-Force Pressure Booster
HH2736447	Cover for Lolo WP400
HH2745047	Preset Anchor
HH2740047	Retrofit Anchor
HH2040047	Water Box

Motion Trek Series

The Motion Trek 350 is an ADA compliant battery powered lift that is self operable from the deck and water with a robust operating system. The Motion Trek 350 is designed for in-ground pools and spas. Includes anchor.

Field measurements required. Download production worksheet on this item's page at www.RecSupply.com.

Pool Access Equipment



Aqua Step ADA

The Aqua Step ADA meets or exceeds all ADA requirements. Like the Aqua Step HD the ADA model is designed for the harshest conditions. The treads are constructed of coated stainless steel and will withstand 600+ pounds. Some of the Aqua Step ADA features:

- Warranty Lifetime Structural Warranty. 1 year coatings and adhesives warranty.
- Deck Anchoring No tools necessary once initially installed.
- Lightweight A single pool attendant can typically install and remove an Aqua Step ADA quickly when necessary.
- Safety Side Guards Optional safety side guards are available to prevent swimming under the stairs.
- Special Features The Aqua Step ADA is equipped with all of the specifications recommended by the ADA
 guidelines from both 1991 and 2010. 24" wide railings, 11" of exposed tread, shielding between the
 steps, railing extensions, etc., are all included in the Aqua Step ADA standard feature list.
- Width: 24"

Deck to Pool Floor Measurement Table

Decite					
	6.5" Riser	7.5" Riser	8.5" Riser	9.0" Riser	9.5" Riser
4 Step		34"–36"	38.25"-40.25"	40.75"-42.75"	43.25"-45.25"
5 Step	35"–37"	41.75"-43.75"	46.75"-48.75"	49.75"-51.75"	52.75"–54.75"
6 Step	41.75"-43.75"	49.25"-51.25"	55.25"-57.25"	58.75"-60.75"	61.5"-63.5"
7 Step	47.5"-49.5"	57"–59"	63.25"-65.25"	67.75"-69.75"	71.25"-73.25"
8 Step	54"–56"	64.5"-66.5"			

HHAD10450 4 HHAD10550 5 HHAD10650 6 HHAD10750 7 HHAD10850 8	Item Number	Steps
HHAD10650 6 HHAD10750 7	HHAD10450	4
HHAD10750 7	HHAD10550	5
	HHAD10650	6
HHAD10850 8	HHAD10750	7
	HHAD10850	8
HHAD10950 9	HHAD10950	9

Aqua Step

H20 Innovations Aqua Step is an incredibly lightweight and durable portable access system. The Aqua Step is more reliable and far easier to handle than any competitive product. The Aqua Step incorporates light weight molded plastic treads and can accommodate up to 300 lb individuals. The access system carries a 2 Year Structural Warranty. The Aqua Step is 100% rebuildable. The Aqua Step can be easily put in and taken out of the pool by a single pool attendant.

The Aqua Step can be ordered with step riser heights of 5", 6.5", 7", 7.5", 8" and 8.5". Customers with special needs may require a smaller riser height to accommodate safe, easy pool entry. The price of the unit is dependent on the number of steps.

Where a pool gutter provides an installation challenge, a separate custom approach platform may be ordered. Warranty: two year structural and one year coatings and adhesives.

Deck to Pool Floor Measurement Table

Decki	Deck to Fool Floor Measurement Table				
	6.5" Riser	7.5" Riser	8.5" Riser	9.0" Riser	9.5" Riser
4 Step		34"–36"	38.25"-40.25"	40.75"-42.75"	43.25"-45.25"
5 Step	35"–37"	41.75"-43.75"	46.75"-48.75"	49.75"–51.75"	52.75"-54.75"
6 Step	41.75"-43.75"	49.25"-51.25"	55.25"-57.25"	58.75"-60.75"	61.5"-63.5"
7 Step	47.5"-49.5"	57"–59"	63.25"-65.25"	67.75"-69.75"	71.25"-73.25"
8 Step	54"-56"	64.5"-66.5"			

Item Number		Steps
HHAE10450		4
HHAE10550		5
HHAE10650		6
HHAE10750		7
HHAE10850		8
HHAE10950		9
Item Number	Description	
HHA409050	Approach Platform	







EasyRec ADA Easy Stair

Fully compliant with ADA Guidelines for Accessible Design and NEC Bonding Codes, the ADA Easy Stair offers a proven and economical solution for pools that require a secondary means of pool access. The ADA Easy Stair serves the needs of a wide range of pool users including those with limited mobility, the elderly, expecting mothers, pre-teens and first-time recreational swimmers.

4-Step Aqua Step

Lightweight fiberglass construction features quick and easy removal using the included dolly. The ADA Easy Stair is custom made to fit your pool and does not require mounting to the pool or pool deck. It ships assembled.

Specify color: Light Blue, Blue or Gold.



Item Number	Description	Top of Deck to Pool Floor
HHESA550	5-Step ADA Easy Stair	32" to 47"
HHESA650	6-Step ADA Easy Stair	48" to 57"
HHESA750	7-Step ADA Easy Stair	58" to 67"

AquaTrek2 Pool Access Equipment



AquaTrek2 SADA Step System

The AquaTrek2 SADA Step System has the same quality of the standard AquaTrek2 step system with specific modifications to meet the ADA standards for 2nd entry method requirements.

The ADA Step System has no open risers, uniform riser height, 12" minimum tread depth, and maximum 24" width between handrails.

The ADA Step system comes with one "Tip-Away" side skirt for safety and ranges from a 5-tread to a 9-tread option for those deeper pools. The step system is ideal for frequent removal as it is easier to remove and install than other ADA Systems.

	than other AbA systems.		
Item Number		Description	
	HHSADA550	5-Tread ADA Step System	
	HHSADA650	6-Tread ADA Step System	
	HHSADA750	7-Tread ADA Step System	
	HHSADA850	8-Tread ADA Step System	
	HHSADA950	9-Tread ADA Step System	
	HHAQSK650	Additional Side Skirt for 6-Tread SADA Step System	
	HHAQSK750	Additional Side Skirt for 7-Tread SADA Step System	
	HHAQSK850	Additional Side Skirt for 8-Tread SADA Step System	
	HPAONST50	Non-Skid Plate for Step Tread (Specify Color)	
	HPNSP2250	22" Non-Skid Plate for Standard Platform (Specify Color)	



AquaTrek2 Ladder

Dignified, forward-walking access to your pool is accommodated with ease using the AquaTrek2 Ladder. Wide treads and strong, metal-reinforced handrails provide stability and comfort. The AquaTrek2 Ladder is built of a noncorrosive metal skeleton encased in a rigid PVC skin. Additional features include nonslip safety surfaces on step treads and built-in wheels for portability. Rated for 600 lb user weight capacity. **One year warranty.**

The ADA Compliant version of the AquaTrek2 Ladder is 24" wide and specifically modified to comply with current ADA regulations. Unique stepped handrail design offers unlimited hand positions for maximum user stability.

Field measurements required. Download production worksheet on this item's page at **www.RecSupply.com**

Item Number	Model Number	Steps	Width
HHAQ30050	AQ-3000	3 (not ADA compliant)	34"
HHAQ40050	AQ-4000	4 (not ADA compliant)	34"
HHAQ50050	AQ-5000	5 (not ADA compliant)	34"
HHAQ56050	AQ-5600	6 (not ADA compliant)	34"
HHAQ57050	AQ-5700	7 (not ADA compliant)	34"
HHA300050	ADA-3000	3 (ADA Compliant)	24"
HHA400050	ADA-4000	4 (ADA Compliant)	24"
HHA500050	ADA-5000	5 (ADA Compliant)	24"
HHA560050	ADA-5600	6 (ADA Compliant)	24"
HHA570050	ADA-5700	7 (ADA Compliant)	24"

Item Number	Description
HP3682350	Replacement Tread for AQ-3000 through AQ-5700 Ladder
HP5037B50	4" × 28" Non-Skid Safety Strip, Yellow
HP5037Y50	4" × 28" Non-Skid Safety Strip, Black
HPAQNST50	Non-Skid Plate for Step Tread (Specify Color)
HPNSP2250	22" Non-Skid Plate for Standard Platform (Specify Color)



AquaTrek2 Ramp/Step

These removable units provide swimmers of all ages an easy way to enter and exit your pool. The AquaTrek2 Ramp allows individuals to either walk down a gentle slope or be wheeled into the pool. The AquaTrek2 Ramp is available in two configurations, Standard (for pools 48" and under from pool floor to deck surface) and Long (for pools over 48" from pool floor to deck surface).

The AquaTrek2 Step is available in 6, 7 or 8 tread models. Each model features nonslip safety treads and built-in wheels for easy portability.

Construction of AquaTrek2 Ramps and Steps is primarily of durable UV-stabilized PVC, encasing a noncorrosive metal skeleton.

Field measurements required. Download production worksheet on this item's page at **<u>www.RecSupply.com</u>**

Item Number	Model Number	Description
HHAQ90050	AQ-9000	Standard AquaTrek2 Ramp
HHAQ90L50	AQ-9000L	Long AquaTrek2 Ramp
HHAQ60050	AQ-6000	6-Tread AquaTrek2 Step
HHAQ70050	AQ-7000	7-Tread AquaTrek2 Step
HHAQ80050	AQ-8000	8-Tread AquaTrek2 Step

 Item Number
 Description

 HP3682150
 Replacement Tread for AQ-6000 through AQ-8000 Step

 HP5037B50
 4" × 28" Non-Skid Safety Strip, Yellow

 HP5037Y50
 4" × 28" Non-Skid Safety Strip, Black

 HPA0NST50
 Non-Skid Plate for Step Tread (Specify Color)

 HPNSP2250
 22" Non-Skid Plate for Standard Platform (Specify Color)



a grea

Item Number HHADATS50



AquaTrek2 ADA Compliant Transfer System

The AquaTrek2 ADA Transfer System can be used as a primary ADA access point for leisure rivers, wave action pools, therapy pools, sand bottom pools, spas and other pools where access to the water is limited to one area. For use where every one gets in and out at the same place. The ADA Transfer System can also be used as a secondary means of ADA Access for large pools.

The AquaTrek2 Wheel Chair (shown, sold separately) makes a great accompaniment.

Description ADA Compliant Transfer System

AquaTrek2 Wading Pool Ramp

Save the cost of rebuilding your wading pool by installing an AquaTrek2 ramp instead!

The AquaTrek2 WP-1500 wading pool ramp can help solve the sloped access ADA requirement for wading pools with either a flat bottom or linear slope. With handrails 30" apart at two separate heights, one for adults and one for children, a slip resistant surface and one tip-away side skirt for safety. The wading pool ramp will have a slope ratio that is technically feasible, readily achievable and is based on the ADA maximum extent feasibility requirement for your wading pool. Contact us for a pool and gutter profile form so we can help you see if your wading pool qualifies.

Description AquaTrek2 WP-1500 Wading Pool Ramp, 30" Width

THREE LOCATIONS TO SERVE YOU BETTER! • MOST IN-STOCK ORDERS SHIP THE SAME DAY!

Item Number

HHP150050

Aquatic Wheel Chairs



Aqua Creek Pool Access Chairs

Pool Access Chairs are an ideal solution for swimming pools with ramps or zero depth entries. These access chairs are constructed from medical grade PVC and feature an anti-tip design with non-rusting parts. Made to withstand harsh environments, they are great for use in showers, locker rooms and pool environments.

- EZ clean twin wheel casters
- Anti-tip design
- Non-rusting design for pool and shower environments
- Medical grade PVC construction
- Swing-out armrests

J			
Item Number	Width	Weight Capacity	Seat Type
HH5218P76	18"	300 lbs.	Plastic
HH5218M76	18"	300 lbs.	Mesh
HH5224M76	24"	400 lbs.	Mesh
HP310XW76	Seat Belt Option		
HP426CS76	Chest Strap Optio	n	



Aqua Creek SS HD Folding **Aquatic Wheel Chair**

Our Aqua Creek Aquatic stainless steel wheelchairs are collapsible for easy storage. The chair's flip up arms make for easy transfers. Upholstery is mildew resistant mesh and is suitable for daily use in pool environments. Available in seat widths of: 18" and 20". Weight capacity ranges from 350 lbs. to 375 lbs. depending on the chair width. One year warranty.

Item Number	Description	Weight Capacity
HHF18WC50	18" Aquatic Wheel Chair	350 lbs.
HHF20WC50	20" Aquatic Wheel Chair	350 lbs.
	\frown	

Aqua Creek Products





One year warranty. Item Number Description Capacity AquaTrek2 Reduced Seat Depth Wheel Chair HHAQ25050 350 lbs HHAQ35050 AquaTrek2 Wheel Chair 350 lbs HHAQ45050 AquaTrek2 Wheel Chair 450 lbs HP350SB50 Seat Belt Option HH150HR50 High Rise Child Seat Adapter



AquaTrek2 Beach Weelchair

The AQ-1000 Beach Wheelchair has a weight capacity of 350 pounds. The rear proprietary aluminum forks and proprietary bushings are bearing free and turn easily on sand and many other terrains. The frame is constructed of UV rated furniture grade PVC with internal virgin aluminum pipe to maintain integrity strength on rough terrains like sand and parks or at the park with a beach.

Features

Durable and lightweight

Retractable foot rest. 7 and 24 inch mag wheels. Vent holes for submersibility.

- 300 lbs. weight capacity
- Stainless steel axles and stainless steel fasteners
- No bearings, oil free
- Safe and comfortable
- Footrest, brake, seat cushion all included

Additional options: Seat belt and shoulder harness

Mobile Aquatic Chair Mobile Aquatic Chairs (MAC) are essential for facilities utilizing a ramp, zero-depth entry or moveable floor. The MAC is built specifically for use in aquatic environments, with a powder coated stainless steel frame to resist corrosion and a swing-away arm for easy transfer.

The rigid rotomolded plastic seat aids in user transfer by providing a stable platform that can be used for transfer support. Rear stabilizer wheels eliminate the tendency of a chair to pitch forward or back while going down the ramp. 300 pound weight capacity. Powder coated stainless steel. Seat is 18" wide.

Description Mobile Aquatic Chair

We've got the 411!

We have downloadable production worksheets for ramps and lifts at the click of a button!

Please visit us at RecSupply.com and search by item number to find links to related documents on the product page



Weight Capacity

350 lbs.





Item Number

HHAC00012

Slides and Climbing Walls







Kersplash[™] Climbing Walls

Add adventure to your aquatic area with a poolside climbing wall. Kersplash™ is suited for indoor or outdoor use and is available in two panel styles. Kersplash™ Crystal Clear™ complements any aquatic center and offers visibility to areas behind the wall. Kersplash™ climbing walls are made from UV- and chlorine-resistant materials and feature red, yellow and orange Groperz™ Hand Holds. The Kersplash™ frame is constructed of high-quality, 100% passivated stainless steel to withstand harsh pool environments.

Climbing increases fitness levels through development of strength, coordination, cardiovascular endurance and muscle endurance. It also provides participants with positive risk taking and creative problem solving. **Kersplash™ package includes:**

- Kersplash[™] panels
- Top guard panel
- Stainless steel structure
- Groperz[™] hand holds with stainless steel mounting hardware
- Kersplash Rules & Guidelines sign
- Safety, care and maintenance instructions
- Facility Requirements:
 - 35" of deck space
 - 4' of clearance behind the wall for a walkway
 - 5' to either side of your wall
 - 10' drop zone*
 - Pool depth determines the height of the wall

*Note: A designated "drop zone" is recommended at the base of Kersplash™ to keep swimmers out of this area.

73

HH95209FLB Full Tube with Ladder Blue Item Number Panel Style	
HH95209FLB Full Tube with Ladder Blue Item Number Panel Style	Section Heights
HH95209FLGFull Tube with LadderGray GraniteHH0535147Crystal Clear™	8'
HH95209FSBFull Tube with StaircaseBlueHH0536147Crystal Clear™	12'
HH95209FSG Full Tube with Staircase Gray Granite HH0537147 Crystal Clear™	16'

THREE LOCATIONS TO SERVE YOU BETTER! • MOST IN-STOCK ORDERS SHIP THE SAME DAY!

Vortex[®] Slide

(Part 16 CFR 1207).

- 10'7" in height (7'6" to seat)
- 19' corkscrew runway
- Available with ladder or spiral staircase
- Accommodates sliders up to 325 lbs/147kg
- Sturdy rotomolded construction for strength and durability
- 30 gpm max. water delivery system can be plumbed through the pool's return line
- Intended for use on in-ground swimming pools only

Big Time, fun slide! The Vortex slide from S. R. Smith has a high-volume water delivery system. This heavy-duty slide will accommodate up to 325 pounds. The flume is available in **Blue and Gray Granite**, with a primed base. Choose closed or open flume and ladder or staircase designs to customize to fit your application.

The Vortex fully conforms to the Consumer Product Safety Commission Safety Standard for Swimming Pool Slides

SR Smith.

Slides and Landing Pads



FAST Corporation Themed Kiddie Pool Slides

Bring color and imagination to your aquatic play area with an eye-catching fiberglass pool slide! Our fiberglass pool slides and water features are designed to withstand rigorous use and weather for decades with little maintenance required. A wide variety of designs are available. See the back cover of this catalog, visit our website for a slide show or contact us with your unique request.







SlidePad Chlorine-Resistant Aquatic Landing Pad

SlidePad[™] does not require metal fasteners, bolts, or screws to install, making it a safer solution for water park visitors. SlidePad is a single unit comprised of a high-density foam pad encapsulated in environmentally-safe, 100% recyclable AquaPebble™ polyolefin pebbles. SlidePad will not disintegrate, deteriorate, crack, fade, shift, or move after being bonded to the surface. **3-Year warranty** and SlidePad Installation kit are included. Standard Aquatic Blue (pictured) mats ship in 24 hours! Custom shapes, designs, sizes, and color blends are available. Contact us for more information.

SlidePad Aquatic Landing Pad Colors



	Tau Thickness	Difficitationa	
HHR023550	2-1/2"	3' × 5'	
HHR024650	2-1/2"	4' × 6'	
HHR024850	2-1/2"	4' × 8'	



Viro-Shield™

- Made from pure Hydrogen Peroxide (H2O2)
 Effective natural oxidizer, cleaner, deodorizer and anti-microbial solution
- Cleans and disinfects hard, non-porous surfaces to destroy essential components of germ cells and deactivate a wide range of micro-organisms

Item Number CCSR62850



Three locations to serve you better!

Size

Gallor

 HH607050
 4' × 6'
 Truck

 Available in custom sizes. Call for a price quote.
 Truck
 Truck

 74
 CALL TOLL-FREE: 1 800 437 8072 • FAX: 1 800 850 026
 Truck

Dimensions

 $3' \times 5$

Item Number

HH603950

4 CALL TOLL-FREE: 1.800.437.8072 • FAX: 1.800.850.0262 • SHOP ONLINE: WWW.RECSUPPLY.COM

Ships Via

Common Courier

Slide Maintenance

SlideRenu Water Slide Maintenance Products

Scale Removers and Cleaners

	PLACE AND A		 Calcitrol™ Low-PH concentrated ready-to-use formula removes calcium and hard water mineral deposits (white haze) Prepares your slide for waxing, joint repairs or resurfacing Environmental and worker safe organic salt formula that is stronger than most surface damaging acids 	
Item Number		Size	Treats (sq ft/gal) Recommended Use	
CCSR33150		Gallon	1,000 Monthly	Item Number
	STLDPace: Selfparger and Data Mark Self class		 SlideDetergent[™] High-pH water-based technology that dissolves hard-to-remove surface contaminant Extremely effective in dissolving dirt, leaf stains, body-grime, water shoe marks and other unwanted surface residue Biodegradable - no VOC's, petroleum solvents, bleach or ammonia 	CCSR44150
Item Number		Size	Treats (sq ft/gal) Recommended Use	2
CCSR22150		Gallon	1,500 Monthly	
 SlideSoap™ Removes dirt, grime and stains from any slide surface contaminants and soluble salts Biodegradable, worker safe, no VOC's - does not change the pH of pool water 		Item Number CCSR66150		
Item Number		Size	Treats (sq ft/gal) Recommended Use	
CCSR11150	Statese The second	Gallon	 10,000 Weekly SlideArmor[™] Synthetic film-forming protective sealant that bonds to the slide's surface A single application is guaranteed to last an entire season Use to uvintering slide to protect from barch 	Item Number CCSR55150
			 Use to winterize slide to protect from harsh elements 	
Item Number CCSR77150		Size Gallon	Treats (sq ft/gal) Recommended Use 1,000 Semi Annually	Repair F
	Sticle Parce Siderrays ¹⁰ Row for west Sama		SlidePrep [™] SlideWax Remover For use on fiberolass, metal, plastic and concrete surfaces	Stice 9 3428 Hard Back
	Non Colored		roi use on invergiass, metal, plastic and concrete surfaces	

For use on fiberglass, metal, plastic and concrete surfaces such as, but not limited to, water slides, aquatic and soft play features and water slide towers.

Item Number

Item Number

CCSR71150

	SlideRenu
	STAIR BRITE
1	And the second second
L.	

Size Gallon

StairBrite[™] Stair Brightener

- Brightens aluminum stair treads without tedious scrubbing
- Easy to use spray-on/rinse-off mild etching cleaner
 Deep penetrating foaming formula removes
- oxidation, dirt, grime and hard-to-remove surface contaminants Keeps stair treads looking like new the entire
- Keeps stair treads looking like new the entire season
 Size

Gallor

Slide Waxes

Side Pere Mide Segret Martine Constantion	Slic	compound One gallon will typically Should be used prior to o immediately after the wa the season	xidation remover/polishing polish 2,000 sq.ft.
er	Size	Treats (sq ft/gal)	Recommended Use
	Gallon	2,000	Quarterly
-			



SlideWax™

- Unique nanotechnology polymer wax sealant that revives dull slide surfaces
- One application lasts the whole season
- Outperforms carnauba, car and marine waxes
- Reconditions dry oxidized surfaces

ıber	Size	Treats (sq ft/gal)	Recommended Use
.50	Gallon	2,000	Quarterly



SlideGloss™

- Easy to apply sprayable wax requires no buffing;
 wipe on and wipe off
- Unique wetting agents produce a bright wet-look shine that lasts
- Can be applied anytime your slides are in need of a quick "face lift"
- Improves "slip-n-shine"

ber	Size	Treats (sq ft/gal)	Recommended Use
<u>0</u>	Gallon	4,000	Weekly/As Needed

Repair Products

Item Number

CCSR01150

Item Number

CCSR11050

SlideRenu

Slide Putty



SlideCaulk™ Water Resistant Sealer SlideCaulk™ Water Resistant Sealer is a fast curing, one-part polyurethane that chemically reacts with moisture to deliver

strong, flexible bonds with excellent adhesion to wood and fiberglass. Forms watertight, weather-resistant seals on joints and hardware above and below the waterline. In addition, its flexibility allows for dissipation of stress caused by shock, vibration, swelling or shrinking.

> Size 10 Ounces

SlidePutty™ Polyester Glazing Putty

Size

Quart

Polyester glazing putty fills minor surface imperfections on fiberglass water slides. Use to repair gouges, scratches, spider-cracks and surface blemishes without the use of a mesh cloth. No shrinkage, fast drying and may be sanded/ painted after one hour.

THREE LOCATIONS TO SERVE YOU BETTER! . MOST IN-STOCK ORDERS SHIP THE SAME DAY!

Paragon Diving Stands

AUTHROIZED DEALER




Paragon Diving Towers

Paraflyte diving towers are a family grouping closely related in styling and detail. Each is available in One Meter and Three Meter models, and upon request, 1/2 and 3/4 Meter.

Each of the three Paraflyte towers is also available in several different grades. The variation among the grades applies only to materials. There are three different grades-Ultraflyte, Superflyte and Topflyte. Ultraflyte is the top grade and all tube is 1.90" 0.D. × 0.145" wall T304 stainless steel. Superflyte is a general-purpose middle grade and all tube is T304 stainless 1.90" O.D. with a wall thickness range of 0.145", 0.109" or 0.65". The wall thickness of each member is dependent on structural requirements. Topflyte is the economy grade and all tube (with the exception of the flexural members) is T304 stainless steel tube 1.90" 0.D. \times 0.065" wall. The members requiring additional strength are T304 stainless steel tube 1.9" 0.D. \times .145" wall.

Each tower is designed for diving boards 14 or 16 feet long and is furnished complete with pedestal, front anchor, rear anchors, fulcrum and railings. These can be varied to suit specific job requirements or specifications. Individual specification sheets are available for all models on request.

Diving equipment shown here should be used only on pools that conform to state or local codes, FINA, NCAA, NFSHSA and US Diving standards. These specify minimum dimensions for depth of water, length and shape of diving hopper, location of diving boards with respect to side and vertical clearances, and any other requirements. Diving boards sold separately.








welded and extend to pool face. Available in 1/2 Meter, 3/4 Meter, One Meter, or Three Meter with flanged pedestal. Item Number Height For Diving Board Length For 16' Diving Board For 14' Diving Board <u>HH1350110</u> 3 Meter 3 Meter HH1350210 For 16' Diving Board 1 Meter HH1351110 HH1351210 1 Meter For 14' Diving Board HH1351710 3/4 Meter For 12' Diving Board

Fulcrum is adjustable (but not geared). Side frames are





Ultraflyte			Ultraflyte			
Item Number	Height	Pedestal	Item Number	Height	Pedestal	
HH1200910	3 Meter	Flanged	<u>HH1205110</u>	3 Meter	Flanged	
HH1209310	1 Meter	Flanged	HH1213510	1 Meter	Flanged	
Superflyte			Superflyte			
Item Number	Height	Pedestal	Item Number	Height	Pedestal	
HH1201610	3 Meter	Flanged	HH1205810	3 Meter	Flanged	
<u>HH1210010</u>	1 Meter	Flanged	<u>HH1214210</u>	1 Meter	Flanged	
Topflyte			Topflyte			
Item Number	Height	Pedestal	Item Number	Height	Pedestal	
HH1202310	3 Meter	Flanged	HH1206510	3 Meter	Flanged	
HH1210710	1 Meter	Flanged	<u>HH1214910</u>	1 Meter	Flanged	

I HAVE AL

CALL TOLL-FREE: 1.800.437.8072 • FAX: 1.800.850.0262 • SHOP ONLINE: WWW.RECSUPPLY.COM

76


I I I Aven Alverte

S. R. Smith Diving Boards and Stands

RSmíth. **Steel Meter Dive Stands**



- Sleek design with durable, double-coated finish. Jig-mounted and pre-drilled for handrails.
- Pre-finished white powder-coated paint.
- High-performance stand for commercial pools.



required. Poord Size Hoight

Item Number	Height	Board Size
HH0950112	1/2 Meter	8 ft.
HH0950212	1/2 Meter	10 ft.
HH0951012	3/4 Meter	10 ft.
HH0951212	3/4 Meter	12 ft.
HH0952012	1 Meter	10 ft.
HH0952212	1 Meter	12 ft.

Handrail Set with Mounting Hardware

nanaran bet miti mounting naramare		
Item Number	Diving Board Size	
HH0955012	8 ft.	
HH0955112	10 ft.	
HH0955212	12 ft.	



HHDS10112

Item Number

HH1203D12 HH1203H12

HH1203L12

HH1203R12

2/3 Meter

- **Deck Level Dive Stand** Welded construction pedestal slopes at 33 degree from vertical
 - Jig-mounted and pre-drilled for handrails.
 - Pre-finished white powder-coated paint.
- High-performance stand for commercial pools.
- Order diving board and handrails separately as
- required. **Board Size**

8 ft. or 10 ft.
10 ft. or 12 ft.

Handrail Set with Mounting Hardware

Item Number	Description
HH2510412	For HHLS10012
HH2510612	For HHDS10112

2/3 Meter

Deluxe One Meter Tower

- Quick adjustable fulcrum.
- $1.90" \times .145"$ wall, 304 stainless steel ladder with $1.90" \times .065"$ wall 304 stainless steel handrails.
- Stainless steel, 28" wide \times 6" deep non-slip treads.
- Diving board sold separately.

Description	
Dual Mount	
Heel Mount	
Left Mount	
Right Mount	



Deluxe Three Meter Tower

- Quick adjustable fulcrum.
- $1.90" \times .145"$ wall, 304 stainless steel ladder with $1.90" \times .065"$ wall 304 stainless steel handrails. Stainless steel, 28" wide wide \times 6" deep, non-slip
- treads.
- Diving board sold separately.

Item Number	Description
HH3203D12	Dual Mount
HH3203H12	Heel Mount
HH3203L12	Left Mount
HH3203R12	Right Mount

Note: Only one person on diving board at a time, with a maximum weight limit of 250 pounds. Fiberglass boards must be tightened between 20 and 25 ft. lbs.; Aluminum boards, 35 to 40 ft. lbs.



Frontier III Commercial Fiberalass Diving Board

These boards are the safest you can use...no twist or torque, faster recovery and a permanent nonslip tread means a safe, fun dive every time. Here is how it is done:

- The full width core of select, laminated Douglas Fir eliminates any torgue or twist problems.
- A molded fiberglass covering completely encases the core providing strength with maximum flexibility. Heavy reinforcement with additional fiberglass, molded to the core at the fulcrum area, makes this a
- board that will give you trouble-free service under heavy continuous use. A mirror smooth finish of color impregnated resins gives this board a lasting beauty that will not fade or
- deteriorate.

SANITREAD non-slip top surface that resists wear. The safest diving surface ever devised. All boards ship complete with mounting kit.

Color: Padiant White (stock color) Marine Blue

color: hadiant white (stock color), manne blue.			
Item Number	Length	Width	Ship Wt.
HH0961012	10 ft.	20"	88 lbs.
HH0961212	12 ft.	20"	110 lbs.
HH0961412	14 ft.	20"	190 lbs.
HH0961612	16 ft.	20"	230 lbs.



Swim Club Commercial **Fiberglass Diving Board**

The Swim Club board is the ideal mid-range board for commercial pools. It has a durable acrylic outer body and a slip-resistant tread. Boards ship complete with mounting kit.

Color: Radiant White (stock color), Marine Blue.

Item Number	Length	Width	Ship Wt.
HH0922012	10 ft.	20"	100 lbs.
HH0922212	12 ft.	20"	125 lbs.
HH0922412	14 ft.	20"	200 lbs.
HH0922612	16 ft	20"	230 lbs

Olympian[™] Commercial Aluminum Diving Board

Exceptional durability, outstanding action. Proven "I" Beam extrusions are epoxy glued with welded end construction. Available in beautiful tile blue or white long lasting finishes. Safe, nonslip surface that resists wear. All boards ship complete with mounting kit. Specify color when ordering: Radiant White (stock color) or Marine Blue.

em Number	oracing. natione (stock coror) or marine brace		
	Length	Width	Ship Wt.
H0931012	10 ft.	20"	78 lbs.
H0931212	12 ft.	20"	98 lbs.
H0931412	14 ft.	20"	190 lbs.
H0931612	16 ft.	20"	206 lbs.



Ite

HF HH

Hŀ

Item Number HHC100A12

Item Number

HH0990312

HH0990412

Numbic

HI

Split Fulcrum Cover Pad

The 20" fulcrum cover is extruded of 60 durometer white rubber. The top is flat with a grooved surface to control vibration of the diving board. Accepts 1.90" O.D. tubing.

Ship Weight	
2.5 lbs.	

Diving Board Mounting Kit

Stainless Steel tie-down plates and neoprene gaskets have two square $9/16" \times 9/16"$ holes on 12" centers. Complete with carriage bolt, hex nut and lock washers.

Width	Compatible With
18"	10' and 12' boards
20"	14' and 16' boards

Color

White

Blue Ice

Bikini Blue

Diving Board Repair Kit

The diving board repair kit is for refinishing worn diving board surfaces. Each kit contains one quart of Convoy epoxy nonslip coating, one textured roller cover, one pint of solvent and an instruction sheet. One kit contains material sufficient for 25 sq. ft. Not for use on Duraflex boards.

77

Item Number KKU10018 KKU10118 KKU10218


6

Duraflex Diving Boards and Stands

Durafirm Stands

Durafirm diving board stands are the result of design and engineering focused on stability, low noise level, safety and ease of installation on new or existing decks.

- Durafirm's "Eiffel Tower" non-cantilevered design provides a more stable base for the fulcrum than most other diving platform structures.
- The patented Durafirm fulcrum replaces the conventional rack and gear type fulcrum with precision tracks and slide bearings that reduce hardware "clatter" as much as 80%.
- Hinged board anchors allow easy tilting of the board up to 180°.
- All structural members are heavy aluminum castings. All working parts are heat-treated high strength
 anodized aluminum forgings or extrusions. Roller, slide and hinge bearings are field replaceable nylon,
 adjustable for wear. Durafirm fulcrum and anchor units have been chosen by serious competitors world
 wide for years.




Three Meter Stand

Many new features enhance the usability and appearance of the Durafirm 3M Stand. The ladder is thicker and 50% heavier, providing a more stable base for the diving board. The shape of this new ladder is designed to put more support directly under the mounting location of the diving board, which further enhances the stability. Divers will immediately notice the improved feel of this ladder.

The ladder has built-in handrails that provide a comfortable grip as the diver ascends the ladder. The steps are a new, wider, more comfortable design, featuring a replaceable slipresistant slotted tread that matches the Duraflex competition diving board. The addition of one step, the decreased step angle, and the consistent spacing of the steps make this ladder very easy and comfortable to use.

Deck area used: $72" \times 155"$.

Number	Guard Rails	Ship Wt.
30042	Double on 2 sides	740 lbs.



Item M


Item Number HH3140042

One Meter Stands

The One-Meter structures are manufactured in five different heights to accommodate from -1" to 13" (within US Diving tolerance : 1M + / - 2"). The deck elevation above water-level dimension of the pool and deck slope must be indicated when ordering.

Deck area used: $30" \times 135"$.

Guard Rails	Ship Wt.
Double on 2 sides	445 lbs.



Short Stand

Durafirm Short Stands have fulcrum units identical to the One and Three Meter Stands and identical guard rails and anchoring units. They are designed for use on concrete supports or platforms at either One or Three Meter level.

Item Number	Guard Rails	Ship Wt.
HH3152042	Double on 2 sides	320 lbs.
HH3152442	No guard rails	140 lbs.



Anchors for Duraflex Stands

6 anchors are required for the Short Stand; 8 anchors are required for the One and Three Meter Stands.

Hilti Anchor Kit

78

For use with existing decks. Kit includes dispenser, 2 foil packs of adhesive, 2 mixing nozzles, 2 nozzle extensions, 8 stainless steel threaded inserts, hole cleaning brush, and instructions. May also be purchased without dispenser. A questionnaire must be filled out for each kit purchased.

Ships nazaruous.			
Item Number	Description	Description	
HP3190042	Anchor for Duraflex Stand		
HP90642	Hilti Anchor Kit with Dispenser		
HP90742	Hilti Anchor Kit without Dispenser		



Duraflex Diving Board

Acknowledged as one of the finest aluminum boards, the Duraflex is found at the leading competitive pools. It tapers from tip to fulcrum and then maintains the thicker section from fulcrum to butt. Width: 19 5/8".

Maxiflex Model B Diving Board

An improved version of the double tapered Maxiflex. The top surface is perforated to reduce aerodynamic drag during flexing and rebound. There are approximately 200 perforations measuring approximately $1\frac{1}{2}$ " long and $\frac{1}{4}$ " wide, extending 25" back from the tip end of the board. Available in 16' length only. Width: 19 5/8".

Item Number		Description		Shi	Ship Wt.	
HH3132442		14' Duraflex Board		14	5 lbs.	
HH3132642		16' Duraflex Board		165 lbs.		
HH3133042		16' Maxiflex B		16	160 lbs.	
Item Number	Length	Α"	Thickness	Bolt Size	Ship Wt.	
HH3132442	14'	63¼"	2.1/16"	5/8" Dia.	140 lbs.	
HH3132642	16'	78"	2.1/16"	5/8" Dia.	165 lbs.	
HH3133042	16'	73"	2"	5/8" Dia.	160 lbs.	

Duraflex Diving Board Refinishing Services

Replace the slip-resistant surface on your diving board before a slipping accident occurs. The length of time before refinishing becomes necessary depends on the amount and kind of traffic, care in handling and storage, environmental conditions and following the maintenance instructions. If the diving board is slippery, take it out of service immediately and contact a Duraflex dealer for refinishing.

Examine your board carefully for gouges and cracks. Duraflex will not refinish any board with the following issues:

- Any cracks in the ribs, surface, slots, or torsion box.
- Excessive corrosion anywhere on the board.
- Structural damage due to improper installations, handling or any other reason.
- Excessive material applied to the board including paint of any kind.
- Excessive droop. Excessive droop happens when a board takes a permanent downward bend largely due to trampolining the board. Because FINA no longer allows a minus dimension in board-to-water height, anything over one-inch droop will be considered excessive.

Charges for Refinishing include a Board bolt kit & new Rubber Channels. Photos may be required prior to shipping to Duraflex for refinishing. Duraflex will require the board in their factory for approximately 4-6 weeks. Item Number Description

HHREFIN42



Diving Board Refinishing Service

Duraflex Step

The Duraflex Step features a two-piece design that allows replacement of the slip-resistant tread without the need to disassemble the ladder. The aqua-colored tread features the same high-quality slip-resistant surface as Duraflex springboards. With a nearly two-fold increase in surface area, divers will immediately notice the increase in comfort when using this new step. This step is now standard equipment on all Duraflex ladders and can be installed as a replacement on 1-meter ladders.

Item Number	Description
HHC21142	Step Assembly
HPC211N42	Insert and Fasteners only

Duraflex Parts

We stock a broad selection of Duraflex parts. Please visit RecSupply.com to shop for common Duraflex parts and accessories. Contact us for any unlisted items.

NOTICE

Duraflex diving equipment should be installed only in facilities whose diving wells comply with all aspects of either the FINA, USA Diving, or NCAA diving well standards or whose dryland space complies with the FINA dryland diving standards. Copies of the FINA, USA Diving, and NCAA standards are available at no charge at www.fina.org, www.usadiving.org and www.ncaapublications.com, respectively.

Installing diving equipment in any facility that does not meet FINA, USA Diving or NCAA facility standards significantly increases the risks of catastrophic personal injury or death due to the increased likelihood of a diver making contact with the facility or pool ceiling, walls, or floor, or other equipment in the facility. The risk of personal injury includes the risk of death, paralysis, brain damage, and other significant injuries.

When ordering Durafirm Stands, indicate deck-to-water dimension, length, and type of board to be used. Questionnaire may be downloaded from www.recsupply.com. Order anchor set separately.

Stainless Steel Bulkheads • Quikblox Starting Platforms



Stainless Steel Moveable Pool Divider Bulkhead

Are you getting the most from your pool?

Successful aquatic facilities are those that appeal to a wide variety of patrons. The addition of a Eureka moveable swimming pool divider bulkhead can maximize your programming options. A single pool can serve your community for swimming instruction, competition, diving, water polo and even canoeing, scuba or fly-fishing instruction!

Boost your income and improve your programming variety with our swimming pool bulkhead. Please contact us for specifications or a prompt quotation on our made-to-order bulkheads.

Solid and Reliable

This on-demand innovation greatly increases the stability of our bulkheads, in contrast to bulkheads that use closed-cell foam type flotation devices which can be less predictable. For strict quality control purposes, the entire bulkhead is produced in one piece in our own manufacturing facility and shipped complete directly to the project.

For complete specifications, or to receive a prompt quotation, please contact our sales engineers at 1-800-437-8072.

Easy Maneuverability

Unique design factors combine to make our bulkheads extremely easy to move with a minimum of personnel. The bulkhead's vertical surfaces feature a flow through design which allows for easy maneuverability with a minimum of resistance in full pools.

Wave bounce-back and turbulence is virtually eliminated when our bulkhead is used to determine race lanes, and the bulkhead will not impede uniform water filtration. Another convenient feature of our bulkhead is the variable air injection/purge buoyancy chambers that reduce the effective weight of the bulkhead when repositioning within the pool. Our bulkheads are readily maneuvered into position without special equipment.

Options

Eureka movable swimming pool bulkheads are custom designed and fabricated to meet the needs of your facility. Many options, such as high load capacities, starting platforms, and benches are available in accordance with your specific needs.





Quikblox Conquest Starting Platform

New style Conquest Starting Platform. Platform top (24" × 32") and pedestal are constructed from non-corrosive fiberglass. Contoured pedestal base mounts flush to the pool deck or to the top of your bulkhead, to prevent rocking. Patented rotational anchoring system will adapt into any existing starting platform anchors currently available, making installation less expensive than cutting an existing deck to install new anchors. Quikblox platform anchors are available for new deck installations or retrofits. Platforms are available in 3 heights – Low Profile, Mid Profile, and High Profile, which are based on your pool deck-to-water level dimensions. Includes: powder-coated aircraft aluminum backstroke bar and fiberglass rear step. Available options include: Quikblox Anchor, Side Handles, Multi-Adjustable Rear Foot Fin System, integrated speaker, and integrated deck plate. Custom colors and custom vinyl graphics also available. Deck anchor and side handles sold separately. **Please contact us for pricing.**

Features:

- Innovative multi-adjustable rear foot fin design
- 3 profile options. Choose from low, mid or high profile models for adherence with FINA standards
- Angled or H-style backstroke bars. Faster starts mean more personal bests and team records
- Universal anchor system fits any existing starting platform anchor
- Logo/Branding opportunities. High-visibility signage opportunities for team pride and/or corporate sponsorships
- Meets FINA, NCAA, and USA Swimming regulations

79

Item Number	Description
HH5410L50	Conquest Starting Platform, Low Profile with 24" × 32" Top
HH5410M50	Conquest Starting Platform, Mid Profile with 24" × 32" Top
HH5410H50	Conquest Starting Platform, High Profile with 24" × 32" Top
HPSDHDL50	Optional Side Handles, Pair
HPMARFS50	Optional Multi Adjustable Rear Foot Fin System

Paragon Starting Platforms

AUTHROIZED DEALER

PENTAIR PARAGON®

Paragon Starting Platforms

Each Paragon starting platform frame is a single weldment manufactured of high-grade stainless steel, polished and buffed to a 320 grit finish. All welds are electrochemically passivated for maximum corrosion resistance. Each top is a solid sheet of 1.25" high density, UV-inhibited polypropylene with a patent-pending, cross-grooved, non-skid white sand finish.

When choosing a starting platform, your first consideration should be (1) the size of the platform top. Depending on the size (2), you have a choice of single (Paraflyte or Quickest Anchor) or dual legs. (3) Select the anchor style (Paraflyte, Quickset or Competitor). (4) Then select color and graphics (standard sand finish is white). (5) Finally, select the specific model.

All Paragon platforms are furnished with anchors and a 10 degree tilt top unless specified when ordering.

Please browse product pages on RecSupply.com or contact us by phone for the Paragon Starting Platform Worksheet which must be filled out for each platform order.

"B" dimension = distance from the inside pool wall to the centerline of the anchor.

Side Mount

24" × 32" Track Start Tops



Track Start Model (Full Height)

The 24" \times 32" top supports the track type start now used by many competitive swimmers. Competitor models include the same features as our Competitor and Long Reach Competitor Models to offer greater stability and to accommodate a variety of gutter configurations.

Item Number	Description
HH245XX10	Competitor, Side mount, B=18" or 24"
HH245LR10	Competitor, Rear mount, B=36" to 40"
HH245QQ10	Quickset, B=21" to 26"

$20" \times 24"$ Standard Tops, Full Height, Single Leg



$20" \times 24"$ Standard Tops, Competitor Dual Leg



Varsity Competitor Model (Low Height)

Accommodates NFSHSA 18" ruling. Dual legs give greater stability. Furnished with tilted top only. Ship with new Dual-Wedge Competitor Anchor.

Item Number	Description	
HH240XX10	with anchor	
HH240LL10	without anchor	

Competitor Full-Height Model

 Dual legs give greater stability. Ship with new Dual-Wedge Competitor Anchor.

 Item Number
 Description

 HH230XX10
 with anchor

Long Reach Competitor Model (Full Height)

For pools with wide overflow gutter systems. Dual legs with stiffeners and a special deep anchor system offers greater stability. "B" is the horizontal distance from vertical pool wall to the intended position (center line) of the anchor. Ship with new Dual-Wedge Competitor Anchor.

	5	1
Item Number		Description
HH244XX10		B measurement under 30"
HH243XX10		B measurement 30" or over

80 CALL TOLL-FREE: 1.800.437.8072 • FAX: 1.800.850.0262 • SHOP ONLINE: WWW.RECSUPPLY.COM

Paragon Starting Platforms



Track Start Plus+™ for Track Start Platforms

Enhancement kits for Track Start platforms. Adding these components to your existing Paragon Aquatics Track Start Platform is a seamless upgrade. The adjustable backplate can be used with or without a Relay Judges Platform.

Item Number	Description
HH2750010	Adjustable Backplate Kit (White footrest)
HH3994C10	Color Option for Backplate Footrest
HH2750110	Side Hand Grip Kit (White grips)
HH2399510	Color Option for Side Hand Grip Kit



Track Start Plus+™ for Standard Platform Tops

This backplate can be adapted to new or existing Quickset/ Paraflyte and Competitor style platforms seamlessly. The side-to-side adjustment allows for unimpeded rear access and gives the swimmer flexibility for a better take-off.

- Adaptable frame and track constructed of black powder coated T304 stainless steel.
- Non-skid, white sand finish.
- UV inhibited polypropylene construction.
- Color options available for frame and sand-finish kick plate

Colorado Model - Track Start Competitor

Rear Mount

	nick plate.	
Item Number	Fits these platform styles:	Shipping Weight
HH2751010	Quickset/Paraflyte	20 lbs.
HH2751210	Competitor	20 lbs.



Colorado Model - Track Start Competitor Side Mount

Colorado Blocks

These starting blocks are modified for use with Colorado Timing Systems' Relay Judging Platforms (RJPs) and timing equipment. To create your Colorado Block, add an Adapter Kit and a Colorado Time Systems Equipment package to each starting block.

Colorado Block Platform Adapter Kits

Sponsor's panel of plastic or stainless steel fits on platform's slide brackets to display sponsor info or school logo. Also includes horn and deck plate mounting brackets. Panel slides open for easy access to horn and deck plate. It is removable from the starting platform without tools.


Includes: hardware, quick connectors, instructions, drill bit for retrofits and sponsor's panel slide brackets. These can be factory installed on new starting platform orders or easily retrofit for field upgrades.

Item Number	For These Block Models	
HH2670D10	Track Start Competitor (Side Mount)	
HH2671D10	Track Start Long Reach (Rear Mount)	
HH2672D10	Track Start Quickset	
HH2673D10	Long Reach Competitor	
HH2674D10	Standard Paraflyte/Quickset	
HH2675D10	Standard Competitor	

Colorado Time Systems Equipment

The Colorado Time Systems kit includes a Relay Judging Platform (RJP), horn, and connector plate for Paragon starting platform

starting platforms.	
Item Number	For These Block Models
HH2670E10	Track Start 24" × 32" top
HH2673E10	Standard/Competitor 24" × 20" top



Paragon Platform Anchors

Paragon starting platforms are internationally acclaimed by coaches and competitive swimmers alike. They have a variety of different models and anchoring systems available to meet your every need. Paragon starting platforms are widely used on FINA, NCAA, NFSHSA, USMS, USS and competition pools.

Dual-Wedge Quickset Anchor – The Quickset Anchor has been improved and now features a combination of a patented taper-lock base and dual-acting wedge that eliminates front-to-back and side-to-side movement. An integral adjusting knob is easily turned by hand to install or remove the platform without tools. Anchor body is constructed of heavy duty T304 stainless steel and includes cover.

Dual Wedge Competitor Anchor – Paragon's two-leg model anchor has been redesigned for greater support and improved operation. It now has the same locking features as the Dual Wedge Quickset Anchor with the advantage of two legs. The heavy duty cast stainless body features the patented taper lock in combination with the wedge/ knob assembly. (B = Horizontal distance from vertical pool wall to the intended position (center line) of the anchor.) Paraflyte Anchor – Single-legged starting platform is bolted to this deck anchor. Requires a wrench for installation and removal of the starting platform.

Long Reach Paraflyte Anchor - Single-legged platforms are bolted with four bolts to this heavy duty anchor. Tools are required for installation and removal of the starting platform.

Item Number	Description	
HH2330210	Dual-Wedge Quickset Anchor	
HH23103DW	Dual-Wedge Competitor Anchor B<30"	
HH23140DW	Dual-Wedge Competitor Anchor B>29.5"	
HH2220110	Paraflyte Anchor	
HH2250110	Long Reach Paraflyte Anchor	



Item Number	Description
HH2396010	24" × 20" Standard
HH2396710	24" × 32" Track Start
HH2396910	24" × 32" Track Start Plus+

Colors and Custom Logos

All Paragon starting platforms are available in any color in the Pantone Matching System (standard sand finish is white). Pedestals may be powder coated upon request. Please contact us for available color selection.

There is an additional charge for custom color matching if PMS color number is not available. All prices are per starting platform.

Item Number	Description	
HP2399010	PMS Color upgrade for platform top	
HP2399110	Custom Logo Upgrade	
HP2399210	Powder coated pedestal upgrade	

Platform Top Refinishing

Refinish your existing Paragon starting platform tops with the new sand/groove configuration.

nemisir your existing rangon starting platform tops with the new sand, groote comiguration.		
Item Number	Description	
HP3981R10	Standard Paraflyte/Quickset w/Step	
HP3982R10	Competitor	
HP3983R10	Shortee & Varsity (no step)	
HP3984R10	Varsity Long Reach (with 2 steps)	
HP3985R10	Track Start Side Step	
HP3986R10	Track Start Rear Step	

S. R. Smith Starting Platforms





Velocity Side Mount with Track Start



Velocity Side Mount without Track Start



Velocity Dual Post Side Mount with Track Start

Velocity Dual Post Long Reach Side Mount with Track Start

S.R. Smith Velocity Series Starting Platforms

Engineered with RTM technology, the footboard has outstanding strength as well as a sleek, uniform, hi-tech appearance. Compatible with Colorado & Daktronics timing systems. The powder-coated, stainless steel frame is secured to the pool deck with the patented RockSolid® anchor to eliminate platform movement.

- Available with TrueTread[™] or sand tread.
- Optional 5-position Track Start wedge tucks under footboard when not in use.
- Optional side handles offer an additional starting technique for advanced swimmers.
- Patented RockSolid® anchoring system.
- Retrofits onto existing S.R. Smith Legacy frames.
- Custom colors and logos available on sand treaded footboards for an additional charge. Standard sand tread color is white.
- Meets FINA, NCAA, NFSHSA, USMS, USAS competition pool rules and guidelines.
- Anchor sold separately.

Measurements

Product	Setback Range*	Height Off Deck**	Footboard Dimensions
Velocity Standard	21" to 26"	17" to 29.5"	28" × 32"
Velocity Side Mount	21" to 26"	17" to 29.5"	28" × 32"
Velocity Mid Range	27" to 32"	17" to 29.5"	28" × 32"
Velocity Long Reach	30" to 40"	20" to 29.5"	28" × 32"
*Cathack is to contar of th	o onohor		

**Height from deck edge to top front edge of the platform

Velocity Starting Platform with Track Start

Item Number	Description	Finish
HHV215012	Standard	TrueTread
HHV255012	Standard Dual Post	TrueTread
HHV225012	Side Mount	TrueTread
HHV245012	Mid Range	TrueTread
HHV235012	Long Reach	TrueTread
HHV265012	Long Reach Dual Post*	TrueTread
HHV216012	Standard	Sand Tread
HHV256012	Standard Dual Post	Sand Tread
HHV226012	Side Mount	Sand Tread
HHV246012	Mid Range	Sand Tread
HHV236012	Long Reach	Sand Tread
HHV266012	Long Reach Dual Post*	Sand Tread
*Long Reach Dual Post models re	equire the Dual Post RockSolid® Anchor	

Velocity Starting Platform without Track Start

Item Number	Description	Finish
HHV115012	Standard	TrueTread
HHV155012	Standard Dual Post	TrueTread
HHV125012	Side Mount	TrueTread
HHV145012	Mid Range	TrueTread
HHV135012	Long Reach	TrueTread
HHV165012	Long Reach Dual Post*	TrueTread
HHV116012	Standard	Sand Tread
HHV156012	Standard Dual Post	Sand Tread
HHV126012	Side Mount	Sand Tread
HHV146012	Mid Range	Sand Tread
HHV136012	Long Reach	Sand Tread
HHV166012	Long Reach Dual Post*	Sand Tread
*/	and the Dural Deat Deal Calide Arachen	

*Long Reach Dual Post models require the Dual Post RockSolid® Anchor



- Well suited for bulkheads and end walls with 8" to 13.5" (20cm to 42cm) deck to water heights 5-position Track Start wedge tucks under
- footboard when not in use
- *NFSHSA rules do not allow use of backstroke ledge
- Patent pending integral backstroke start ledge is adjustable to five positions

Velocity Advantage Series Starting Platforms

Designed for fast, solid starts, the Velocity Advantage Starting Platform is the next generation of starting blocks. The fiberglass footboard has outstanding strength and is mounted to a marine grade HDPE composite base. Custom color treads and team logos available on sand tread footboard models. Compatible with Colorado & Daktronics timing systems. Meets FINA, NCAA, NFSHSA*, USMS, USAS competition pool rules and regulations.

- Three built in backstroke handholds two center positions and one on each side
- The marine grade HDPE composite base easily mounts to pool decks or bulkheads with minimal drilling
- Platform surface is $28" \times 32"$
- Anchor sold separately

Item Number Description HHV275012 Velocity Advantage Starting Platform, TrueTread™ <u>HHV276012</u> Velocity Advantage Starting Platform, Sand Tread HH2711112 Velocity Advantage Anchor Kit



Velocity Starting Platform Options

Item Number Description HH4175A12 HH4175D12

Side Handles (All models except Dual Post) Side Handles (Dual Post models)

Velocity with Track Start **Safety Cover**

- Provides a visual deterrent against unwanted jumping or diving Exclusive acrylic safety cover for Velocity Starting
 - Block with Track Start Wedge
- Includes keyed cable lock

Description Cover for Velocity with Track Start w/ lock

Domed Safety Cover

Covers stack and store compactly.

jumping or diving.

Not for use with Velocity Starting Blocks with side handles - use Domed Safety Cover (item # HHR131712)

Domed Acrylic Safety Cover prevents unwanted

Well-suited for most starting platform brands and styles.

Front and back bungee cords keep secure to platform. Dimensions: $13" \times 17"$ (330mm \times 432mm)

HHVFI CI 12



Item Number HHR131712

Description 13" × 17" Domed Starting Platform Safety Cover

TrueTread[™] Colors

Note: White sand tread is an option, with custom colors and logo available for an additional charge.





Note: Due to printing technology, actual color may differ. Custom colors also available for an additional charge.



CALL TOLL-FREE: 1.800.437.8072 • FAX: 1.800.850.0262 • SHOP ONLINE: WWW.RECSUPPLY.COM 89



S. R. Smith Starting Platforms





Legacy II Dual Post



S.R. Smith Legacy Series

- Legacy 2.5" square, .120" thick powder-coated 304 stainless steel square tubing.
- Legacy II 1.90" diameter, .145" thick electropolished stainless steel tubing.
- Large fiberglass slip resistant top surface and step.
- Optional side handles offer an additional starting technique for advanced swimmers.
- Fits most existing anchor systems. Available with or without Rock Solid Anchor.
- Can be custom ordered to fit any deck and water height.
- Specify frame color (Legacy only): White, Taupe, Silver Gray or Royal Blue. Custom colors available for additional charge. Contact us for pricing.

Measurements

Product	Setback Range*	Height Off Deck**	Footboard Dimensions
Legacy Single Post	21" to 26"	17" to 29.5"	24" × 32"
Legacy Mid Range	27" to 32"	17" to 29.5"	24" × 32"
Legacy Long Reach	33" to 40"	17" to 29.5"	24" × 32"
Legacy Side Mount	21" to 26"	17" to 29.5"	24" × 32"
Legacy II Dual Post	18"	17" to 29.5"	24" × 20"
Legacy II Side Mount	16" to 26"	17" to 29.5"	24" × 32"
*Setback is to center of the	anchor		

*Setback is to center of the anchor **Height from deck edge to top front edge of the platform

Legacy Series With Anchor

Item Number	Model	
HHLGCY12	Legacy Single Post	
HHLGCYM12	Legacy Mid Range	
HHLGCYL12	Legacy Long Reach	
HHLSM9912	Legacy Side Mount	
HHLGCY212	Legacy II Dual Post	

Legacy Series Without Anchor

Item Number	Model
HHLGCYLA	Legacy Single Post
HHLGCYMLA	Legacy Mid Range
HHLGCYLLA	Legacy Long Reach
HHLSM99LA	Legacy Side Mount
HHLGCY2LA	Legacy II Dual Post



Legacy Long ReachEscutcheon

Legacy Escutcheon Legacy Starting Platform Options and Accessories

Item Number	Description
HH4170A12	Side Handles (All Legacy models except Dual Post)
HH4170D12	Side Handles (Legacy Dual Post models)
HH300PC12	Escutcheon, Square, Powder Coated
HH300RB12	Escutcheon (RecordQuest models except Long Reach), Royal Blue
HH300SG12	Escutcheon (Legacy models except Dual Post & Long Reach)
HH305B012	Escutcheon, Square, Vinyl Coated, Black
HH305RB12	Escutcheon (RecordQuest Long Reach), Royal Blue
HH305SG12	Escutcheon (Legacy Long Reach)



Legacy Dual Post Series

The Legacy dual post models are ideal for competitive swimming facilities.

- High-impact footboards with laminated cores reinforced with fiberglass in a gelcoat
- skin with a non-slip tread.
- Custom colors and logos available.
- Frames made from commercial grade, 1.90" stainless steel, powder-coated for additional protection.
- Patented RockSolid® anchoring system (not included – purchase separately if required).

Measurements

L

Product	Setback Range*	Height Off Deck**	Footboard Dimensions
Legacy Dual Post	18" to 26"	17" to 29.5"	24" × 32"
Legacy Long Reach Dual Post	27" to 36"	17" to 29.5"	24" × 32"
*Setback is to center of the ancho	or		

**Height from deck edge to top front edge of the platform

Item Number	Model
HHLGDP12	Legacy Dual Post
HHLGDLR12	Legacy Long Reach Dual Post
HH4170D12	Side Handles (Legacy Dual Post models)











Legacy Long Reach Dual Post

 $24" \times 32"$ Surface

SolidStart Edge for enhanced hand grip is standard.

Choose from 4 different backstroke handle designs.

Meets FINA, USA Swimming, NCAA, NFSHSA and

Gray or Royal Blue. Custom colors available for

additional charge. Contact us for pricing.

USMS competition pool rules and guidelines. Specify frame color: White, Taupe, Silver

Optional side handles available.

RockSolid® adjustable single post anchor has an innovative wedge design that ensures stability. When the anchor is tightened, the internal wedge system will expand and exert continuous, even pressure on the platform post to prevent movement. The new anchor allows the platform to be easily removed and stored. Features:

- Heavy duty welded stainless steel construction.
- Durable polyurethane liner. •
 - Fully adjustable integral wedge assembly.
 - Anchor cap (used when starting platform is removed).
 - Anchor cap removal tool.
 - Grounding lug.

Item Number HH2710712 HH2710812

Description RockSolid Anchor Dual Post RockSolid Anchor





18" Deluxe Low Profile 30" Deluxe Optional Lane Marker

HH4179612

HH4267112

Colorado Time Systems

		Ç		or A		EVE	NT	2 неат 2
			AIC	JUR	E Company	LN	PL	DO TIME SYSTEMS TIME
			EVE	NT		1	8	OPED:01
			LN	COLORAD	DO TIME SYSTEMS	2	5	9:4663
EVE	NT		1		10:0390	Э	2	9:3746
LN	COLORAL	TIME SYSTEMS	2	5	9:4663	4		9:3708
1	7	10:0390	3	2	9:3746	5	3	9:3852
2	5	9:4663	4	1	9:3708	6	ā	ID: 1363
F	2	9:3746	5	7	9:3852	٦	4	9:4270
q	1	9:3708	Ē	B	10: 1363	R	6	9:5 146
5	7	9:3852	Ē	4	9:4270	q	7	9:5852
6	ē	10: 1363	8	6	9:5 (46	۵	9	10:0163
	6-	Lane		8-	Lane		10	-Lane

Otter Swimming Scoreboards

OTTER electronic scoreboards for track and swimming feature integrated 2.4GHz wireless technology and are about half the width of standard LED-R electronic scoreboards, making them an ideal solution for tight spaces or as an auxiliary electronic scoreboard within your facility.

This sleek design offers wired or wireless communication with your CTS timing console, and wireless communication with your Dolphin and RoadRunner Track Wireless Timing Systems. Otter electronic scoreboards can be used as a permanent or portable solution depending on your needs. Weather-proof digits and electronics are housed in a powder-coated aluminum chassis, which provides excellent corrosion resistance. Each scoreboard is shipped as one piece for ease of handling and installation.

.

Features:

• 2.4GHz wireless scoring for 6-, 8-, or 10-lanes

Conformal coated digits and circuit board to

Indoor or outdoor use

High visibility 5" LED digits

protect against corrosion

Integrated internal antennas for reliable

Brightness adjusts automatically to ambient light

- communication with System 6 wireless adapter and Dolphin
- Permanent wall mount or caddy

Enclosure Colors:



Item Number	Description	Dimensions (H × W × D)
MMS014950	Swimming Scoreboard, 6-Lane	4'-8" × 4'-0" × 4-1/4"
MMS015050	Swimming Scoreboard, 8-Lane	5'-10" × 4'-0" × 4-1/4"
MMS015150	Swimming Scoreboard, 10-Lane	7'-0" × 4'-0" × 4-1/4"
MMMK2150	Wall Mount for Scoreboard	
MMMK2350	Corner Mount for Scoreboard	



Mini LED Scoreboards

Mini scoreboards are an ideal solution for facilities requiring portability, or that are tight on space. The mini LED scoreboard line provides the best of both worlds. It provides the same information as two lines of LED-R at one quarter of the size.

- Lightweight and portable
- Includes legs and handle for easy portability
- Tripod mount
- Optional battery operation

Item Number	Description
<u>MM010150</u>	Mini Scoreboard, 2-Line w/ Event/Heat & Lane/Place/Time
<u>MM010250</u>	Mini Scoreboard, 2-Line w/ Lane/Place/Time
MMKDSCB50	Wireless Scoreboard Adapter for Dolphin Stopwatches
MIMKDSCB50	Wireless Scoreboard Adapter for Dolphin Stopwatches



Pro Pace Clock

Colorado Pace Clock

- Can be run as a stand-alone pace clock or set to run in a series of pace clocks with or without a timer or controller.
- Large 10" LED digits can be adjusted for indoor or outdoor brightness.
- When used with a System 6 controller, Colorado Pace Clocks can operate in a variety of modes to aid with swim training and water polo timing.
- All pace clocks are now available with the ability to transmit data wirelessly.

Standard: Basic Pace Clock with red LED digits, handle and legs. Two intensity settings. No battery; A/C only. Pro (pictured): Pro Pace Clock with red LED digits, internal horn and battery, handle and legs. Fifteen training modes (most require additional equipment for timing input). Fifteen levels of intensity settings. Dimensions: 13.5" × 36.25" × 4.75"

Туре	Wired Item Number	Wireless Item Number
Standard	MMPCSTD50	MMPCSTDWL
Pro	MMPCPR050	MMPCPROWL



AquaGrip® Touchpads

Colorado Timing Systems' AquaGrip touchpads feature the patented AquaGrip texture over the foundation of a tough plastic backbone. AquaGrip combines the best starting and turning surface available with the proven design that all CTS touchpads have used for over thirty years.

Additional models and accessories are available. Please contact us for more information.


Item Number	Size	Weight
MMTP60G50	60" × 22"	28 lbs.
MMTP78G50	78" × 22"	35 lbs.
MMCADTP50	Touchpad Caddy (holds up to 10)	



Relay Judging Platform

The most accurate way to judge relay exchanges! Electronic relay judging is required at all Division I NCAA Championship meets. Relay Judging Platforms (RJP) from Colorado Timing Systems exceed NCAA standards. LEDs across the front of the RJP flash simultaneously with the start tone and strobe light. Attach to existing starting platforms or purchase with the Colorado starting platform.

Item Number	Description
MML243250	24" × 32"
MML242050	24" × 20"
MML202050	20" × 20"
MMLCAD50	Caddy for up to 10 RJPs (20" width)
MMLCAD250	Caddy for up to 10 RJPs (24" width)



Backstroke Start Device

Train with the patented Colorado Time backstroke start device to get the edge on your competition. The backstroke start device adapts to most starting blocks and is FINA, USA Swimming, and U.S. Masters Swimming compliant.

- Anti-slip foot wedge
- Easy to set up
- Automatically retracts up and out of the water

Item Number MM3081C50 MM3081L50

Backstroke Start Device w/ Short Bracket, 5.75" Backstroke Start Device w/ Long Bracket, 9.25"

Colorado Time Systems



System 6 Sports Timer

The System 6 is your main timing system component, coordinating information from start systems, touchpads, relay judging platforms, backup buttons and remote judging terminals for diving and synchronized swimming. The System 6 sends information to scoreboards, meet management software, printer, water polo horns and shot clocks. A wireless adapter is available to control wireless pace clocks.

- $8.4" \times 6.3"$ full color screen
- Internet upgrade capability
- Handles up to 12 lanes

MMSYS650

MMS6WP50 MMHW11050

MMS6PC50

MMWA150

MMWA350

Water Polo Horn Pace Clock Software/Insert

System 6 Sports Timer Water Polo Software/Insert

- Stores and posts unlimited splits AC power with rechargeable battery backup
- Item Number Description

software upgrade	s, and print	ing
Multi sport option	ns—works w	ith swimming,
diving, water pole	o, synchroni	zed swimming,
and as a pace cloo	k	

USB port for data transfer, data storage,



Infinity Start System

The Infinity Start System makes an excellent entry-level start system, and its lower cost makes it a great choice for smaller pools and recreation centers. It is an easy-to-use portable start system and limited public address system.

Includes a wired microphone and built-in 360° strobe.

Item Number

MMNFSSM50

MMFSJ2550

MMTR350

- - Can sit on tabletop or mount on a tripod.
- Weight: 12 lbs. Description Infinity Start System Tripod Infinity Start Jumper Cable - 25' Extra Wired Microphone w/ 25' Cable*

MMM2550 MMSP12550 40W Speaker w/ 125' Cable

*Other cable lengths available. Contact us for more information



Championship Start System

The Championship Start System delivers rugged durability and long lasting performance. This high-powered, easy to set up system is an excellent choice for larger aquatic facilities.

- Includes two wired microphone inputs
- Independent volume control for each input.
- Includes one wired microphone.
- Speedlights-Properly installed, LEDs across the front of a Colorado Time Systems Relay Judging Platform will flash simultaneously with the Championship Start speaker tone and strobe light. This offers the athlete a visual cue. 360 degree strobe light flashes with start signal.
- Flexibility to be used in a fixed location with 110V power or as a portable system running on battery power.
- Limited public address capabilities allow announcements during practice and competitions.
- Optional underwater speaker can be added for underwater recall of false starts.
- Weight: 20 lbs.

Item Number	Description
MMSS50	Champion Start System
<u>MMTR350</u>	Tripod
MMRSJ2550	Champion Start Jumper Cable - 25'
<u>MMM2550</u>	Extra Wired Microphone w/ 25' Cable*
MMRP12550	40W Speaker w/ 125' Cable*
MMSP64550	Lane Speaker - 6W, 45 ohm
MMSPUND50	Underwater Speaker
MMLS40650	Loud Speaker Cable Harness, specify Lane Count
MMLS40850	Loud Speaker Cable Harness, specify Lane Count
MMLS41050	Loud Speaker Cable Harness, specify Lane Count
MMCMPES50	External Strobe w/ 125' Cable
MMPCWMK50	Wall Mounting Kit
MMSMK150	Speaker Mounting Kit
*Other cable lengths available. C	ontact us for more information.



Colorado Time Dolphin Stopwatch Timing System

Runs on an internal rechargeable gel-cell battery.

Additional battery and charger are available.

The perfect system for limited budgets! The Dolphin by Colorado Timing Systems is a breakthrough wireless timing system with a fully integrated Hy-Tek Meet Management interface. Dolphin provides wireless, synchronized stopwatch-style timing for swimming competitions. It significantly reduces the amount of effort required to run a meet and manage data.

- The customizable Dolphin System includes:
- Handheld wireless stopwatches for each lane (supports up to 3 lane timers per lane and up to 10 lanes)
- One Starter Unit
- One Base Unit, which connects via USB cable to your laptop running Hy-Tek Meet Manager with the Dolphin add-on module

85

Item Number	Configuration
MMD106150	6-lane w/1 watch per lane
MMD106250	6-lane w/2 watches per lane
MMD106350	6-lane w/3 watches per lane
MMD108150	8-lane w/1 watch per lane
MMD108250	8-lane w/2 watches per lane
MMD108350	8-lane w/3 watches per lane
<u>MM4050650</u>	Spare Watch



Colorado Blocks

These starting blocks are modified for use with Colorado Timing Systems' Relay Judging Platforms (RJPs) and timing equipment. To create your Colorado Block, add an Adapter Kit and a Colorado Time Systems Equipment package to each starting block. See page 79 for more details.

Competitor Racing Lanes



Official lane line of the NCAA and USA Swimming



Competitor Racing Lanes with LifeSpan+™

Competitor Racing Lanes' patented flow-through design controls water turbulence by allowing wave energy to be dispersed along the length of the lane. This creates the optimum swimming environment for a swimmer's fastest times. Competitor Lane Lines now feature LifeSpan+, a new proprietary additive formula that substantially increases the useful life of Competitor® discs and come completely assembled and are offered in a variety of colors and sizes to meet any need. Each lane consists of a series of 4" or 6" polyethylene disks and donuts strung on vinyl coated 3/16" stainless steel cable. Each of these disks is designed to rotate independently of the others, thereby allowing the wave energy to be absorbed and distributed along the channel within the lane. The donuts are placed at regular intervals to maintain proper flotation during use. Lanes are attached to the pool wall using a stainless steel/bronze ratchet reel at the other for proper tension. By using a disconnect assembly, variable lengths can be obtained from the same lane. **Standard colors: Black, Blue, Burgundy, Gray, Green, Maroon, Navy, Orange, Purple, Red, Sky Blue, Vegas Gold, White and Yellow.** Specify when ordering. Price quotes for custom lengths available on request.

Competitor Racing Lane Colors



Competitor Racing Lanes

Competitor 4" diameter Racing Lanes

Item Number	Length	Ship Wt.	
MM2032914	60'	54 lbs.	
MM2033014	75'	68 lbs.	
MM2033114	25M	73 lbs.	
<u>MM2033214</u>	50M	139 lbs.	
Competitor 4" Lanes with Disconnect Item Number Length Ship Wt.			
<u>MM2034114</u>	25M/75'	54 lbs.	
MM2034214	50M/2-75'	68 lbs.	
MM2034314	50M/75'	73 lbs.	

50M/75'/25M

139 lbs.

Competitor Gold Medal 6" Racing Lanes

Item Number	Length	Ship Wt.
MM2037114	60'	92 lbs.
MM2037214	75'	111 lbs.
MM2037314	25M	120 lbs.
MM2037414	50M	233 lbs.

Competitor Gold Medal 6" Lanes with Disconnect

Item Number	Length	Ship Wt.
MM2038314	25M/75'	92 lbs.
MM2038414	50M/2-75'	111 lbs.
MM2038514	50M/75'	120 lbs.
MM2038614	50M/75'/25M	233 lbs.

Competitor Water Polo Lanes

Competitor's water polo field of play consists of two sidelines and goal tethers. These are fully assembled to fit any pool dimension. Competitor water polo lanes meet all FINA, USA, NCAA, and NFHS standards and can be purchased in both Competitor Standard 4" or Gold Medal 6" discs.

Competitor Water Polo Lanes with 4" diameter Discs

Item Number	Description	
<u>MM2036114</u>	Water Polo Sideline 75' (FINA Markings)	
MM2036214	Water Polo Sideline 25M (FINA Markings)	
MM2036314	Water Polo Sideline 50M with 30M Playing Field	
<u>MM2036414</u>	Water Polo Sideline 50M with 25M Playing Field	
MM2036514	Water Polo Sideline 50M with Dual Playing Fields	
MM2036614	Water Polo Floating Goal Tether 31'6"	

Competitor Water Polo Lanes with Gold Medal 6" Discs

Item Number	Description	
MM2046114	Water Polo Sideline 75' (FINA Markings)	ĺ
MM2046214	Water Polo Sideline 25M (FINA Markings)	
MM2046314	Water Polo Sideline 50M with 30M Playing Field	
MM2046414	Water Polo Sideline 50M with 25M Playing Field	
MM2046514	Water Polo Sideline 50M with Dual Playing Fields	
MM2046614	Water Polo Floating Goal Tether 31'6"	

6 CALL TOLL-FREE: 1.800.437.8072 • FAX: 1.800.850.0262 • SHOP ONLINE: WWW.RECSUPPLY.COM

86

Competitor Reels and Pace Clocks





Competitor Stor Lane Reel™

Ideal for the proper storage and easy installation and removal of race lanes. The standard **Stor Lane Reel™** accommodates up to 525 ft. of 4" diameter lanes or 300 ft. of 6" lanes. The 5" swivel casters with individual brakes make it easy to maneuver around the pool deck. Main framework is made of durable electroplated aluminum which supports the thermoformed plastic reel assembly.

Competitor Swim's high-capacity Elite Stor Lane Reel™ holds 902' of 4" discs and 450' of 6" discs. An end-mounted tow-handle and 6" stainless steel casters make the Elite easy to maneuver and lock in place.

Item Number	Description	Ship Wt.
MM2035014	Stor Lane™ Reel*	110 lbs.
MM2086014	Elite Stor Lane™ Reel*	199 lbs.
MM2035114	Cover for Stor Lane Reel™	
MM2086114	Cover for Elite Stor Lane Reel™	





Competitor Classic Plus Stor Lane Reel[™]

Ideal for easy, mobile storage and installation of race lanes, the Competitor Classic Plus Stor Lane Reel™ features solid end wheels keep the lanes safely on the core to avoid tangles and lane line damage. A powder coated aluminum frame and end wheels offer durability for both indoor and outdoor use. A unique, end mounted handle and 5-inch stainless steel casters with individual brakes provide easy and safe maneuverability. Classic Plus Reel holds 525' of 4" lanes and 300' of 6" lanes.

Current Classic Stor Lane Reel[™] owners can upgrade with the Classic Plus Stor Lane Reel[™] Conversion Kit. The kit includes: aluminum core, aluminum end wheels, and stainless steel hardware. Kit does not include 5-inch stainless steel casters, which can be purchased separately.

tem Number	Description	Ship Wt.
<u>MM2051014</u>	Classic Plus Stor Lane™ Reel	125 lbs.
MP2077514	Classic Plus Stor Lane Reel™ Conversion Kit	100 lbs.
MP2075014	5" Stainless Steel Swivel Caster (each)	2 lbs.



Competitor Customized Stor Lane Reel[™]

Competitor's new Elite Reel is now available to be customized. The Elite Wizard allows you to design a unique Elite Reel that matches your school, facility, and any color combination that fits your needs. The creation is available in real time, along with a quote on our website.

Standard Customized Reel Includes: Custom wheel color, custom frame color, and two large logos.

Deluxe Customized Reel Includes: Custom wheel color, custom frame color, frame text (including font), two large logos, and a small handle for easy maneuvering of the reel.

	¥.
Item Number	Description
MP200ST14	Standard - Elite Stor Lane Reel™ Customization
MP200DE14	Deluxe - Elite Stor Lane Reel™ Customization



Competitor 31" Pace Clock

The octagonal shaped housing of this 31" pace clock is designed for optimum visibility. The face and hands are protected by a clear plexiglass lens. Clock has an easy on/off switch. Clock mounts on a wall or may be made portable with the purchase of the roll-away stand (sold separately). A water resistant housing makes the pace clock ideal for deck use. Battery model uses one AA battery (not included). Dimensions: 31" × 31" × 5"

Item Number	Description	Face Color
MM30214	31" Pace Clock, Electric	White
MM2030314	31" Pace Clock, Electric	Black
MM2060014	31" Pace Clock, Battery Operated	White
MM2060514	31" Pace Clock, Battery Operated	Black
MP2030514	Roll Away Stand for Pace Clock	

Competitor 15" Pace Clock

The 15" pace clock has a one-piece pedestal design and the same features as the 31" battery model. Uses one AA battery (not included). Dimensions: $21" \times 15" \times 7"$

Item Number	Description	Color	Face Color
MM40014	15" Pace Clock, Battery Operated	Red	White
<u>MM40514</u>	15" Pace Clock, Battery Operated	White	White
MM50014	15" Pace Clock, Battery Operated	Red	Black
MM50514	15" Pace Clock, Battery Operated	White	Black

Replacement Parts for Competitor Pace Clocks

Item Number	Description
MP2030614	Battery Motor for 15" Clock
MP2037014	Battery Motor for 31" and 37" Clocks
MP2031614	Electric Motor for 31" and 37" Clocks
MP2003114	On/Off Battery Switch Assembly for 31' and 37" Clocks
MP2040214	Red Second Hand For 15" Clock
MP2040314	Black Minute Hand For 15" Clock
MP2040414	White Second Hand For 15" Clock
MP2040514	Blue Minute Hand For 15" Clock
MP2030914	Red Second Hand For 31" and 37" Electric Clock
MP2031014	Black Minute Hand For 31" and 37" Electric Clock
MP2032114	White Second Hand, For 31" and 37" Electric Clock
MP2032214	Blue Minute Hand, For 31" and 37" Electric Clock
MP2031314	Red Second Hand For 31" and 37" Battery Operated Clock
MP2031414	Black Minute Hand For 31" and 37" Battery Operated Clock
MP2032514	White Second Hand For 31" and 37" Battery Operated Clock
MP2032614	Blue Minute Hand For 31" and 37" Battery Operated Clock





Competitor 37" Pace Clock

Our 37 inch Pace Clock features large, highly visible 31/2" quarter numbers, designed primarily for competitive swimming. The 37 inch clock is equipped with a retractable stabilizing plate to protect against wind or accidental contact- no additional clock stand necessary! The clock can also be wall mounted. In addition to having wheels that allow for easy movability, the 37 inch clock has a storage space built into the back of the clock. The 37 inch clock housings are offered only in white and the electrical option includes an 18 foot electrical cord with an on/off switch. The battery option includes a "C" battery. Dimonsions: 37" v 37

Item Number	Description	Face Color
MM2070214	37" Pace Clock, Electric	White
<u>MM2070314</u>	37" Pace Clock, Electric	Black
MM2080014	37" Pace Clock, Battery Operated	White
<u>MM2080514</u>	37" Pace Clock, Battery Operated	Black

Backstroke Flags, Stanchion Posts, and More



Take-Up Reel





6" Body Segment

4" Body Segment End Segment

Take-Up Reel Wrench

Donut

Float

Extension Hook w/ Rubber Coating

Competitor Racing Lane Parts

item Number	Description
MP1014014	Red Plastic Cover for Take-up Reel
MP2020014	Complete Take-up Reel with Red Plastic Cover
MP2020114	Heavy Duty Spring & Lock
MP2020214	Take-up Reel Wrench
MP2020614	Cable Lock
MP2021014	S/S Cable–Vinyl coated, per ft.
MP2022814	Disconnect Clevis Replacement
MP2022914	S/S Clevis Pin
MP2008014	2" Stainless Steel Extension Hook
MP2024014	8" Stainless Steel Extension Hook with Rubber Coating
MP2024114	14" Stainless Steel Extension Hook with Rubber Coating
MP2024214	24" Stainless Steel Extension Hook with Rubber Coating
MP2034714	4" Body Segment
MP2037114	6" Body Segment
MP2034814	Competitor End Segment
MP2034914	Competitor Donut Float
Specify color when ordering	segments or donut floats.

Complete Competitor Racing Lane Line assemblies can be found on page 86.





Backstroke Flags

Designed using a new cross-blended nylon material in a range of colors that meet all FINA, NCAA, USA and NFHS regulations. Mounting is easy using nylon braided cord and swivel hooks. Limited replacement guarantee. Silkscreening available for individual flags. Custom logos will require a setup charge. Call for details. Specify flag color: Black, Blue, Burgundy, Gold, Gray, Green, Navy, Orange, Purple, Red, White, or Yellow.


Item Number	Description
MM2082614	Individual Backstroke Flag 11" × 14.5"
MM2094814	Individual Backstroke Flag 12" × 18"
MM26ZZZ14	Individual Flag Silkscreen Charge
MM2082714	3/16" Nylon Braided Cord per ft.
MM2082814	Zinc Coated Swivel Hook
Two hooks required per string of	backstroke flags



Standard Pennants - 100'

Made of tough 8 mil polyethylene material, these pennants will give the long-lasting performance of plasticloth. 100' string consists of $12" \times 18"$ alternating color pennants spaced 15" apart to meet AAU and NCAA requirements. Special colors available on request.

Item Number	Color
MMBSPBW50	Blue/White
MMBSPRW50	Red/White
MMBSRWB50	Red/White/Blue
MMBSPMC50	Multicolored



Recall Rope

Our custom recall ropes are constructed from lightweight 1/2" yellow polypropylene rope and include two weights for quick release.

When ordering our custom recall ropes, please specify pool width, stanchion height, and length of rope.

Description Recall Rope-Specify Length

Stanchion Posts

For supporting backstroke lines, finish lines, recall lines and splash curtains. They are made of stainless steel pipe capped at one end with a stainless steel closure plate and U-Hook. Sliding collar with eyebolt is optional.

	Backstroke	Recall (False Start)
FINA	5 meters from each end wall	5 meters from starting end
US Swimming Short Course Long Course	15' (4.57M) from each end wall 5 meters from each end wall	36' (11M) from starting end 49' (15M) from starting end
NCAA 25 Yard Course 25M/50M Course	15' (4.57M) from each end wall 5 meters from each end wall	60' from starting end 20 meters from starting end
US Masters Short Course Long Course	15' (4.57M) from each end wall 5 meters from each end wall	36' (11M) from starting end 49' (15M) from starting end
NFSHSA	15' (4.57M) from each end wall	42' from starting wall

Item Number	Wall × Length
HH3810110	.065" × 4½'
HH3810210	.065" × 8'
HH3810310	.109" × 4½'
HH3810410	.109" × 8'
HH3810510	.145" × 4½'
HH3810610	.145" × 8'
HH3830110	Sliding Collar & Eyebolt (in stock)

bliding Collar & Eyebolt (in s

HH3821010





Stanchion Socket

Stanchion socket sets flush in deck furnished with vandal-proof closure cap.

HH3820110 HH3820T10

Bronze Stanchion Sockets

	Description
HH3820110	Paragon with Slip Cap
HH3820T10	Paragon with Threaded Cap
<u>HH3820210</u>	Key for Paragon Threaded Cap

Stainless Steel Stanchion Sockets Item Number Description Paragon with Cover HH3821010



Lane Line Anchor for **Overflow Pools**

- S.R. Smith's low profile lane line anchor for use on pools with overflow gutters.
- Helps keep lane lines on the surface for better wave auellina.
- Marine-grade, 316 stainless steel that's vinvl coated for extra protection.
- 6-inch and 8-inch lengths.
- ChemSet anchor kit included. Anchor Length

6'



HH1761612

HH1761812

Brass Cup Anchors Chrome plated bronze

- Choose removable triangular eye or integrated cross bar

Description **NNPH82B50** Cup Anchor with Cross Bar **NNPH8250** Cup Anchor with Removable Triangular Eyebolt **NNPH82E50** Replacement Eyebolt



Paragon **Stainless Steel Anchors**

Anchored into pool wall for use with racing lanes and life lines. Cast stainless steel cup anchor with integral bar or triangular eye bolt for attaching multiple lines.

HH316SS10 HH7031610

Description With Integral Anchor Bar With Triangular Eyebolt

CALL TOLL-FREE: 1.800.437.8072 • FAX: 1.800.850.0262 • SHOP ONLINE: WWW.RECSUPPLY.COM

Item Number

HHRECAL99

Timing and Stopwatches





Pro Survivor Stopwatch

- Pro Survivor functions:
- Cumulative split 1.2 fast finish
- Split release action
- Event timeout
- 24 hour time range
- 12/24 time of day
- Date and day of week
- Features:
- Million-cycle, no fail buttons
- Ergonomically designed, heavy duty case
- 5 year NPOP warranty
- 5 years battery life
- Magnum XL display
- Water resistant up to 100 feet Color



Top Swimming Watch!

Item Number MMAX60250

Item Number

MMAX62550

Eagle AX602

AX602 functions:

- 100 memory
- 1/100 resolution
- . Dual split
- Three line LCD display shows current split time, lap time and running cumulative time
- Stroke rate calc mode
- Time of day/Date/Alarm:
- 5 year warranty

Accusplit #

AX602

MA601XRD	Red AX Pro Event AX605	
MA601XRD	Red	
MA601XBK	Black	
MA601XYL	Yellow	
MA601XBL	Blue	

- - Start & Stop R or L button
 - Event timing
 - 10 hour timing range
 - 1/100 resolution
 - Features:
 - No-fail million cycle button
 - 5 year NPOP Warranty
 - 5 year lithium battery

 - Magnum XL display
 - Extra durable ergonomically correct case

Accusplit # AX605



AX Pro Cumulative/Lap AX625

Functions:

- Start & Stop R or L button Event timing
- 10 hour timing range .
- 1/100 resolution

Cumulative and lap splits Features:

- No-fail million cycle button

AX625

Extra durable ergonomically correct case Accusplit #



Great Lane Timer!

Item Number

MMAX60550

Accusplit Tally Counter

Item Number **MMAI 60850**

MMAX80550

Description Tally Counter

15" Pace Clock



Accusplit 15" Pace Clock

ACCUSPLIT's revised design is now a Larger Index Face Lane Timer in a smaller compact design.

- With a 12" Index Face, this clock-style timer is easier to see than our old 9.5" Index Face on our 15" dial. Simple to operate.
- Powered by one AA battery.
- Rugged, bright blue ABS plastic housing.
- Counts up with 1 second resolution to 60 minutes, then repeats.
- Push button start/stop.
- Features Detachable Feet to help keep the unit upright

Color

Blue

in windy conditions, better than the previous design. 5 year warranty.



IST Swimclock

SWIMCLOCK with Bluetooth® Wireless Technology provides unparalleled flexibility and control over workouts. SWIMCLOCK uses dependable, super-bright LEDs that are visible indoors or out. The four 6.5 inch digits are enclosed in a rugged aluminum case with Plexiglas lens. Available with or without battery. Wall-mount bracket included.

Create unlimited workouts with unlimited sets in each. Save in memory to reuse, edit, or delete and replace. While running a workout, the coach can start, stop and restart, or reset the whole workout at any time, or move to any set in the workout. You also have the option to pause the clock between sets, or run the workout from beginning to end without stopping.

Use E-Z Workout to program a single interval and the number of repeats. Also includes Game Clock and Stopwatch modes. Multiple SWIMCLOCK's can be run synchronously from one cell phone.

Item Number	Description
MMSCBHI50	Swimclock Bluetooth without battery
MMSCBHX50	Swimclock Bluetooth with battery

Swimstart

25' Cable



IST Swimstart

The Swimstart Electronic Start includes portable PA, 360° strobe and tone start signals, and recall tone in a compact case. May be used stand-alone or interfaced to IST's Swimware Timing System or other timing systems with optional 25' cable. Includes 40 Watt speaker and a jack for auxiliary speakers. No-tip feet allow unit to be placed directly on the deck, or it may be attached to backstroke pole with latching straps. Comes with 5 year limited warranty.

Item Number MMSSTRT50 MMSCB2550

5 year NPOP Warranty 5 year lithium battery Dual LCD display

Anti Wave Racing Lanes



ANTIWAVE



Anti Wave ForeRunner™ 4.75" Racing Lanes

Our most popular line of racing lanes, the Anti Wave ForeRunner 4.75" Racing Lanes, are designed after our wildly successful 6-inch "Maximum" lane. Anti Wave's racing lanes use hydromatic propulsion to disperse the waves along the lane line then down to stop all momentum, creating perfectly tranquil water. The ForeRunner is competitively priced and available in the same colors as the "Maximum" lane. Equipped with the Supertensioner™. Made of UV stable resin plastic which reduces the risk fading and deterioration caused by long term exposure to sun light. Includes **3-year warranty**.

Available colors are Maroon, Red, Orange, Yellow, Green, Teal, Light Blue, Blue, Dark Blue, Purple, White, Silver, Gray, and Black Specify colors with order.

Item Number	Length	Ship Wt.
<u>MM37056</u>	60'	55 lbs.
MM37156	75'	69 lbs.
MM37256	25M	75 lbs.
<u>MM37356</u>	50M	150 lbs.
MM37456	50M with One Disconnect (25M)	
<u>MM37556</u>	50M with Two Disconnects (75')	
MP01656	7' Extension	
MP01856	14' Extension	
60' Lanes ship by UPS; lor	nger lanes by motor freight.	



Anti Wave Maximum 6" Racing Lanes

The "Maximum" 6" Racing Lane is the lane used in the Sydney 2000 Summer Games. Using Hydrodynamic Propulsion technology, the "Maximum" forces the waves downward into the pool. The effect is dramatic wave quelling performance. The lanes come factory assembled with the Supertensioner[™]. The Maximum is shipped completely assembled and carries a **3-year warranty.** Standard lane features a 15' solid-color lead-in, followed by alternating colors every 3'. Variations are available. Call for information regarding custom lengths or configurations.

Available colors are Maroon, Red, Orange, Yellow, Green, Teal, Light Blue, Blue, Dark Blue, Purple, White, Silver, Gray, and Black Specify colors with order.

Item Number	Length				Shi	p Wt.
MM38056			60'		70	lbs.
MM38156			75'		80	lbs.
MM38256			25M		96	lbs.
MM38356			50M		184	4 lbs.
MM38456		50M	with One Disc	onnect (25M)		
MM38556	50M with Two Disconnects (75')					
MP02656			7' Extens	ion		
MP02856			14' Exten	sion		
"Maximum" Lar	nes ship by	motor freight.				
BLUE	DARK BLUE	PURPLE	WHITE	SILVER	GRAY	BLACK

90 CALL TOLL-FREE: 1.800.437.8072 • FAX: 1.800.850.0262 • SHOP ONLINE: WWW.RECSUPPLY.COM

Lane Storage Reels and More



Ultimate Storeel by Anti Wave

You will love our super-capacity, stunning looking, easy to handle lane storage reel, and you won't believe the incredible price! Our "Ultimate" Storeel is made of top quality coated aluminum with a 79" wide, 6" diameter center spool (designed to eliminate the possibility of damage to the discs) and lockable swivel casters. The Ultimate Storeel includes a 3-year warranty. Assembly required. Capacity: seven 25M ForeRunner lanes or four 25M Maximum lanes. Ships via truck.

Item Number MMAW61556 Description Ultimate Storeel



Cover for Ultimate Storeel

- Produced form top quality UV resistant Solarguard material for long life and durability.
- Comes with a limited 3-year warranty.

Item Number MMAW61956

Description Cover for Ultimate Storeel



Anti Wave Lane Caddy

The Anti Wave Lane Caddy provides for safe and guick removal and installation of Anti Wave swimming racing lanes. The Lane Caddy is designed to be quickly installed onto the pool deck and allows for smooth and unhindered movement of lanes that would otherwise be damaged by the sharp pool edge. Top quality hand-laid fiberglass construction. Includes 3-year warranty.

Item Number MM56056

Anti Wave Racing Lane Parts

Item Number	Description
MPAW5FD56	ForeRunner 4.75" Disk
MPAW5MD56	Maximum 6" Disk
MPAW5FF56	Donut Float
Specify color whe	n ordering segments or donut floats

Lane Caddy



Item Number

MP55X56

Description Supertensioner

Anti Wave **Backstroke Start Device**

Anti Wave

Supertensioner[™]

discs. Specify color with order.

The Supertensioner[™] may be added to your existing lanes to

replace worn tension reels. Adjusts with a twist of the wrist!

It fits any size or type of lane made in the USA. Comes with

a 3-year warranty. Available in same colors as racing lane

The Anti Wave Backstroke Start Ledge is a simple and practical backstroke starting device for swimmers to perform top performance backstroke starts. Suitable for training and competition, the Ledge assists swimmers with the fastest possible starts by providing positive traction on the pool wall. The Backstroke Start Ledge has a simple manual height adjustment and is suitable for connection to all standard starting blocks including all Anti Wave Blocks. The Ledge is simple to adjust from in the pool by the swimmer or on the pool deck by the coach.

- PVC bumper to protect pool wall and tiles from scratching.
- Five height settings to suit each swimmer's needs using Marine StayPut and Eyelet system.

Meets all FINA regulations

Item Number MMAW35056

*Starting block not included

Description Anti Wave Backstroke Start Ledge



SR Smith.

XL Lane Line Storage Reel

The XL Lane Line Storage Reel offers 25% more capacity than many other lane line reels. That means it can hold up to 985 ft (300 meters) of 4" diameter or 575 ft (175 meters) of 6" diameter lane lines, which is more than any other storage reel available on the market! Powder coated stainless steel means the reel is resistant to corrosion. The heavy-duty casters are non-marking and can swivel 360 degrees making it easy to maneuver.

The specially designed evenook allows the first lane line to be properly secured. An optional royal blue cover is sold separately.

Specify Reel Color: Silver Gray (stock, shown), Radiant White, or Royal Blue.

Number	Description	Capacity (4" Lanes)
800012	XL Lane Line Storage Reel	985 ft/300 M
8610012	Cover for XL Lane Line Storage Reel (Ro	oyal Blue)



SelSmith.





The Lane Line Guard[™] prolongs the life of swimming pool lane lines by circumventing rough pool deck surfaces and corners by allowing lane lines to glide smoothly through the deep fiberglass channel. An S.R.Smith Lane Line Guard will help make the removal and installation of lane lines easier, and will protect your investment.

- Deep channel with smooth surface
- Lightweight with strong fiberglass construction
- Extends the life of lane lines, saving money
- Rubber trim material along the outside edge of the Lane Line Guard offers protection and helps grip the pool deck
- Designed with built in, user-friendly hand-holds

MM3700012

Item <u>MM3</u> MM3



Description Lane Line Guard



Distinctive stainless steel construction makes this the perfect reel for commercial and institutional pools. It features individual locking casters and holds up to 540' of 4" diameter lane lines.

Item Number Casters Capacity (4" Lanes) MM7510110 Standard 540 Ft MM7511110 Standard 720 Ft MM7510S10 Stainless Steel 540 Ft Stainless Steel 720 Ft MM7511S10



Cover for Stainless Steel Reel by Paragon

Protective cover for Paragon Racing Lane Storage Reel. Made from 100% heavy duty polyester-reinforced vinyl with textured blue finish.

Description MM7513310 Lane Reel Cover-540' Capacity Reel MM751XL10 Lane Reel Cover-720' Capacity Reel

THREE LOCATIONS TO SERVE YOU BETTER! • MOST IN-STOCK ORDERS SHIP THE SAME DAY!

Item Number



Water Polo



Anti Wave Universal Wall Water Polo Goal

- All metal parts are made of durable white powder-coated aluminum for extra protection, or stainless steel.
- The net is of tough polypropylene cord, knotted at every intersection.
- The canvas is a durable plain-woven fabric with a top layer of PVC that seals the threaded bottom layer and makes for a smooth and glossy surface.
- The Rear Arms are fully adjustable horizontally (up to 36") and can be adapted to most existing deck anchor locations. Two deck anchors are included with the goal.
- Can be assembled in approximately one hour by two people. Each goal comes with a detailed assembly instruction sheet
- Includes red net and blue canvas.
- Use the Long Goal for shallow water applications (5' or less). Use the Short Goal for deeper water (over 5'). Limited 3-year warranty.

Item Number	Description	Dimensions
MMAW61656	Universal Long Goal	124" L × 66.03" H × 23.62" W
MMAW32856	Universal Short Goal	124" L × 40.35" H × 23.62" W



Anti Wave Odyssey Water Polo Goal

As used in the Sydney Olympics!

Combining unequaled form and function, the Odyssey floating goal is quite simply the finest water polo goal on the market. It has been used in pools around the world since its introduction at the 2000 Sydney Olympics. As the standard for major competition or state-of-the-art facilities, the Odyssey is the only choice. Comes with a three year warranty. Assembly required.

Item Number	Description
<u>MMW055056</u>	Odyssey Water Polo Goal
MMAW64356	Replacement Net (Red)



Anti Wave Splashball and FlipFloat Water Polo Goal

The Splashball floating goal is a two-thirds size version of the popular Club goal, making it ideal for splashball, kids' games, practice, residential and club pools, or any location where a full-size competition goal is not needed. The FlipFloat is a full-size competition floating polo goal. What is unique about these goals is that they fold flat for storage. Just pull the Rear Arms out of their sockets and the Front Frame folds down onto the Float Panels. Once folded, these goals can be easily carried and stored.

The flotation panels are durable hand-laid fiberglass. The front frame and rear bar are white powder-coated aluminum. The rear struts are 1" diameter nylon rods. The net and rope are polypropylene. All fittings are stainless steel. Three year warranty.

Item Number	Description
MMAW67256	Splashball Polo Goal
MMAW67456	FlipFloat Senior Folding Polo Goal



Color

Blue

Yellow

Item Number OOTP33BL **OOTP33YI**



Mikasa Splash Ball

The Mikasa W5007 is a USA Water Polo approved Size 1 Splash Ball. Designed for ages 8 and under. Buffed for maximum grip.

No handles to interfere with game mobility 37" deflated outer diameter, 33" inflated outer diameter, 16" inner diameter hole Heavy duty 30 gauge PVC vinyl Double welded, smooth inner seams Single main air chamber, push-in valve Two self adhesive repair patches per unit

MMW500750 Fina MIKASA

Description W5007 Splash Ball

Description

FINA Official Water Polo Ball

W6000 Men's Water Polo Game Ball NCAA, NFHS

W6009 Women's Water Polo Game Ball NCAA, NFHS

The Mikasa W6000/W6009 is FINA approved and is the NCAA championship game ball and is NFHS approved. Made of top-quality natural rubber, hand buffed to provide excellent grip. All come with a 2 year warranty.

Item Number MMW600050 MMW600950

Fina ME BALL

IKASA

Mikasa FINA Game Ball

Mikasa's new WAVE design once again set a new standard for water polo ball innovation. FINA branded this beauty with its stamp of approval and began play with it in 2009. Mikasa has been the official water polo ball of choice since 1980.

Item Number MMW600W50 MMW609W50



Description Men's W6000W Game Ball Women's W6009W Game Ball

Plastex Matting Floorline Water Polo

A guick field marking set-up and easily removed solution to increase visibility of the field lines whilst ensuring safe pool side traffic with slip resistance. Floorline Water Polo matting is very convenient to use at public polo sessions, being light, guick, and easy to install and for subsequent storage. Floorline Water Polo matting is supplied as a one piece tri-colored 15m roll (Green, Yellow and Red), acting as a field marking solution whilst ensuring continued safety underfoot for the referee even when the matting is wet.

- UV Resistant
- . Fire Resistant
- Quick to lay down for field set-up .
- Increase visibility of field marking lines
- . Etched surface
- Anti-microbial & anti-fungal additives .
- Made from flexible PVC, supplied in one piece roll
 - Tri-colored one piece roll: green (10M), yellow (3M), and red (2M)
 - Can be used indoor or outdoor
 - Certified high slip resistance DIN 51130 R11
- Roll Size $2' \times 50'$

Item Number

LLFLNWP50

Water Basketball





RockSolid Commercial Swim N' Dunk Basketball

The Swim N' Dunk Commercial RockSolid™ Basketball Game features the patented RockSolid anchor to eliminate movement against the toughest opponents, and a rugged SealedSteel® Salt Friendly single post frame and rim to guard against corrosion. When you need your deck to be clear, the game can be easily removed from the anchor, and the optional anchor cap put in place. Extended Reach model is designed for facilities with wide gutter configurations.

- Base model has 18" setback to center of anchor. Extended Reach model has a setback of 30".
- Commercial grade 2.5" square 304 stainless steel frame.
- Regulation rim, net, basketball and needle included.

Item Number	Description	
OOSBARS12	RockSolid Commercial Swim N' Dunk Basketball, with anchor	
OOSBARSLA	RockSolid Commercial Swim N' Dunk Basketball, without anchor	
OOSBAER12	RockSolid Commercial Extended Reach Basketball, with anchor	
OOSBAERLA	RockSolid Commercial Extended Reach Basketball, without anchor	
Also available in custom heights and setbacks with pricing on request.		

Dual Post Commercial Swim N' Dunk Basketball

The Swim N' Dunk Commercial Salt Friendly Dual Post Basketball Game features a SealedSteel® coated, one-piece upright frame and rim. The continuous uprights require less hardware and allow for quicker assembly, while the SealedSteel Salt Friendly coating will stand up to harsh pool environments. When you need your deck to be clear, the game can be easily removed from the anchor, and the optional anchor caps put in place.

- 18" setback to center of anchor.
- Commercial grade 1.90" OD, 304 stainless steel frame.
- Regulation rim, net, basketball, needle, plastic anchors
 and escutcheons included



 Item Number
 Description

 OOSBAEC12
 Dual Post Commercial Swim N' Dunk Basketball

 OO3000912
 Optional Bronze Anchor Socket package, 1.90" × 6"

 Also available in custom heights and setbacks with pricing on request.





Eureka Stainless Steel Aqua Basketball

Our deck mounted stainless steel pool basketball unit is designed completely of stainless steel and plastic components, making it one of the most rust-resistant units available. Contact us to discuss your requirements.

HydroShot Premium Adjustable Basketball System

Originally designed for commercial waterparks, HydroShot brings premium grade basketball performance to your poolside!

HydroShot's 4" square post and dual strut extension arm make a "tough as nails" poolside unit that will never rust! HydroShot comes complete with your choice of three clear, professional looking acrylic backboards and breakaway rim. To adjust the unit, simply turn the crank handle positioned for easy access from the pool deck. Can be adjusted from regulation 10' down to 6'-6". An easy-to-read height indicator is provided as well.

Item Number	Description	Backboard
00HS20050	HydroShot II	36" × 48"
00HS30050	HydroShot III	36" × 54"
00HS40050	HydroShot Select	36" × 60"



Item Number HHSSBSK99

Front View

Description

Splash & Slam Water Basketball and Volleyball



Splash & Slam Stainless Basketball

The state-of-the art pool basketball set. Indestructible reinforced poly backboard has 2' of overhang. The stainless steel rim easily adjusts anywhere from 2' to 6' above water level. Four-way-leveling systems accommodates sloped decks. The super-tough polyethylene base weighs 500 lbs when filled with water. All hardware is stainless steel. Comes complete with regulation size, color-matched ball.

Slam dunk with SAFETY. Unique hinged breakaway system protects players and the unit even during the roughest play.

Our Splash and Slam Basketball Unit is guaranteed with a **three year warranty**. Height : 7' 7½", Base Width: 29¾", Base Depth: 35".

Item Number	Description
00B100S50	Splash & Slam with Stainless Steel Rim



Heavy Duty SlamVolly

The SlamVolly commercial duty volleyball game includes two heavy duty aluminum posts, hot colored volleyball, 32' net, 40' extension rope to accommodate a 70' pool. Molded poly bases weigh 500 lbs each when filled with water. Easy to set up with no tools required.

Heavy Duty Combo Kit for Regulation Water Volleyball

Kit includes matching 500 lb capacity poly base, 32' net and extension rope to accommodate a 70' pool.

Item Number	Description	
<u>OOLV20050</u>	SlamVolly Volleyball	
00C20450	Combo Kit for Splash & Slam	



Replacement Parts for Splash & Slam

Item Number	Description
<u>00B11050</u>	Rubber Basketball for Splash & Slam
<u>OOVB00350</u>	Rubber Volleyball, Hot Pink
OOVB00550	Premium Volleyball, Red/White/Blue
00R15050	18" Rim for Splash & Slam, Stainless Steel
00BBN2050	Basketball Net for 18" Rim
00BB20050	Backboard for Splash & Slam
00R15050 00BBN2050	18" Rim for Splash & Slam, Stainless Steel Basketball Net for 18" Rim



WaterVolly Portable Pool Volleyball Set

Regulation size pool volleyball set includes two sturdy 48" \times 1.90" posts, heavy duty 24' net and hot colored ball. Molded plastic bases weigh 110 pounds each when filled with water. Easy to set up and move. Net height is fully adjustable and net length can be shortened for custom fit.

Three year warranty.

Item Number	Description	
<u>00V40050</u>	WaterVolly with aluminum posts	
00V45050	WaterVolly with stainless steel posts	



Stainless DeckVolly

Regulation pool volleyball set will fit existing 1.90" anchors. Set includes two $60" \times 1.90"$ diameter stainless steel posts with escutcheon rings, anchor covers, net and hot color ball. Hardware is brass and stainless steel. Anchors purchased separately if required.

- Adjustable height up to 54" above deck.
 - 24' heavy duty net with shortening kit for custom fit.

Three year warranty.



94 CALL TOLL-FREE: 1.800.437.8072 • FAX: 1.800.850.0262 • SHOP ONLINE: WWW.RECSUPPLY.COM

Pool Shot Water Games and S.R. Smith Volleyball



POOL SHOT Varsity Pool Shot

- Commercial grade, portable water basketball system rotomolded of thick-walled UV resistant polyethylene.
- Patented "Winged Backboard" design adds more action to the game and helps reduce shots from exiting the swimming pool.
- The portable base holds 50 gallons of water giving the unit an assembled weight of almost 400. pounds. Base drains in minutes for easy storage.
- The backboard is adjustable for a rim-to-deck height anywhere from 36" up to 43" high.
- The Pool Shot Varsity includes a regulation size 18" diameter powder coated solid steel rim, stainless steel & aluminum hardware and two basketballs. Made in the USA!

Backboard: 43" H \times 53" W, Base: 34" W \times 47" H \times 28" D

Shipping Weight



Pool Shot Super Water Volley

- Super Water Volley System by Pool Shot is designed with two identical bases rotomolded of rugged UV resistant polyethylene.
- The high capacity bases hold 50 gallons of water weighing over 400 pounds each to keep the volley net taught for hard hitting spikes.
- The heavy duty all weather nylon volleyball net is 20' wide and will work with pools up to 30' wide.
- Each volley net support stem easily slides into each base and has two molded-in beverage holders per side.
- Super Water Volley includes stainless steel mounting hardware and two volleyballs.
- Made in the USA!

Ships via UPS (3 packages).

Shipping Weight 91 lbs



Item Number

00SL10050

OOSM10050

Ships via UPS (3 packages).

Ships via Motor Freight.

Junior Varsity Pool Shot

- Made with the same rugged materials and unique design as Varsity Pool Shot, the Junior Varsity model is scaleddown in size to accommodate smaller swimming pools.
- This model includes a 15" diameter powder coated solid steel rim that sits stationary at 27" above the pool deck.
- The "Winged Backboard" adds action to the game and helps reduce shots from exiting the swimming pool.
- The portable base holds 50 gallons of water giving the unit an assembled weight of almost 500 pounds. Base drains in minutes for easy storage.
- The Pool Shot Junior Varsity includes stainless steel mounting hardware and two basketballs.
- Made in the USA!

Backboard: 31" H \times 38½" W, Base: 33" W \times 21" H \times 20" D **Shipping Weight**

68 lbs



Swim N' Spike[™] Volleyball

Take fun and competition to a new level with S.R. Smith's Swim n' Spike water volleyball game. The Swim n' Spike includes two commercial grade, stainless steel posts, two deck anchors, a competition quality net, competitive water volleyball and needle.

Item Number	Description	
00V0L3212	Volleyball Game 30'–36'	
00V0L4212	Volleyball Game 40'-46'	
00V0L5212	Volleyball Game 50'-56'	
00BK10112	32' Net, Volleyball and Needle	
00BK10212	42' Net, Volleyball and Needle	
00BK10312	52' Net, Volleyball and Needle	



THREE LOCATIONS TO SERVE YOU BETTER! • MOST IN-STOCK ORDERS SHIP THE SAME DAY!

Item Number OOWV20050

96 lbs

Eureka Main Drains and Grates

Drain Safety & VGB Act Compliance

The Virginia Graeme Baker Pool and Spa Safety Act (VGB Act) promotes the safe use of pools, spas and hot tubs by imposing mandatory federal requirements for suction entrapment avoidance.

- Safety Drain Covers: All suction outlet fitting assemblies (SOFA) made after May 24, 2021 must meet the ANSI/APSP/ICC-16-2017 Standard.
- **Public Pool Drain Covers:** All public pool and spa drains must be equipped with SOFA that are certified to the Standard.
- Public Pool Drain Systems: All public pool and spas with a single main drain system, other than an unblockable drain, shall be equipped with one or more additional devices or systems designed to prevent suction entrapment that meet the requirements of any applicable ANSI/APSP Standard or applicable consumer product safety rule. In addition to a compliant drain cover, such additional devices or systems include: a safety vacuum release system (SVRS), suction limiting vent system, gravity drainage system, automatic pump shutoff system, disabled drain, or any other system determined by the CPSC to be equally effective as, or better than, the previously listed systems in preventing suction entrapment.



Eureka Stainless Steel Main Drain Sumps

Why spend significant time and effort forming and pouring concrete main drain sumps? Our custom-built stainless steel main drain assemblies help builders get jobs done within budget and on time.

Pool chemicals and UV radiation can lead to chipping and crumbling of concrete main drains and sumps. Eureka stainless steel sumps resist the harsh conditions found in public pools and play features.

Eureka stainless steel main drain sump assemblies for commercial pools are fabricated using 12 gauge low-carbon 304 stainless steel. Equip your sumps with Eureka Stainless Steel Anti-Entrapment Covers for the ultimate in function and safety in compliance with federal regulations.

Optional 2" I.P.S. hydrostatic relief valves and collectors are furnished, when required. Stainless steel studs are welded onto the inside of the sump for ease of pressure testing plumbing systems. Custom designed sizes and shapes are available to meet specific project requirements. For specifications or to receive a prompt price quote, please contact us today!





Stainless Steel Anti-Entrapment Drain Cover

Eureka Stainless Steel Drain Covers provide a certified solution to a wide range of applications, including custom drains for which there may be no other reasonable alternative. Designed to meet or exceed federal anti-entrapment standards as described in the Virginia Graeme Baker Pool & Spa Safety Act. Available in four tested and approved sizes. Covers include installation hardware for concrete pools and sealant, along with instructions for proper installation. Replace hardware after **10 years of installed life.** Replace cover after **20 years of installed life**.

Contact us for current availability and pricing.

Replacement Hardware Kits for Existing Installations

Item Number	Used with these drain covers
NPHK00475	20" × 20", 26" × 26", 32" × 32"
NPHK00875	44" × 44"



Tough fiberglass and stainless steel construction.

- Flat design perfect for high traffic areas. Laser-etched identification.
- May be paired with our custom designed stainless steel sumps.
- 1-1/8" height allows retrofitting to many existing sumps.
- NNF242475 and NNR304875 are approved for floor mounting, while the NNF303675 and NNF304875 are approved for both wall and floor mounts.

Eureka Anti-Entrapment Drain Grate



The new Eureka Anti-Entrapment Drain Grate is designed to provide a high level of safety and performance. Ideal for new construction, the flush-mount design will pair nicely with our custom-built stainless steel main drains and will also retrofit nicely to many existing sumps. Currently available in three sizes, these grates are designed from stainless steel and fiberglass I-bar.

The Eureka Anti-Entrapment Drain Grate is NSF Certified and meets the ASME A112.19.8-2007 standard for drain safety specified by the Virginia Graeme Baker Swimming Pool and Spa Safety Act.

Item Number	Outside Dimensions	Mount	Open Area
NNF242475	23.75" × 23.75" × 1.125"	Flush	165 sq. in.
NNF303675	29.5" × 35.5" × 1.125"	Flush	277 sq. in.
NNF304875	29.5" × 47.5" × 1.125"	Flush	390 sa. in.



96 CALL TOLL-FREE: 1.800.437.8072 • FAX: 1.800.850.0262 • SHOP ONLINE: WWW.RECSUPPLY.COM

Daldorado Main Drains and Grates







	1	-	1	1	0	-				l		1		-						-	-	-		1			1		1.1	1					1	-					-			ľ	1	-	-			19.61	1	1	
	ſ	1	I		1		1	I	I	ľ		Π	0	٦		1	I	Ī	ſ	ſ	ſ	ſ		1	Ī	ſ	ľ		1		T	Ī	ľ	1	Π	1	1	T	T	1	1	1	1	T	ľ	ſ	1	1	1	T	1	1	
	Î	Î	Î	Ī	Ī	1	Î	ľ	ſ	ſ	Ī	Ĭ	Ĭ	1	I	Î	Î	ſ	ſ	Ī	Ī	Ī	1	1	Î	ſ	ľ	ľ	-	Ī		Î	l	ſ		Ī	1	1	ľ	ľ	ſ	Ī	1	1	Î	ľ	Ĩ	Ī	Ī	T	١	•	
	ľ	I	ň	ň	1	î	ſ	h	ň	Ĩ	Ì				ľ	Î	ľ	Ē	Ē	Ī	Ī		1	Î	Î	Ĩ	ľ	Î	ľ	Ī	ī	Î	T	ľ	ľ	ī	1	1				ľ	Ī	i	1	Î	ſ	ľ	ň	Î	Î	1	
li	h	ň	Ĭ	Ï	t	h	h	h	ň	i					ľ	r	F	ī	ň		-	1	Î	Î	t	ľ	ŀ	ŕ	F	i		t	t	ŕ	1	ī	i					-	h	h	i	1	t	t	ľ	i	Ì	1	
ŀ	h	۲	ľ	t	h	i	i				1	r	r	r		h	-	H	i		-	i	ł	ŕ	t	1	ŀ	ŀ			-	1	t	t		ŀ	H	1	-	ľ	ľ	ł	ł	H	i	-	ì	ł	ł	H	h	đ	l
	H	1	h	H	H		Y	1	i	ł	ł	ł	ŀ	-		H	h			1	1	ł	ł	ł	ł	h	ŀ	r				+	ł	ł	ł	ŀ			-		1	ł	ł		h	-	1	1	t	ł	H	h	
•	1	ł	H	H	H	1	ł	ł	t	ł	ŀ	h	h	ł	H	H				ł	1	ł	ł	ł	ł		ŀ	ŀ	-			+	ł	ł	ł	ł	F	-		-	+	+	ł	ł	-	ŀ	h	H	1	ł	F	H	
	4	U	U	Ц	1	1	l	1		L			L	L	L	L	U		1	1				4	L			L			U		l	1	1								l	1	l	L	IJ	U	Ц	1	<u>)</u> ,		

Daldorado DalMAX Frame & Grate

Introducing the Daldorado DalMax[™] series of Sump and Grate for new construction, and replacement Frame and Grate for 18" × 36" and 18" × 54" unblockable large area main drains. The DalMax[™] series is certified to APSP-16-2017 Standards by IAPMO, and NSF certified for material composition.

Daldorado is the ONLY American company to design & engineer its APSP-16-2011 Main Drain grates, whether new or VGB replacement, to give a **25 year service life**.

DalMax[™] main drain grates are made from the highest quality PVC that meet or exceed IBC standards. With a large open area of 62% and the highest flow rate in the industry, DalMax[™] is the clear choice for large area main drain replacement (frame and grate).

- Floor or wall installation
- Can be customized to different piping schematics.
- Connections can be threaded, flanged or couplings.
- Specify outlet location.
- FRP 3" water stop, 5" from edge of sump continuous around perimeter.
- Recommended to use a 2" non-separation rope around the sump perimeter.
- Shipped with removable internal strength support, which remains throughout construction.
- 25 Year Service Life under VGB
- 10 Year Warranty
- Colors Available: White

Item Number	Dimensions	Floor GPM	Wall GPM	Open Area
NNDF83650	18" × 36"	2080	1496	62%
NNDF85450	18" × 54"	4412	N/A	62%
NNDF42450	24" × 24"	N/A	N/A	62%

	C	-			25		10	- 16
	-	-	-		10	10	10	11
	-	C	7 C		31	1	-	-
	-	C	-		10	10	10	-
	-	E				1 C	-	- 1
	-	r		-		10	-	-
	-	-				-	11	11
111	-	1			11	11	11	11
111	-	1	11	п	71	TT.	11	11
	-	-		11	11	11	11	11
		1	11	11	11	11	11	11
1.11		1	л	11	31	11	11	
	1	1		11		11C	11.	
	1	1	11	11	J.L	11.	11.	
1.1 L	L	1	11.	12	10000	11	11	12
	L	L	-	1			11	
	L	1	11	11		-	-	-13
	-	1	· 1	-		-	21	15
		1		-	-	-	11	- 15
		1	-	-		-	-	-
	1	5	-	-	-	15.	-	-
	-	-	-	-	-	-	-	-
	-	-					-	10

Features

- Certified for APSP-16 (VGB) use for new and replacement
- Virtually any size or shape can be constructed from design specifications.
- Open area ~ 37.5%
- Frame and grate made of high- grade UV-stable PVC (Axiall 7140) ~ Certified for NSF50.
- Floor or wall installation
- Available in white, bone, and gray
- Stainless Steel screws and instructions included.
- 25 Year Service Life under VGB

Daldorado Custom Main Drain

Daldorado custom large area main drain grates are IAPMO and NSF certified APSP- 16-2017. Whether you need a $24^{"} \times 124^{"}$ size or $72^{"} \times 72^{"}$ size with custom rounded corners, Daldorado will construct your drain grate to fit any commercial swimming pool project. For aquatic designers here's your chance to get creative, the possibilities are endless!*

Daldorado is the ONLY American company to design & engineer its APSP-16-2017 Main Drain grates, whether new or VGB replacement, to give a 25 year service life.

Contact us for specification assistance and pricing.

*Calculated using "Q" formula per the APSP-16 Standard Examples of Custom Sizes, available in 1" increments in width with no more than 24" unsupported. Some restrictions may apply. Please contact us for more information.



Introducing the Daldorado DalMax[™] series of Sump and Grate for new construction, and replacement Frame and Grate for 18" × 36", 18" × 54", and 24" × 24" unblockable large area main drains. The DalMax[™] series is certified to APSP-16-2017 Standards by IAPMO, and PVC materials complies with NSF/ANSI 50. Georgia Gulf 7140 White. Westlake Corp. Daldorado is the ONLY American company to design & engineer its APSP-16-2017 Main Drain grates, whether new or VGB replacement, to give a 25 year service life.

DalMax[™] main drain sumps for commercial pools are constructed of fiberglass with grates made from the highest quality PVC that meet or exceed IBC standards. With a large open area of 62% and the highest flow rate in the industry, DalMax[™] is the clear choice for every new commercial pool construction or large area main drain replacement (frame and grate).

- Open area ~ 62%
- Floor or wall installation
- Can be customized to different piping schematics.
- Connections can be threaded, flanged or couplings.
- Specify outlet location
- Can be customized to different piping schematics. Connections can be threaded, flanged or slip couplings.
- FRP 3" water stop, 5" from edge of sump continuous around perimeter.
- Recommended to use a 2" non-separation rope around the sump perimeter.
- 1.5" × 1.5" FRP brace around outside perimeter for additional strength
 Grates have a 25 Year Service Life under VGB
- 10 Year Warranty
- Colors available: White

Item Number	Dimensions	Floor GPM	Wall GPM	Open Area
NND362450	18" × 36" × 24"	1984	1440	62%
NND362850	18" × 36" × 28"	2480	1909	62%
NND363450	18" × 36" × 34"	2869	2080	62%
NND542450	18" × 54" × 24"	2872	2872	62%
NND542850	18" × 54" × 28"	2944	2872	62%
NND543450	18" × 54" × 34"	4412	N/A	62%
NND243050	24" × 24" × 30"	1734	1600	62%
	-			



97



Drains Covers and Suction Outlets





Hayward Frames and Grates

For residential and commercial concrete pools, Hayward square drain covers are available in a wide range of sizes and flow designs to satisfy any installation requirement. Whether the application demands frames and covers for new construction or replacement cover assemblies for existing installations, Hayward suction outlets set the standard for quality and value.

Hayward's new Low Velocity suction outlets are specifically designed for applications with requirements limiting the maximum flow velocity to 1.5 feet per second. In addition, Hayward's High Flow covers have some of the industry's highest ASME approved flow rates. Each size and flow design cover retrofit to existing Hayward frames. All Hayward WG Series suction outlets and replacement covers are VGB compliant and are tested to ASME A112 19.8b-2009 and ANSI/APSP-16 standards as well as meeting CPSC requirements.

Installation of anything other than the recommended Hayward drain cover on a Hayward frame or Hayward sump may not be ASME A112 19.8b-2009 and ANSI/ APSP-16 compliant. Likewise, the installation of a Havward drain cover on a non-Havward frame may not be compliant. Replace grates after 7 years of installed life.

Frame and Grate Assembly Two-Packs

Item Number	Size	Open Area (sq. in.)	GPM @ 1.5 ft/sec	Approved GPM Floor	Approved GPM Wall
NN1030106PK2	7–7/8" Round	8.10		125	72
NN32HF206PK2	12" Square High Flow	41.07	192	515	308
NN33HF206PK2	18" Square High Flow	124.10	580	812	732
NN32LV206PK2	12" Square Low Velocity	83.40	390	392	260
NN33LV206PK2	18" Square Low Velocity	183.20	520	520	520

Replacement Grate Only

	,	Open Area	GPM @	Approved	Approved	
Item Number	Size	(sq. in.)	1.5 ft/sec	GPM Floor	GPM Wall	
NP1048W06	7–7/8" Round	8.10		125	72	
NP31HF206	9" Square High Flow	23.96	112	264	224	
NP32HF206	12" Square High Flow	41.07	192	515	308	
NP33HF206	18" Square High Flow	124.10	580	812	732	
NP31LV206	9" Square Low Velocity	45.80	190	190	108	
NP32LV206	12" Square Low Velocity	83.40	390	392	260	
NP33LV206	18" Square Low Velocity	183.20	520	520	520	



Havward Suction Outlet

For concrete, vinyl and fiberglass pools, Hayward round suction outlets are available in a wide range of plumbing configurations, plaster collar options and colors. Whether installing frames and covers or sump-type outlets for new construction or replacement covers on existing applications, Hayward suction outlets set the standard for quality and value. All Hayward WG Series suction outlets and replacement covers are VGB compliant and are tested to ASME A112 9.8b-2009 and ANSI/APSP-16 standards as well as meeting CPSC requirements.

Other outlet configurations available on request. Cover diameter: 7-7/8".

Approved flow: Floor 125 GPM, Wall 72 GPM. Cover is designed for 7 years of installed life.

Item Number NN1054W06PK2

Description Suction Outlet (Two-Pack)

Bottom Plug Side Outlet

2" FIP 2" FIP


NN4720V39 NN4790V39




Waterway Tru Flo Main Drain Grates

All Waterway Drains, Grates and Suctions are Listed, Certified and Tested in strict accordance to the requirements of ANSI/ASME A112.19.8-2007 and ANSI/ASME A112.19.8a-2008 and ANSI/APSP-16 (2011) as defined in CPSC letter dated April 8, 2011. Compliant to the latest Consumer Safety Product Commission Requirements (CPSC). Colors Available: White, Black, Gray, Beige (Tan), and Dark Gray

		Open Area		
Item Number	Size	(sq. in.)	Floor GPM	Wall GPM
NN4790V39	9" Square	43.6	289 @ 2.33 fps	208 @ 1.59 fps
NN4720V39	12" Square	62.4	356 @ 1.83 fps	280 @ 1.44 fps
NN4770V39	18" Square	174.4	788 @ 1.09 fps	





Aquastar Wave VGB Series Anti-Entrapment Suction Outlet Cover

Aquastar's 12" Wave Series covers easily and safely retrofit most brands' existing 12" square 3/4" deep frames. Other colors and sizes are available. Call for assistance.

- Fits most popular Pentair frames
- Manufactured from superior UV-resistant engineered polymers
- Trademarked VGB compliance button easily identifies VGB 2008 compliant cover from on deck and underwater
- Includes #316 stainless steel screws, vented riser ring and mud frame
- Replace after 5 years of installed life. Stock color: White

		Open Area	
nber	Size	(sq. in.)	GPM @ 1.3 ft/sec
.150	12" Square	90.8	361 @ 1.3 fps
.150	9" Square	48.4	224 @ 1.5 fps



Item Nun NN2WR1 NN9WR1

Aquastar Square Retrofit MoFlow Suction Outlet Cover

Manufactured from superior UV-resistant engineered polymers. Easily and safely retrofits to most brands' 1" deep existing frames.

- Does not include mud frame.
- Includes #316 stainless steel screws.
- Replace after 5 years of installed life.
- Color: White

Other colors and sizes are available on request.

		Open Area		
Item Number	Size	(sq. in.)	Floor GPM	Wall GPM
NNMF10150	12" Square	69.1	274 @ 1.3 fps	278 @ 1.3 fps
NNR9MF150	9" Square	35.8	258 @ 2.3 fps	274 @ 2.5 fps



Recreation Supply Company carries a variety of additional drain covers from manufacturers such as Pentair, Hayward, Daldorado, Aquastar, Waterway, and Neptune Benson.

> Please contact us for help with your specific requirements.

CALL TOLL-FREE: 1.800.437.8072 • FAX: 1.800.850.0262 • SHOP ONLINE: WWW.RECSUPPLY.COM

98

Inlets and Fittings



Item Number NP0010803

NN0010303

StarGuard Main Drains

StarGuard Main Drains comply with provisions of the ANSI/ ASME A112.19.8-2007 standard and the Virginia Graeme Baker Pool and Spa Safety Act. High quality StarGuard Main Drains are available in a variety of configurations to fit any residential in-ground pool or spa installation. StarGuard Main Drains have an industry-leading 15.35 square inches of open area for water flow. If you are in an area where water velocity through the grate is limited to 1.5 feet/second, the StarGuard covers allow flow rates up to 72 GPM. Replace after **7 years of installed life**.

Color: White

Other colors and sizes are available on request.

Size	Open Area (sq. in.)	Floor GPM	Wall GPM
8" Round w/ Long Ring	15.35	144	112
8" Round w/ Short Ring	15.35	144	112



Bronze Hydrostatic Relief Valves

Heavy duty bronze hydrostatic relief valve is cast from premium brass alloy, performance tested, and includes a reliable o-ring seal.

Item Number	Description	Material	Size
NNPV1550	HR Valve	Bronze	1.5"
<u>NNPV2050</u>	HR Valve	Bronze	2"



Hydrostatic Relief Valves

Helps prevent pool damage due to hydrostatic pressure beneath the pool shell when pool is drained. Check and replace if necessary before refilling. White ABS HR Valve is spring-loaded and leakproof with a self-cleaning o-ring seal. Noncorrosive and non-conductive. For 1½" & 2" pipe size.

#	Item Number	Description	Material	Size
Α	NN105606	Hayward SP-1056 HR Valve	ABS	1.5"
В	NN7015116	Sta-Rite HR Valve	ABS	1.5"
В	NN7015816	Sta-Rite HR Valve	ABS	2"



NN4124009

Fillspouts

Made from 304 stainless steel tubing, .049" wall. Length: 18"



Aquastar Round Retrofit

MoFlow Suction Outlet Cover

Manufactured from superior UV-resistant engineered polymers. Easily and safely retrofits to most brands' existing frames. Does not include mud frame. Includes #316 stainless steel screws. Other colors and sizes are available on request. Replace after **5 years of installed life.** Color: **White**

fps

		Open Area		
Item Number	Size	(sq. in.)	Floor GPM	Wall GPM
NPMF10150	8" Round	16.1	146 @ 2.9 fps	130 @ 2.6 fp



Aquastar Sumpless Suction Outlet

Also known as the *hockey puck*, Aquastar's round sumpless suction outlet is for single or multiple drain use in gunite pools and spas. Manufactured from superior UV-resistant engineered polymers. Easily and safely retrofits many Hydro Air/ITT parts. Includes three #316 stainless steel screws for brass inserts. Replace after **5 years of installed life**. Color: **White** (other colors available on request).

eter	Flow Ratev	Opening
'	Floor/Wall 56 GPM at 3.5 fps	5.2 sq. in.
	Floor (1.5" pipe) 177 GPM at 5.9 fps Wall (1.5" pipe) 122 GPM at 3.4 fps	10.4 sq. in.
	Description	

 Item Number
 Description

 NN415T150
 Retrofit Adapter Plate for Hayward 1022 (use with NN4P10150)

 Other adapters are available with pricing on request.
 Other adapters are available with pricing on request.

4'

6"

0	PV ·	C Water Stop Fitting Stops weeping around pipe penetrations. Non-metallic, so no grounding required. Hydrodynamic when encased in concrete. Fast, simple installation.
Item Number	Material	Size
NN4030150	PVC	1.5"
NN4030250	PVC	2"

.

Material

Brass


Brass

1" MIP



Gutter Drains

2" x 4" gutter drain and grate. Pentair gutter drains come with an extra-deep socket connection. Open area: 3.09 sq. in. Flow rate: 14.5 GPM at 1.5 ft./sec. Color: white.



Collector Tube Collector tube is 12" long, slotted, and fits 1½" or 2" pipe size.



All-Purpose Plug

• Pentair 195830 all-purpose plug with O-ring.

Size

1.5

2"

Brass Water Stop Fitting No-leak flange available in 1.5" and 2" pipe sizes. Cast from premium brass alloy

Precision machined pipe threads

Integrally molded bonding lug

Manufactured to Pentair's high standards.

Item Number

Item Number

NN4006303

NP2521103

NN4P10150

NN6P10150

Description Hayward SP-1055 Collector Tube

Material Size

Item Number NN9583003

THREE LOCATIONS TO SERVE YOU BETTER! • MOST IN-STOCK ORDERS SHIP THE SAME DAY!

Inlets, Fittings, Skimmers, and Air Blowers



NN400280 NP420870

Item Number

Item Number

NN102206

NN842916

PENTAIR

Pentair Directional Eveball Inlets

Directional Eyeball Inlet Directional eyeball inlets with 1.5" MIP thread to fit standard female adapter or wall fitting. Stock color: white. Also available in black and dark gray upon request with a 2 to 3-week lead time

Ultimate Eyeball Inlet

1.5" threaded eyeball inlet with snap-in disks, 1/2", 3/4" and 1", and pressure test orifices. Color: white.

Item Number	Description	
NN4000003	Slotted Directional Flow	
NN4000703	3/8" Directional Flow	
NN4001403	1/2" Directional Flow	
NN4002103	3/4" Directional Flow	
NN4002803	1" Directional Flow	
NP4208703	Ultimate Eveball Inlet	



Pentair 542423 fitting.

Description

2" Slip

- 2" slip body, for Schedule 40 PVC pipe.
- Manufactured to Pentair's high standards.

Color

White

White

NP4242303

NN4109009

NN1022C06

Insider Wall Inlet Fitting For Concrete Pools

- Pentair 08429-0000 wall inlet fitting for concrete
- pools. 1-1/2" Slip with 3/16", 1/2", 3/4" and 90 degree nozzles
- Manufactured to Pentair's high standards.
- Description Color

1-1/2" Slip with Nozzle Assortment

Return Fittings White ABS

Plug purchased separately.

Cast Brass Chrome-Plated

 $1\frac{1}{2}$ " \times 2" MIP. Includes safety plug.

Item Number	Description	Material
NN102206	Threaded (1 ¹ / ₂ " FIP × 2" MIP)	ABS
NN1022S06	Socket (1 ¹ / ₂ " Skt × 2" MIP)	ABS
NP1022C06	1.5" Threaded Plug w/O-Ring–Standard	ABS
NN1022B06	Threaded Plug w/O-Ring-Flush	ABS
NN4109009	1 ¹ / ₂ " × 2" MIP with safety plug	Chrome Plated Brass



Adjustable Inlet Fittings

A. Wall/Floor Inlet. Provides full range of flow adjustment, line testing and winterizing. Internal spinner valve disc is adjustable through center hole in grate.

B. Floor Inlet. Top diffuser plate is stationary and automatically provides proper flow angle away from floor to prevent staining or erosion. White body and flush diffuser plate.

C. Adjustable outlet flow, molded ABS with internal threads for pressure testing. To be used only as an inlet fitting. Must not be used as a suction fitting.

Item Number	Description
NN142406	A. Hayward Wall/Floor Inlet 11/2" FIP × 2" MIP
NN1424S06	A. Hayward Wall/Floor Inlet 11/2" Skt × 2" MIP
NN142506	B. Hayward Floor Inlet 1 ¹ / ₂ " FIP × 2" MIP
NN1425S06	B. Hayward Floor Inlet 1 ¹ / ₂ " Skt × 2" MIP
NN841716	C. Sta-Rite Adjustable Inlet 2" Slip with 1 ¹ / ₂ " Bushing



Hayward Auto-Skim Skimmer

Versatile, large capacity, automatic surface skimmer. Molded of rugged, noncorrosive ABS and has no joint below water level. Features a cover collar allowing 1.5" vertical adjustment and a snap-in weir that adjusts automatically to 4.5" variation in water level. An optional float/bypass valve is available. 2" FIP.

Additional parts and parts for other Hayward skimmers are available. Visit www.recsupply.com or contact us for more information.

Item Number	Hayward Item Number	Description
NN108206	SP1082	Auto-Skim with Square Cover
NN1082R06	SP10821R	Auto-Skim with Round Cover
NP1082E06	SPX1082E	Replacement Square Cover, 10" × 10"
NP1084R06	SPX1084R	Replacement Round Cover, 8.75"
NP1082C06	SPX1082CA	Replacement Basket 6.5" × 5"
NP1082K06	SPX1082K	Replacement Weir



Sta-Rite U-3 Skimmer

The U-3 automatic surface skimmer for concrete pools has set standards in the industry for efficiency and trouble-free performance. The double pipe ports allow connection to main drain or equalizer line. The float valve is removable for vacuuming and snaps shut during low water conditions. Durable molded ABS construction with threaded 2" piping connections or 2" slip connection. 11/2" PVC reducer included. Color: White. Gray or Tan available on request. Additional parts and parts for other Pentair and Sta-Rite skimmers are available. Visit www.recsupply.com or

contact us for more information.		
Item Number	Pentair Item Number	Description
NN0140316	08650-1403	Complete U-3 Skimmer, 2" NPT
NN0140416	08650-1404	Complete U-3 Skimmer, 2" Slip
NP8650716	08650-0007	Replacement Basket
NP8650816	08650-0058	Replacement Cover
NP8650216	08650-0022	Replacement Weir Assembly
NN8657916	08650-0079	Float Assembly with O-Ring



Medium pressure regenerative blower. Compact design, oil free, non-pulsating air. 50/60Hz motors are standard. UL Recognized, CSA Certified and CE Compliant. 200-230V/460V, 3 phase.

The optional inlet filter/silencer is designed to protect the Fuji Ring Compressor by filtering the inlet air and guieting the blower. The filter has a pleated paper inner filter element rated at 10 microns. A metal outer cover is easily removable when servicing the unit.

Item Number	Fuji Model Number	Description
SS401A750	VFZ401A-7W	1.4 HP Blower
SS501A750	VFZ501A-7W	2.7 HP Blower
SS601A750	VFZ601A-7W	5.0 HP Blower
SSFS4550	FS-45	Inlet Filter/Silencer for 1.4/2.7 HP
SSFS6750	FS-67	Inlet Filter/Silencer for 5.0 HP

Anti-Entrapment and FlowVis Flow Meters



Spring Wound Timer

Intermatic's commercial 15 minute timer switch. Installs in single 21/2" deep junction box.

Item Number SSTIMER50

Description 15 Minute Timer



Vacuum Limit Switch

Connect this between pump and strainer to shut off the pump if the strainer becomes clogged or vacuum suction is broken due to low water in the filter tank. Set points are variable over the entire scale.

Item Number FF153250

Description Vacuum Limit Switch

Description

Vac-Alert

Vac-Alert SVRS

The Vac-Alert SVRS (Safety Vacuum Release System) provides a rapid vacuum release when a drain becomes blocked, guickly freeing anyone whose body or limb is trapped on the drain. The Vac-Alert does not interfere with pump function and, once installed, requires little to no maintenance.

- Easy to install
- Self monitoring, low maintenance
- Won't damage pump when activated
- Meets or exceeds all ANSI/ASME performance standards for SVRS
- Constructed of noncorroding parts to ensure long life and superior performance
- Three year limited warranty



FlowVis® Flow Meter

Flow Vis® is the most advanced, affordable, and reliable precision flow meter designed specifically for pools, spas, fountains, and water features. Ingenious in concept and flawless in operation, FlowVis® is a revolution in reliable flow measurement. Features:

2" & 2.5

3'

4"

- Installation flexibility; installs horizontally, vertically, or even upside-down
- Can be installed right next to other plumbing fittings such as elbows with no effect on accuracy
- \geq 97.9% accuracy across the entire model range
- NSF 50 Level 1 for several models/configurations

Item Number

IIFVC1550

IIFVC50 **IIFV350**

IIFV450

Manufactured in the USA 15-year design life, 3-year warranty Pipe Size GPM Pipe Schedule 10.90 1.5" 40

required

10.110

90-220

160-300



FlowVis® Digital Display

FlowVis Digital display for all new and existing installations. Does not include FlowVis Flow Meter to which the Digital display is to be installed. FlowVis models for pipe diameter 3"/DN80 and 4"/DN100, that were manufactured prior to Feb. 2020 will require a new retrofit lid assembly.

Doubles as a check valve (1.5", 2", 2.5" models)

Installs quickly and easily with no calibration

40

80

80

Clear, easy-to-read scale in GPM

Contact us for details and pricing.

FlowVis Digital Display

0

ELC-800r Water Level Controller

The ELC-800r uses proximity sensing technology, which helps it stand apart from other water level controllers that use floats or introduce electrical currents to the water. Easily programmable, it has the ability to sense dangerously low water conditions and deactivate circulation pumps, protecting them from damage. Available in various configurations to match your application:

- Standard Well designed for mounting at static water levels, usually in a pump pit in the equipment room. For bodies of water with skimmers.
- Sight Glass for bodies of water with balance tanks
- Surge Tank allows mounting in a surge tank to control pool and spa levels. For bodies of water with overflow gutters.
- Wet Well this design allows water level sensing in a 2" static well, usually in the equipment room. For bodies of water with skimmers.

25' cable length is standard. Additional cable may be added for an additional charge. Solenoid valve purchased separately.

emotron

PSP20 Anti-Entrapment Device

The PSP20 is the only device available for pool & spa antientrapment that comes with a no-nuisance trip guarantee! With over 350,000 units installed on pumps worldwide, it's easy to see why the PSP20 is the pool contractor's solution of choice when it comes to safety.

The PSP20 uses the existing pump motor as a sensor to protect swimmers from the horrific injuries and loss of life caused by pool & spa drain entrapment. The PSP20 is simple to install and simple to setup. The unit is supplied as a fully-assembled control panel designed to be installed between an existing pump control panel and the pump motor. Installation typically takes less than one hour. Contact us for selection assistance and pricing.

Compatible with residential pool/spa combos

No bypass required for filter backwash or

Features:


Item Number

NNSVRS50

- CPSC recognized VGB secondary antientrapment method
- Technology based on 350,000+ pump monitors installed worldwide
- Simple installation, setup, and calibration
- No plumbing required = no future leak issues
- No false tripping guaranteed!
- Models for all voltage supplies
- No additional control or wiring for large 208/230V or --phase pumps
- vacuuming UL approved - required in many jurisdictions Alarm output
- No winterizing required

and in-floor cleaners

- Unaffected by hydrostatic relief valves
- Lowest overall cost of ownership
- ELC-800r * ♠ Item Number Description IIELC8S50 Single Sensor IIELC8D50



Flow Meters

+GF+ SIGNET Flow Indicator Systems

Signet flow meters can help take the guesswork out of flow monitoring by producing accurate, easy-to-understand information. For restricted space areas, a self-powered analog flowmeter provides installation versatility in one self-contained unit. A digital readout capability is offered in a battery-operated flowmeter. Operated from a signal that is generated by the paddle-wheel flow sensor. A typical system will include a flow sensor, flow rate indicator, and a matched installation fitting.





Paddle Wheel Flow Sensor

The 515 paddle-wheel flow sensor is designed to measure flow at the specific local velocity of your pipe. It features a unique open-cell design that provides a repeatable, linear $\pm 1.0\%$ output over the full range. Made of corrosionresistant materials.

Flow Sensor Number <u>II515P052</u> <u>II515P152</u>



Flow Rate Indicator

The +GF+ SIGNET 9900 SmartPro Transmitter is a precision instrument that connects with a SIGNET flow sensor and provides digital readings. The bar graph and units of measure can be customized to the application. The SmartPro Transmitter is versatile. It can also be used with several other SIGNET sensors (sold separately) to display readings of pH, ORP, Conductivity/Resistivity, Salinity, Temperature, Pressure, and more. The SmartPro is highly illuminated with an auto-sensing backlit display, making it viewable from 4 to 5 times the distance over traditional transmitters. Transmitter Number Description

II990052 SmartPro Digital Transmitter



Sensor Installation Fitting

Assures correct positioning of your sensor in the flow system.




Magmeter Flow Sensor

The Signet 2551 Series Magmeter is an insertion-style magnetic flow sensor that features no moving parts. Use with the SmartPro Digital Transmitter.

Pipe Size	Iron Pipe Fitting No.	PVC Pipe Fitting No.
2"	<u>118S02R52</u>	<u>118S02P52</u>
21/2"	<u>118S25R52</u>	N/A
3"	118S03R52	<u>118S03P52</u>
4"	118S04R52	<u>118S04P52</u>
5"	<u>118S05R52</u>	N/A
6"	II8S06R52	II8S06P52
8"	<u>118S08R52</u>	<u>118S08P52</u>
10"	II8S10R52	II8S10P52
12"	<u>II8S12R52</u>	<u>118S12P52</u>

Flow Indicator Accessories

Flow Sensor Number	Pipe Size Range	Accessory Number	Description
II551P052	½" to 4"	<u>110059652</u>	Signet Wall Mount Bracket for Analog Transmitter
II551P152	5" to 8"	113805052	Signet Universal Mounting Kit for Digital Transmitter
II551P252	10" to 12"	<u>II1752452</u>	Power Supply for Digital Transmitter, .42A, 10W



Rola-Chem Flow Meter

This Pitot-tube flowmeter can easily be mounted to a horizontal or vertical pipe. Each unit is complete with instructions and stainless clamps. These instruments are calibrated to give actual flow as a visual indication. Both sides of the flowmeter are calibrated in gallons and liters per minute. The Rola-Chem flowmeter is designed to deliver accurate flow rates at a minimal cost. Flowmeters listed are for PVC pipe material. Flowmeters for copper pipe are available upon request. Side mount (for horizontal pipe), Vertical mount (for vertical pipe) and Top mount (for horizontal pipe) styles are available.

Side Mount Item Number	Top Mount Item Number	Vertical Mount Item Number	GPM	Pipe Size
<u>II7032S50</u>	<u>II7032T50</u>	<u>117032V50</u>	10-30	1"
<u>II7033S50</u>	II7033T50	<u>117033V50</u>	15-50	11/4"
<u>II7034S50</u>	II7034T50	<u>117034V50</u>	25-60	11/2"
<u>II7035S50</u>	<u>II7035T50</u>	<u>117035V50</u>	40-140	2"
117036550	II7036T50	II7036V50	70–240	21/2"
<u>II7037S50</u>	II7037T50	<u>117037V50</u>	100-300	3"
<u>II7038S50</u>	II7038T50	<u>117038V50</u>	175-500	4"
117039550	II7039T50	117039V50	400-1050	6"
117040\$50	II7040T50	II7040V50	700-1900	8"

102 CALL TOLL-FREE: 1.800.437.8072 • FAX: 1.800.850.0262 • SHOP ONLINE: WWW.RECSUPPLY.COM

Flow Meters

Blue-White Digi-Flo Flowmeters



<u>Blue-White</u> Blue-White Flo-King™ F-300 Series Flow Meter for horizontal pipe

F-300 series flow meters utilize a Pitot tube pick up and a hard edged float design to provide a convenient and economic means of measuring water flow in a closed pipe system. The F-300 impact tube flow meter features a tough, one-piece machined acrylic meter body, corrosion resistant internal parts, and permanent screen-printed scale. You get all the strength and long service life required in most commercial and industrial applications.

Each F-300 series is individually packaged with gasket seal and mounting clamps.

Models listed are Top Mount. Side Mount available special order only

Set up as a Flow Switch: The F-300S detects if the

Set up as a Flow Switch & Sensor: Two F-300S

Switches can be placed onto one meter to enable

flow rate is at the desired level. Set up as a Flow Sensor: The F-300S detects whether the water is flowing through the pipe, or if

there is a 'no flow' environment.

Description

F-300S Flow Switch

hoth features!



Blue-White

Digi-Flo Battery Operated Digital Flow Meter

The Blue-White F-1000 RB is ideal for those who require rate of flow only. The meter is shipped pre-programmed and ready to install, sensor mount. Powered by 2 AAA batteries (included) and the meter's spinning paddle. The four-digit LCD display updates every 2 seconds. Accurate to $\pm 2\%$ full scale. Saddle mount units ship without pipe (drill a 1.125" diameter hole in your existing PVC pipe and mount the unit). Models listed are for Schedule 40 or steel pipe. Please advise if Schedule 80 is required.

Item Number	Blue-White No.	Pipe Size	Flow (GPM)
IIRB15039	RB-150S4-GPM1	11/2"	15-150
IIRB20039	RB-200S4-GPM1	2"	30-300
IIRB30039	RB-300S4-GPM1	3"	60-600
IIRB40039	RB-400S4-GPM1	4"	100-1000
IIRB60039	RB-600S4-GPM1	6"	250-2500
IIRB80039	RB-800S4-GPM1	8"	400-4000

Item Number	GPM Range(s)	Pipe Size
IIF300139	5–35	1"
IIF012539	9–50	11⁄4"
IIF015039	10-70	11/2"
<u>IIF300239</u>	20–120	2"
<u>IIF302539</u>	29–150	21/2"
<u>IIF300339</u>	45–240	3"
<u>IIF300439</u>	75–420	4"
<u>IIF300639</u>	170-1100	6"
IIF300839	300-2200	8"



Digi-Flo F-2000 **Electronic Flow Meter**

The F-2000 Flowmeter is battery powered and remote mount. Sensor mount and pipe mount are available on request. Flowmeters listed have a Schedule 80 fitting.

- All units powered by 4 standard AA batteries (included). 115V AC/DC plug-in transformer may be purchased separately, if desired.
- Eight-digit flow rate and total flow display.
 - Easy-to-read, .39" high, customized LCD display with status indicator icons.
- Non volatile memory.
- Low battery status warning.
 - Two minute battery change power feature.
 - Operator programmable.
 - Easy to install fittings.


Item Number	Blue-White No.	Pipe Size	Flow (GPM)
IIRT15039	RTPB-15K8-GM1	11/2"	15-150
IIRT20039	RTPB-20K8-GM1	2"	30-300
IIRT30039	RTPB-30K8-GM1	3"	60-600
IIRT40039	RTPB-40A8-GM1	4"	100-1000
IIRT60039	RTPB-60A8-GM1	6"	250-2500
IIRT80039	RTPB-80A8-GM1	8"	400-4000
IIRT95039	RTPB-100A8-GM1	10"	600-6000
IIRT97539	RTPB-120A8-GM1	12"	800-8000

Looking for something?

We have downloadable data sheets and installation instructions at the click of a button!

Please visit us at RecSupply.com and search by item number to find links to related documents on the product page





Item Number IPF300S39

F-300 Series Parts

Description

Cap Plug

Gasket Seal (Sizes 1" through 4") Gasket Seal (6" and 8")

Item Number	
IPF300339	
IPF300439	
IPF300539	

THREE LOCATIONS TO SERVE YOU BETTER! • MOST IN-STOCK ORDERS SHIP THE SAME DAY!

Stainless Steel Gutter Systems







Stainless Steel Gutter Systems

Swimming pool water must be recirculated to heat, filter, and chemically treat the water. The effectiveness of the recirculation system directly affects the health and safety of pool patrons as well as the performance of athletes who compete in the pool.

The stainless steel gutter-type perimeter recirculation system has been proven to be so effective that most health departments require the use of perimeter gutters on commercial swimming pools.

Nearly 90% of all organic material, bacteria, dirt, and body oils accumulate within the first few inches of the pool surface. Therefore, it is extremely important that the recirculation system continuously skim these contaminants from the surface of the water.

Our stainless steel gutter systems are designed to perform this task quickly and effectively by combining an overflow trough, which removes dirty water, with an airtight conduit that returns filtered and chemically treated water to the pool.




We've got the 411!


Contact us today for more information or a quotation.


Phone: 1.800.437.8072 Email: sales@recsupply.com





Stainless Steel Gutter Systems















Features and options:

- Gutter systems are custom designed, sized, and made for your pool.
- 12 ga. 304L stainless steel with a #4 polish is standard (316L optional).
- Great for new construction and easy retrofit for existing pools.
- We provide design, drawings, submittals, installation, and testing.
- Anchor options: U-bars, drop-ins, stud anchors, or stainless steel rods with epoxy.
- We can use fiberglass or PVC grating in both T-bar and I-bar styles.
- We can transition to a zero depth gutter or ramp access gutter.
- Supply converter and overflow collector boxes are included.
- Options include surge control weirs, rope anchors, surface agitators, step covers, jet wash fittings, recessed step in the gutter, integrated deck drain, vinyl liner clamps, tile inlays and dual supply dividing wall gutters.



THREE LOCATIONS TO SERVE YOU BETTER! • MOST IN-STOCK ORDERS SHIP THE SAME DAY! 105

Fiberglass Grating



STRONGWELL DURAGRID

Duragrid® Fiberglass Grating

Recreation Supply stocks a wide variety of Duragrid Fiberglass Grating. Fiberglass grating is 400 times stronger than PVC grating and more resistant to staining, scratches and fading from the sun and chemicals. Custom cut in-house to your facility's requirements for fast and easy installation. Duragrid Grating is offered in a variety of widths and lengths, parallel and perpendicular in both "T-Style" and "I-Style". Duragrid Fiberglass Gutter Grating is a widely used and cost effective type of gutter grating for competition pools.

- Strong and Cost Effective
- Better resistance to fading
- Cut to your custom measurements
- Perpendicular & Parallel Configurations

Can fit a 14" Wide gutter and smaller

Contact us for custom pricing and specifications.

I-Bar Style Parallel Fiberglass Grating

Width	Cross Rod on CTR
6"	6"
6"	12"
8"	6"
8"	12"
10"	6"
10"	12"
12"	6"
12"	12"
14"	6"
14"	12"
	6" 6" 8" 10" 10" 12" 12" 14"

I-Bar Style Perpendicular Fiberglass Grating


Item Number	Width	Cross Rod on CTR
ISI4066Z48	6"	6"
ISI4086Z48	8"	6"
ISI4106Z48	10"	6"
ISI4126Z48	12"	6"
1014146749	1.//"	6"

T-Bar Style Parallel Fiberglass Grating

Item Number	Width	Cross Rod on CTR
IST4066Y48	6"	6"
IST4612Y48	6"	12"
IST4086Y48	8"	6"
IST4812Y48	8"	12"
IST4106Y48	10"	6"
IST41012Y48	10"	12"
IST4126Y48	12"	6"
IST41212Y48	12"	12"
IST4146Y48	14"	6"
IST41412Y48	1/1"	12"

T-Bar Style Perpendicular Fiberglass Grating

Item Number	Width	Cross Rod on CTR		
IST4066Z48	6"	6"		
IST4086Z48	8"	6"		
IST4106Z48	10"	6"		
IST4126Z48	12"	6"		
IST4146748	14"	6"		



I-Bar Fiberglass Grating


Item Number	Dimensions W × L	Color	Cross Rods
ISIC80848	8" × 120" bearing bar	White	12" on centers
ISIC81048	10" × 120" bearing bar	White	12" on centers
ISIC81248	$12" \times 120"$ bearing bar	White	12" on centers

T-Bar Fiberglass Grating

Item Number	Dimensions W × L	Color	Cross Rods
ISTC80848	8" × 120" bearing bar	White	12" on centers
ISTC81048	10" × 120" bearing bar	White	12" on centers
ISTC81248	$12" \times 120"$ bearing bar	White	12" on centers

Hardware

Item Number	Description	Use With
<u>IS9008448</u>	I-Bar Clip	I-Bar
IS6017548	T-Bar Clip	T-Bar
<u>IS2002048</u>	Screw	T-Bar and I-Bar
RRMSA1450	Drop-In Anchor	T-Bar and I-Bar
ISDDC75	Clamp Style Anchor	I-Bar
ISSSDHT75	Clamp Style Anchor	T-Bar



When ordering Duragrid, make sure bearing bars in the panel are oriented in the correct direction. Bearing bars should traverse from support to support. Length is measured from end to end of the bearing bars. Cross rods are not intended to be applied in the span direction. Width is measured from end to end of the cross rods.

Daldorado PVC Grating





Daldorado Perpendicular Grating

Perpendicular grating is by far the most popular for deck-drain gutter systems. But did you know that the IBC standard for Child Finger and Toe Entanglement requires a gap opening of no more than 8mm? Daldorado grating meets these IBC guidelines and more to help avoid small fingers and toes from getting hurt.

Available in standard 12", 14" and 16" widths, our perpendicular grating conforms to both radius and straight configurations. Hand holds and curb angles available for true ledge support (radius or straight). Easy and worry-free installation.

All corners are custom manufactured and strengthened for inside-outside corners per design requirements. Fully warranted by Daldorado.

- Complies with the International Child Finger/Toe Entrapment Guidelines featuring a gap opening of only 8mm.
- Made of high-grade UV-stable PVC (Axiall 7140) ~ Certified for NSF50.
- Certified to IBC Classification C For Wet-Barefoot Inclining Platform (Ramp) test for Swimming pool
 ramps and stairs leading to water, swimming pool surrounds and communal shower rooms, communal
 Changing Rooms.
- Complies with the new IBC standard for strength, specifically access covers and grates (3996 Class A ~ over 10kN).
- Available in three colors ~ white, bone and gray. Other colors available with a quantity guarantee.
- Fully warranted for 10 years against manufacturer defects with a focus on offering the best customer service in the industry.

Perpendicular Grating

Item Number	Width	
ISDPE1250	12"	
ISDPE1450	14"	
ISDPE1650	16"	
Specify color when ordering: Rone, Gray, or White		







Throwaway Cap

Daldorado CapSHURE™ Deck Drain

Available in 2-inch and 4-inch depths

The Daldorado CapSHURE[™] Deck Drain System takes deck drains to the next level with robust features not found with any other drain systems. With a 40% open area, Daldorado Drain Packages meet or exceed IBC Standards for finger/toe entrapment guidelines with a gap opening of only 8mm, slip resistant and superior strength to withstand light vehicle traffic.

Each package comes complete in 10' lengths and 4" widths, and include a heavy-duty base with a throw-away cap to keep its form when pouring and setting concrete. This system has everything you need to do the job right.

SILENT*Flow*™



Daldorado SILENTFlow™ Parallel Grating

Daldorado's SILENTFlow[™] commercial pool grating system is the next evolution in parallel grating — with features that surpass any other commercial grating currently sold in the US. All grating features the highest flow rate with an unprecedented 40% open area and whisper-quiet noise reduction.

Available in standard 12", 14" and 16" widths, our parallel grating conforms to both radius and straight configurations. Hand holds and curb angles available for true ledge support (radius or straight). All corners are custom manufactured and strengthened for inside-outside corners per design requirements. Fully warranted by Daldorado. **Challenge-Free Installation**

Daldorado's SILENTFlow[™] parallel grating has been engineered to make installation so easy you will want to install it on all your pools. No more expansion issues or buckling. Added truss support combined with using the highest quality materials allows for superior strength unmatched by any other grating company (excess of 4,000 lbs).

- Complies with the International Child Finger/Toe Entrapment Guidelines featuring a gap opening of only 8mm.
- Made of high-grade UV-stable PVC (Axiall 7140) ~ Certified for NSF50.
- Certified to IBC Classification C For Wet-Barefoot Inclining Platform (Ramp) test for Swimming pool ramps and stairs leading to water, swimming pool surrounds and communal shower rooms, communal Changing Rooms.
- Complies with the new IBC standard for strength, specifically access covers and grates (3996 Class A ~ over 10kN).
- Available in three colors ~ white, bone and gray. Other colors available with a quantity guarantee.
- Fully warranted for 10 years against manufacturer defects with a focus on offering the best customer service in the industry.

Parallel Grating, Radius

Item Number	Width
ISDPR1050	10"
ISDPR1250	12"
ISDPR1450	14"
ISDPR1650	16"
Specify color when ordering: Bone, Gray, or White.	

Parallel Grating, Straight

Item Number	Width	
ISDPS1250	12"	
ISDPS1450	14"	
ISDPS1650	16"	
Specify color when ordering: Bone, Gray, or White.		

Features:

- 2" depth for above grade, indoor use or other sub-base limitations.
- 4" wide \times 4" deep deck drain shipped in 10' lengths.
- Straight or custom radii down to 6' inside (2 meters).
- Suitable for indoor/outdoor use.
- Open Area ~ 40%.
- All grating constructed of high-grade UV-stable PVC (Axiall 7140 Certified for NSF50) and complies with the IBC Child Finger/Toe entrapment guideline (0.315" (8mm) gap opening.
- Strength tested for light vehicle traffic (Certified Load Classification under IBC Standard AS 3996 Class A – over 10kN for grates).
- Certified to IBC Classification C For Wet-Barefoot Inclining Platform (Ramp) test for Swimming pool ramps and stairs leading to water, swimming pool surrounds and communal shower rooms, communal Changing Rooms.
- EPDM joiners act as expansion joints.
- Dropout drain boxes $\sim 12" \times 12"$.
- Plumbing sizes are formed to meet designer's specifications.
- Heavy-duty base in gray; grate either white, bone or gray.
- Pre-drilled base for ease of leveling & securing before pour.
- Delivered with a throwaway cap to keep its form when pouring and setting concrete.
- Fully warranted for 10 years.



Contact us for Specification and Pricing assistance

107

THREE LOCATIONS TO SERVE YOU BETTER! • MOST IN-STOCK ORDERS SHIP THE SAME DAY!

Commercial Pumps

PENTAIR



Pentair EQ Series Commercial Plastic Pump

- Designed in every detail for maximum efficiency.
- The only non-corrosive, all-plastic pump designed exclusively for commercial applications.
- Exclusive impeller design that provides true breakthrough performance and longer motor life.
- Cam and Ramp[™] see-thru lid for added service convenience.

EQ Series pumps are the high-performance plastic injection molded pumps suited for a wide range of commercial applications. They're built to last, and are incredibly efficient, guiet, lightweight and corrosion resistant.

The EQ's unique impeller design moves more water more quickly than comparable pumps. As a result, the pump's motor doesn't have to work as hard, resulting in cooler operation and longer life.

The EQ has been subjected to a rigorous design, development, and testing program to ensure that it will handle the toughest commercial applications for years to come.

EQ Series Pump With Strainer

Item Number	Model	HP	Phase
<u>GG4003003</u>	EQ500	5	1
<u>GG4003103</u>	EQK500	5	3
<u>GG4003203</u>	EQ750	7.5	1
<u>GG4003303</u>	EQK750	7.5	3
<u>GG4003403</u>	EQK1000	10	3
<u>GG4003503</u>	EQK1500	15	3

Also available without strainer with pricing on request.



Pentair EQ Series Commercial Plastic Pump with Totally Enclosed Fan Cooled (TEFC) Motor

The new EQ Series 3-phase pool pumps with TEFC motors are a true commercial-duty swimming pool pump. The TEFC (Totally Enclosed Fan Cooled) motor is much more robust and corrosion proof than standard ODP (Open Drip Proof) motors. This commercial-duty motor construction does not allow ambient air to enter the motor; preventing corrosion from the inside out. The motor design features heavy-duty sealed bearings and an ultra-strong aluminum fan for superior cooling; along with Class F insulation for compatibility with Pentair Commercial Aquatics' Acu-Drive™ Variable Frequency Drives.

EQ Series Pump With Strainer

Item Number	Model	HP	Phase
<u>GG4060403</u>	EQKT500	5	3
<u>GG4060503</u>	EQKT750	7.5	3
<u>GG4060603</u>	EQKT1000	10	3
<u>GG4060703</u>	EQKT1500	15	3
Also available without str	ainer with pricing on request		

without strainer with pricing on request

Genuine Pentair Factory Parts

	Item Number	Description
	GP5718403	357184 Strainer Basket
	GP5016603	350166 Strainer Lid Gasket
	GP7172503	071725S Seal Set
	For additional parts, y	isit www.recsupply.com or call us at 1.800.437.8072 for assistance



IntelliFloXF® VSF Variable Speed and Flow Pump

- Eight programmable speed or flow settings and built-in timer
- Rotatable keypad with optional wall mount kit (sold separately)
- Top-mounted field wiring compartment is easier to access and connect
- Totally enclosed fan-cooled design keeps motor shielded from the elements for extended life
- Menus are easier than ever to use
- Union connectors included for connecting directly to 2.5" or 3" plumbing
- Precisely maintains system flow requirements
- Compatible with Pentair Automation

IntelliFloXF VSF pump is the first variable speed and flow pump that adjusts to changes in flow system conditions to maintain its programmed flow rate. With its available performance and efficiency, it is perfectly suited for large and feature rich pools with high flow demand to power waterfalls, slides, negative edges and more.

Item Number	-	Pentair Number	Voltage	HP	_
<u>GG2205603</u>		022056	230	3	

Genuine Pentair Factory Parts

Item Number	Description
GP4007Z03	400007Z Strainer Basket
GP5144016	35505-1440 Strainer Lid O-Ring
GP0101S16	17351-0101S Seal
GP4001203	400012 XF Riser Base, for use when replacing Challenger
For additional parts	isit www.recsupply.com or call us at 1,800,437,8072 for assistance

additional parts, visit www.recsupply.com or call us at 1-800



Pentair IntelliFlo VS+SVRS Pump

IntelliFlo Variable Speed pumps combine variable drive speed technology, onboard digital intelligence, and permanent magnet motors (used in hybrid cars) to reduce pump-related energy costs by up to 90%. The IntelliFlo VS+SVRS model features a built-in Safety Vacuum Release System that detects drain blockage and automatically shuts the pump off. ENERGY STAR® Certified.

Feature Highlights:

Item Number

GG1105703

- Ability to program exact pump speeds for specific operations - filtering, heating, cleaning, spa jets, water features and more - reduces energy costs up to 90%
- SVRS complies with Virginia Graeme Baker Safety Act
- Built-in diagnostics protect the IntelliFlo pump from the most common causes of premature failure - overheating, freezing, and voltage irregularities.
- Includes priming protection. No SVRS calibrations needed. Built-in SVRS cannot be turned off.

- Safety lock-out feature (password protected) prevents pump speed settings from being changed by unauthorized personnel
- Ability to set minimum and maximum speeds so pump will only operate within the ranges set to help assure safe operation and long life
- Compatible with IntelliTouch®, EasyTouch®, and SunTouch® Pool Control Systems
- Compliant with the current ASME A1125.19.17 Standard for Safety Vacuum Release Systems (SVRS)
- Operates seamlessly on 50 hz or 60 hz input power. Flow/speed are constant when operating on 50hz or 60 hz.

Convine Pentair Eactory Parts

Genuine Fentan Factory Farts			
Item Number	Description		
GP7038703	070387Z Strainer Basket (Whisperflo)		
GP5001303	350013Z Strainer Lid Gasket		
GP7173403	071734S Seal		
For additional parts,	visit www.recsupply.com or call us at 1-800-437-8072 for assistance.		

Description 3 HP Intelliflo VS+SVRS

Commercial Pumps



Pentair WhisperFlo XF[™] High Performance Pump

The WhisperFloXF[™] pool pump was developed using the most advanced engineering tools available – CFD (Computational Fluid Dynamics) and FEA (Finite Element Analysis). The proprietary impeller design delivers a higher level of precision concentricity for increased efficiency. The proprietary hydraulic isolator smooths the water flow inside the volute, raising the efficiency even higher. With capabilities in excess of 200 GPM, WhisperFloXF[™] is an ideal choice for many commercial applications; especially those involving water features, negative edges and slides.

- New upgraded dual-compartment motor for simplified field wiring
- New hydraulic isolator separates priming water from pumping water for faster priming, more turbulence-free flow and increased efficiency
- New union connectors included for connecting directly to 2.5" or 3" plumbing
- Diamond seals made of oxidation-resistant, self-retaining EPDM rubber for increased durability and tighter seal
- Extra-large, robust basket with smooth surface for easy debris removal
- Drop-in replacement for original WhisperFlo; optional 400012 XF Riser Base enables easy Challenger replacement
- Modular plumbing system means less need to cut and glue pipe
- External port threading and tool-free union nuts need only hand-tightening
- Easy-carry handle; Easily removable, ergonomic lock ring; and see-through lid for easy basket inspection
- Compatible with Pentair's Acu Drive XS VFDs.
- Please visit www.recsupply.com for pump curves.

Item Number	Pentair #	Description	HP	Voltage	Phase
GG2201703	022017	XFK-8 TEFC Super Duty	2	208-230/460	3
GG2201803	022018	XFK-12 TEFC Super Duty	3	208-230/460	3
GG2201903	022019	XFK-20 TEFC Super Duty	5	208-230/460	3

Genuine Pentair Factory Parts

	item Number	Description
	<u>GP4007Z03</u>	400007Z Strainer Basket
	GP5144016	35505-1440 Strainer Lid O-Ring
	GP0101S16	17351-0101S Seal
	<u>GP4001203</u>	400012 XF Riser Base, for use when replacing Challenger
	For additional parts, visit www.re	ecsupply.com or call us at 1-800-437-8072 for assistance.



WhisperFloXF VS Commercial Variable Speed Pump

- Integrated motor/drive; no expensive external drive required
- · Versatile power input capability; runs off a wide range of single- or three-phase power
- Speed or flow control for maximum efficiency and pool performance*
- External control capability through automation systems or relays
- Intuitive programming and operation
- Meets commercial codes and agency requirements

The WhisperFloXFVS Commercial Pump is an economical, combined motor/drive solution for HMAC (hotel, motel, apartment, condominium) installations, providing sophisticated, energy-saving pump technology without the high costs typically associated with independent pump/external drive setups.

The WhisperFloXF VS Commercial Pump features variable speed capability, along with digital controls and proprietary software that allow for custom programming of optimum pump speeds for specific tasks such as filtering, heating, cleaning, and spa jets.

Item Number	Description	HP	Phase
GG2203503	WhisperFloXF VS	5	1 or 3





Pentair WhisperFlo[™] Pump

- Oversized strainer basket and volute industry standard in pool pumps.
- compatible with all cleaning systems, various filters and jet action spas.
- Heavy duty construction is designed for long life.
- Cam & Ramp[™] see-thru lid design.
- Self-priming, high flow with patented Funnel-Flo[™] diffusers.
- 2" suction and discharge ports.

The Pentair WhisperFlo[™] pump is designed specifically to circulate more water in less time, using less energy and creating less noise. WhisperFlo[™] Pumps come with a one year limited warranty.

Whisperflo Pump – 3 phase, TEFC Super-Duty

Item Number	Pentair Number	Model Number	HP
<u>GG1164103</u>	011641	WFK-4	1
<u>GG1164203</u>	011642	WFK-6	1.1/2
GG1164303	011643	WFK-8	2
GG1164403	011644	WFK-12	3

Genuine Pentair Factory Parts

Item Number	Description	
GP7038703	070387Z Strainer Basket (Whisperflo)	
GP5001303	350013Z Strainer Lid Gasket	
GP7173403	071734S Seal	
For additional parts	visit www.recsupply.com.or.call.us.at 1.800.437.8072 for assistance	

Pentair Pump Seal Quick Kits Pentair's Pump Seal Quick Kits include the exact same parts used in production of Pentair equipment. Genuine Pentair seals have been factory tested to provide extreme quality and superior performance compared to generic options. Every seal kit includes a QR code that will take you to a video showing you how to correctly install the replacement parts.

Item Number	Description	
GP5619603	356196 Seal Set - IntelliPro, Max-E-Pro	
GP5619803	356198 Seal Set - WhisperFlo, IntelliFlo	
GP5619903	356199 Seal Set - Challenger	
For additional parts, call us at 1-800-437-8072 for assistance		



Submersible Utility Pump

The PCD-1000 submersible, portable, high capacity pump designed for use by the professional in draining pools and spas as well as for general purpose applications, now has improved flow rates and stainless steel casing, suction strainer, impeller and shaft for greater corrosion resistance and longer service life. The PCD-1000 can pump water down to 1-3/8 inches in depth. Debris and stones up to 3/4 inch are able to pass through the pump. It also features a 1-1/4 inch discharge port for faster draining. Discharge port adapters are included. Optional float switch included; switch stops pump when low water level reached. Remove float switch for constant run. **Features:**

- 115V, 60 Hz single phase, permanent split capacitor motor
- Automatic thermal overload protection
- Clog-resistant cast stainless steel impeller
- Accommodates water temperatures ranging from 32° F to 130° F
- Permanently lubricated ball bearings
- Equipped with 15-foot, 18/3 grounding type power cord
- Convenient top-mounted handle
- Rubber feet to eliminate scratching
- Optional float switch included

Item Number Description GGPCD1003 Stainless St

Stainless Steel Submersible Pool Service Pump

Commercial Pumps



Pentair C Series™ Brass Self-Priming Commercial Pump

The Pentair C Series[™] heavy duty commercial pump is specifically designed for commercial, public or other large swimming pools, fountains and water features where high flow rates and continuous operation are desired. C Series[™] pumps come with a **one year limited warranty.**

Features:

- Large commercial pump with s/s basket.
- Easy serviceability.
- High performance motor for maximum flow.
- All-bronze construction for strength and durability.
- 6" suction and 4" discharge for maximum capabilities.
- Heavy-gauge stainless steel strainer basket with an open area 5 times the area of the suction port.
- Closed impeller for longer motor bearing life.
- Heat-resistant seal capable of operation at up to 150°.

• Available in single and three-phase models.

Medium Head Three Phase	<u>)</u>				
Item Number	Model	HP	Head	Phase	Ship Wt.
GG1165203	CMK-50	5	Medium	3	336 lbs.
<u>GG1165303</u>	CMK-75	7.5	Medium	3	346 lbs.
<u>GG1165403</u>	CMK-100	10	Medium	3	374 lbs.
<u>GG1165503</u>	CMK-150	15	Medium	3	396 lbs.
<u>GG1165703</u>	CHK-50	5	High	3	336 lbs.
<u>GG1165803</u>	CHK-75	7.5	High	3	349 lbs.
<u>GG1165903</u>	CHK-100	10	High	3	376 lbs.
<u>GG1166003</u>	CHK-150	15	High	3	398 lbs.
<u>GG1166103</u>	CHK-200	20	High	3	474 lbs.
<u>GG1165603</u>	CH-50	5	High	1	352 lbs.
GG1165103	CM-50	5	Medium	1	352 lbs.

Genuine Pentair Factory Parts

Item Number	Description
<u>GP7279503</u>	072795 Strainer Basket
GP7143303	071433 Strainer Lid Gasket
<u>GP7172503</u>	071725S Seal Set
For additional parts, visit www.re	csupply com or call us at 1-800-437-8072 for assistance



Sta-Rite D Series Cast Iron Self-Priming Pump

Especially designed for commercial and public swimming pools and spas, aquatic facilities, water parks and fountain applications where high performance and self-priming characteristics are desired. These selfpriming, high performance pumps are available in high head and medium head models, providing a complete range of performance characteristics. Motors are open drip-proof, continuous duty rated 3450 RPM.

Features:

- Back pull-out design allows entire motor to be removed for servicing impeller, seal or motor without disturbing plumbing.
- Suitable for outdoor installation.
- Precision cast and machined bronze impeller is dynamically balanced for long seal life and quiet operation. Non-overloading.
- 200 Volt models available.
- 2", 2.5" or 3" suction port and 1.5", 2" or 2.5" discharge port.

	Model	Nom.			Discharge	
Medium Head Item Number	Number	HP	Phase	Voltage	Port	Ship Wt
GGDMH16	DMH-171	3	1	230	2"	135 lbs
GGDMH316	DMH3-171	3	3	230/460	2"	135 lbs
GGDMJ16	DMJ-172	5	1	230	2.5"	178 lbs
GGDMJ316	DMJ3-172	5	3	230/460	2.5"	178 lbs
	Model				Discharge	
High Head Item Number	Model Number	Nom. HP	Phase	Voltage	Discharge Port	Ship Wt
High Head Item Number GGDHH16		Nom. HP 3	Phase 1	Voltage 230	0	Ship Wt 135 lbs
0	Number		Phase 1 3	<u> </u>	Port	
GGDHH16	Number DHH-169	3	1	230	Port 1.5"	135 lbs
GGDHH16 GGDHH316	Number DHH-169 DHH3-169	3 3	1	230 230/460	Port 1.5" 1.5"	135 lbs 135 lbs



Sta-Rite CSP Series Cast Iron Self-Priming Pumps

For commercial and public swimming pools and spas, aquatic facilities, water parks and fountain applications where high performance and self-priming characteristics are desired. Rugged, self-priming CSP Series commercial pumps feature an enclosed bronze impeller, standard 6" x 4" flange connections, plus a 1,100 cubic inch capacity hair and lint strainer. Motors are standard JM type, NEMA® Rated "C" flange design with a stainless steel shaft sleeve. These cast iron pumps are available in 7-1/2, 10, 15 and 20 HP, and may be purchased with or without corrosionpreventing epoxy coating on all wetted surfaces. Pump and strainer sold separately.

Features:

- Cast iron construction, enclosed bronze impeller and bronze wear rings for long lasting reliability
- Exceptional self-priming design with hair and lint strainer installed; allows pump to be installed above or below water level.
- Nationally recognized NEMA standard motors offer high performance under continuous operation.
- Back pullout design enables servicing of normal wearing parts without disconnecting piping.
 Dimensionally compatible with most
- installations for easier initial hookup or retrofit. Integral design base is slotted for ease of

Phase

Voltage

mounting.

HP

CSP Series Ordering Information Item Number Model Number

GGCPHK16	CSPHK-142	7.5	1	230
GGCPHK316	CSPHK3-142	7.5	3	230/460
GGCP2K316	CSPH2K3-142	7.5	3	200
GGCPHL16	CSPHL-143	10	1	230
GGCPHL316	CSPHL3-143	10	3	230/460
GGCP2L316	CSPH2L3-143	10	3	200
GGCPHM316	CSPHM3-144	15	3	230/460
GGCP2M316	CSPH2M3-144	15	3	200
GGCPHN316	CSPHN3-145	20	3	230/460
GGCP2N316	CSPH2N3-145	20	3	200

CCSP Series Ordering Information

Item Number	Model Number	HP	Phase	Voltage
GGCCPHK16	CCSPHK-142	7.5	1	230
GGCCPK316	CCSPHK3-142	7.5	3	230/460
GGCCPHL16	CCSPHL-143	10	1	230
GGCCPL316	CCSPHL3-143	10	3	230/460
GGCCPHM16	CCSPHM3-144	15	3	230/460
GGCCPHN16	CCSPHN3-145	20	3	230/460

Hair & Lint Strainer

Item Number	Description
<u>GGPK18416</u>	PKG184 Strainer
GGP184C16	PKG184C Epoxy Coated Strainer

Genuine Pentair Factory Parts

	Description
FP5042116	35505-0421 Strainer Lid O-Ring
GP3201416	S32014 Mechanical Shaft Seal (7.5 HP thru 15 HP)
GP1010216	16401-0102 Strainer Basket
For additional parts, visit www	v.recsupply.com or call us at 1-800-437-8072 for assistance.



Sta-Rite J-Series Booster Pump

Normal recirculated pool water often needs its pressure "boosted" so chlorinators can operate efficiently. The Sta-Rite J Series Booster Pump is designed for this purpose. It is a high head centrifugal pump with a cast iron volute and Noryl impeller for maximum performance.

Item Number	Phase	HP
GGJHC16	1	1/2
GGJHD16	1	3/4
GGJHE16	1	1
GGJHF16	1	1.1/2
GGJHG16	1	2
GGJHC316	3	1/2
GGJHD316	3	3/4
GGJHE316	3	1
GGJHF316	3	1.1/2
GGJHG316	3	2

Commercial Pumps and Variable Frequency Drives



Aurora 3800 Series Single Stage End Suction Centrifugal Pumps

Liquid handling requirements have evolved over the years and have increased along with temperatures and pressures. Today's installations demand sturdy but quiet, smooth running pumps with longer life cycles. These modern pumps with a clean, straightforward and updated design were developed with upgraded materials of construction and a simplified offering without limiting ranges and keeping maximum interchangeability in mind. These pumps not only feature shared hydraulics and premium materials as standard offering, but also offer industry leading durability. **Features:**

- Sturdiest power frames in the industry
- Foot mounted and double volute
- Standard back pullout
- Direct replacement to the largest installed base
- Exceeds U.S. Department of Energy (DOE) pump efficiency standards
- Redesigned pumps provide higher efficiencies
- Shared features and standard upgrades

Contact us for selection assistance and pricing.



Berkeley Close-Coupled Centrifugal Pumps

Where a large volume of water is needed, in flooded suction applications, Berkeley brand pumps can accommodate almost any water-moving needs. Berkeley brand pumps have been one of the top names in the water systems for decades. Once recognized for only being affiliated with irrigation and water systems, Berkeley pumps are now available in many configurations to be used in water features, water parks, aquaculture, and commercial pools & spas. **Contact us for selection assistance and pricing**.

Additional Quality Features:

- The motor is close-grained cast iron, providing the strength necessary to minimize deflection and maintain positive alignment. Precision machined to assure proper component sealing.
- High-quality, self-lubricating mechanical shaft seal with corrosion resistant metal parts provides maintenance free operation and maximum abrasion resistance without leaking. Optional seals available for special applications.
- Multiple taps supplied for easy priming and draining.
- Replaceable stainless steel shaft sleeve provides maximum corrosion resistance and protects shaft from wear.
- Enclosed impeller is designed and machined to optimize performance and operating efficiencies. Mechanically balanced to reduce bearing loads and increase life. Keyed and locked to motor shaft. Trimmed for maximum efficiency of both pump and motor.
- NEMA standard motors

Paco LC End Suction Pump

Paco has a variety of pumps for almost any application at your pool or waterpark. Pumps are available in close-coupled design and either vertical or horizontal or frame mounted. Please contact us for more information about Paco pumps.



Eco-Flow-C[®] Aquatic Variable Speed Drives

The Eco-Flow-C[®] Aquatic Variable Frequency Drive from H2flow is ideal for the hostile environment of a pool equipment room. Its standard rugged NEMA 12 configuration and Aquatic Controller make it a durable and user-friendly solution for even the most unforgiving commercial pool room environments. **Features:**

- Rugged 3/4 die cast aluminum body with NEMA 12 construction for durability
- Aquatic Controller for simple operation yet sophisticated capability
- Multiple programming options for optimal energy & system efficiency
- Patented Load Curve Monitoring protects the pump and system from inadvertent events, i.e., power fluctuations, loss of prime, closed suction / discharge valves, dead heading, worn impeller detection, over load, under load conditions
- I/O capacity for integration with other mechanical room equipment
- BMS (Building Management System) capable for monitoring and control
- Optional Bypass Control with integrated Aquatic Controller
- Live local and national support for prompt assistance if needed

Contact us for selection assistance and pricing.



Acu Drive[™] XS

- Features: • Save up to 60% or more on pump's electricity usage
- "Right-size" your pump to the exact flow required
- Saves energy with constant flow as the filters gets dirty (with optional flow sensor)
- Off-hour flow management capability
- Does not blow corrosive filter-room air across the circuitry
- High efficiency up to 98% adjusts drive input voltage for best efficiency point
- Eliminates need for motor starters
- Integrated disconnects, fusing and optional bypasses
- 2-step ramps (Soft Start Feature)
- Real-time clock for time based functions
- Overload trip protection protects motor and Acu
 Drive from Voltage Spikes and phase unbalance
- Can connect to an IntelliTouch system
- Up to a 6 year on-site warranty available
 Start-up included with every drive (technical
- training option available)
- Indoor & Outdoor-rated enclosures
- One drive type for the full power range
 For use with 2 phase number only
- For use with 3 phase pumps only

The Acu Drive XS[™] offers built-in intelligence for increased performance in all aquatic pump applications. Specified to save energy, space, costs and time, the Acu Drive XS is built to be the heart of the pump room. With minimal payback time due to energy savings and equipped with a unique feature which continuously displays the time remaining until the drive pays for itself. Built with powerful standard and optional features specifically designed for energy optimization, the Acu Drive XS is perfectly matched with the full line of Pentair Water Commercial Pool and Aquatics' pumps. **Contact us for selection assistance and pricing.**



Commercial Pumps and Strainers

pool pump with integral suction strainer for commercial

pool and waterpark applications.

Heads to 120 feet.

Capacities to 800 GPM.

Rugged Cast Iron Construction

High Efficiency Bronze Impeller.

Female Flanged Pipe Connections.

Ease of Maintenance Self-lubricating Mechanical Seal.

Back Pull-out Design. NSF Certified.

Multi-vane Cast Iron Replaceable Diffuser.

Integral Suction Strainer with S/S Basket.

Cast Iron Casing with 6" Suction and 4" Discharge

Specifications:

1750 RPM.

Design Features:



Marlow 3B Series Pump **Marlow 4SPC Series Pump** The 4SPC Series is a self-priming centrifugal swimming

The 3B Series is a self-priming centrifugal swimming pool pump with integral suction strainer for commercial pool applications.

Specifications:

- Capacities to 400 GPM.
- Heads to 90 feet.
- 3450 RPM.

Design Features:

- Cast Iron Construction.
- High Efficiency Impeller.
- Multi-vane Replaceable Diffuser.
- Rugged Casing with 4" Suction and 3" **Discharge Female NPT Pipe Connections.**
- Integral Suction Strainer with S/S Basket.
- Ease of Maintenance.
- Self-lubricating Mechanical Seal.
- Back Pull-out Design.
- NSF Certified.

3B Series Ordering Information

Item Number	Model	HP	Phase	Voltage	Ship Wt (lbs.)
GGCA03429	3B28EC-C2	5	1	230	225
GGCA00129	3B28EC-C2	5	3	230/460	225
GGCA02729	3B32EC-C2	7.5	1	230	285
GGCA00229	3B32EC-C2	7.5	3	230/460	285

4SPC Series Ordering Information

Item Number	Model	HP	Phase	Voltage	Ship Wt (lbs.)
GGCA00829	4SPC10EC	10	1	230	600
GGCA00429	4SPC10EC	10	3	230/460	590
GGCA00529	4SPC15EC	15	3	230/460	600
GGCA00629	4SPC20EC	20	3	230/460	650

Marlow Factory Parts

Item Number	Description
GP3589029	AM3589000 Strainer Basket, 3B Series
GP2821929	AM2821900 Strainer Lid O-Ring, 3B Series
GP2722329	1CA066 Seal Assembly, 3B Series
<u>GP4699629</u>	AM4699600 Strainer Basket, 4SPC Series
GP165429	AC1654 Strainer Lid O-Ring, 4SPC Series
GPCA06729	1CA067 Seal Assembly, 4SPC Series
For additional parts, call us at 1-	800-437-8072 for assistance.

Marlow Stockline

L Series Pump Features:

- **Rugged Cast Iron Construction**
- Highly Efficient, Enclosed Bronze Impeller
- Cast Iron Casing with 125# Flat Face Flange Connections
- Broad Hydraulic Coverage
- **Replaceable Shaft Sleeve Protects Shaft**
- Ease of Maintenance
- Self-lubricating Mechanical Seal
 - Back Pull-out Design

End suction centrifugal pumps stocked in 5 through 20 HP sizes for use on commercial pool and waterpark applications. L Series Pumps listed are cast iron, bronze fitted pumps without strainers. Strainers must be ordered separately. Specifications:

- Maximum Capacity: 1,500 GPM
- Maximum Head: 100 Feet

L Series Ordering Information					
Item Number	Model	HP	Flange	Voltage	Ship Wt (lbs.)
GGAK40129	3L1SC	7.5	4 × 3	230/460	230
GGAK40229	3L2SC	10	4 × 3	230/460	260
GGAK10329	4L1SC	7.5	5 × 4	230/460	280
GGAK10429	4L2SC	10	5 × 4	230/460	290
GGAK10529	4L3SC	15	5×4	230/460	380
GGAK10629	5L1SC	15	6 × 5	230/460	420
GGAK10829	5L2SC	20	6 × 5	230/460	470



Mueller Cast Iron Strainer

Mueller simplex cast iron basket strainers are designed to achieve maximum straining efficiency. They have provided competitive economical flow control solutions worldwide. They are constructed of durable cast iron and feature flanged ends with a clamp type cover. The 2" - 12" models are rated 200 PSI at 150°F and have flanged ends. The 14" - 16" models are rated 150 PSI at 150°F and feature vertical swing clamps.

D:--- C:--

Mueller Cast Iron Strainers

Item Number	Pipe Size
<u>GG155250</u>	2"
<u>GG155350</u>	3"
<u>GG155450</u>	4"
<u>GG155550</u>	5"
<u>GG155650</u>	6"
<u>GG155850</u>	8"
<u>GG1551050</u>	10"
<u>GG1551250</u>	12"
<u>GG1551450</u>	14"

Mueller Stainless Steel 304 Perf. Baskets

Item Number	Pipe Size
<u>GP155250</u>	2"
<u>GP155350</u>	3"
<u>GP155450</u>	4"
<u>GP155550</u>	5"
<u>GP155650</u>	6"
<u>GP155850</u>	8"
GP1551050	10"
GP1551250	12"
GP1551450	14"



Pentair PS Series[™] **In-Line Strainers**

Designed for ease of installation and hydraulic efficiencies in commercial aquatics applications. Three standard sizes, but with the addition of eccentric reducers, PS Series strainers fit with almost any plumbing configuration. ANSI flange bolt pattern allows for ease of installation and peace of mind. Features:

- Superior design for hydraulic performance
- Clear lid with easy access allows for simple visibility of debris
 - Extra large stainless steel strainer basket
- 50 PSI rating
- NSF listed

Model Number	Connection Size (Inlet × Outlet)	Typical Max Flow (GPM)
PS6X6	6" × 6"	540
PS6X5E	6" × 5"	540
PS6X4E	6" × 4"	540
PS6X3E	6" × 3"	540
PS8X8	8" × 8"	930
PS8X6E	8" × 6"	930
PS8X5E	8" × 5"	930
PS8X4E	8" × 4"	930
PS10X10	10" × 10"	1470
PS10X8E	10" × 8"	1470
PS10X6E	10" × 6"	1470
PS10X5E	10" × 5"	1470
	PS6X6 PS6X5E PS6X4E PS6X3E PS8X8 PS8X6E PS8X5E PS8X4E PS10X10 PS10X8E PS10X6E	Model Number (Inlet × Outlet) PS6X6 6" × 6" PS6X5E 6" × 5" PS6X3E 6" × 3" PS6X3E 6" × 3" PS8X8 8" × 8" PS8X6E 8" × 6" PS8X5E 8" × 5" PS8X4E 8" × 4" PS10X10 10" × 10" PS10X8E 10" × 8" PS10X6E 10" × 6"



Three locations to serve you better!

Strainers and Baskets



of unlisted configurations.

Fiberglass Strainer

FPT SW Series basket strainers are designed specifically for aquatic applications. These strainers offer the corrosion resistance of PVC combined with the mechanical strength of fiberglass plus the durability of stainless steel baskets. The SW Series strainers are hydrostatically tested at 100 PSI and are rated for 75 PSI working pressure. They are available in pipe sizes 3" through 24" for flow rates of up to 15,000 GPM. Drawings and dimension information are available on request. Stainless steel basket included.

Stainless Steel Strainer

FPT SW Series stainless steel strainers are manufactured from Schedule 10, 316 stainless steel pipe. Van Stone type flanges are 316 SS stub ends with 304 SS back up rings. The cover flange is 1" thick acrylic sheet, secured with 304 SS eyebolts and tee handles. A ¼" thick neoprene gasket is

standard (Viton or EPDM materials are options). Baskets are 316 stainless with 1/8" perforations on 3/16" centers, producing 40% open area. Larger or smaller

centers, producing 40% open area. Larger or smaller perforations are available. Please call for details.

Item Number	Material	Туре	Pipe Size
GGFS03050	Fiberglass	Inline	3"
GGFS04050	Fiberglass	Inline	4"
GGFS05050	Fiberglass	Inline	5"
GGFS06050	Fiberglass	Inline	6"
GGFS08050	Fiberglass	Inline	8"
GGFS10050	Fiberglass	Inline	10"
GGFS12050	Fiberglass	Inline	12"
GGFS14050	Fiberglass	Inline	14"
GGFG4350	Fiberglass	Reducing	4" × 3"
GGFG6350	Fiberglass	Reducing	6" × 3"
GGFG6450	Fiberglass	Reducing	6" × 4"
<u>GGFG6550</u>	Fiberglass	Reducing	6" × 5"
GGFG8550	Fiberglass	Reducing	8" × 5"
GGFG8650	Fiberglass	Reducing	8" × 6"
GGFG10650	Fiberglass	Reducing	10" × 6"
GGFG10850	Fiberglass	Reducing	10" × 8"
GGSS03050	Stainless Steel	Inline	3"
<u>GGSS04050</u>	Stainless Steel	Inline	4"
GGSS05050	Stainless Steel	Inline	5"
GGSS06050	Stainless Steel	Inline	6"
GGSS08050	Stainless Steel	Inline	8"
GGSS10050	Stainless Steel	Inline	10"
GGSS12050	Stainless Steel	Inline	12"
GGSS14050	Stainless Steel	Inline	14"
GGSS4350	Stainless Steel	Reducing	4" × 3"
<u>GGSS6350</u>	Stainless Steel	Reducing	6" × 3"
<u>GGSS6450</u>	Stainless Steel	Reducing	6" × 4"
<u>GGSS6550</u>	Stainless Steel	Reducing	6" × 5"
GGSS8550	Stainless Steel	Reducing	8" × 5"
<u>GGSS8650</u>	Stainless Steel	Reducing	8" × 6"
GGSS10650	Stainless Steel	Reducing	10" × 6"
GGSS10850	Stainless Steel	Reducing	10" × 8"

Flanged Concentric Reducers Our flanged concentric and eccentric reducers and designed

size configurations are available with pricing on request.

specifically for aquatic piping systems where maximum resistance to corrosion, pressure, and temperature is required. Our reducers are available in Fiberglass Reinforced Plastic (FRP)/PVC or high-grade T304 stainless steel in sizes ranging from 2" to 16". Concentric reducers are designed for pump discharge and eccentric reducers are designed for pump suction. Eccentric reducer configurations are available at the same prices as the concentric configurations. Additional



Fiberglass

Stainless Steel

Item Number	Material	Pipe Size
GG8043F50	Fiberglass/PVC	4" × 3"
GG8063F50	Fiberglass/PVC	6" × 3"
GG8064F50	Fiberglass/PVC	6" × 4"
GG8065F50	Fiberglass/PVC	6" × 5"
GG8085F50	Fiberglass/PVC	8" × 5"
GG8086F50	Fiberglass/PVC	8" × 6"
GG8105F50	Fiberglass/PVC	10" × 5"
GG8106F50	Fiberglass/PVC	10" × 6"
<u>GG6043S50</u>	Stainless Steel	4" × 3"
<u>GG6063S50</u>	Stainless Steel	6" × 3"
<u>GG6064S50</u>	Stainless Steel	6" × 4"
<u>GG6065S50</u>	Stainless Steel	6" × 5"
GG6085S50	Stainless Steel	8" × 5"
GG6086S50	Stainless Steel	8" × 6"
GG6105S50	Stainless Steel	10" × 5"
GG6106S50	Stainless Steel	10" × 6"



Replacement Baskets

Replacement Baskets

Item Number	Material	Pipe Size
GPSS350	Stainless Steel	3"
GPSS450	Stainless Steel	4"
GPSS550	Stainless Steel	5"
GPSS650	Stainless Steel	6"
GPSS850	Stainless Steel	8"
GPSS1050	Stainless Steel	10"
GPSS1250	Stainless Steel	12"
GPSS1450	Stainless Steel	14"

Clear Acrylic Covers

Item Number	Part Number	Strainer Size
GPA030550	1-030-5105AN	3"
GPA040550	1-040-5105AN	4"
GPA050550	1-050-5105AN	5"
GPA060550	1-060-5105AN	6"
GPA080550	1-080-5105AN	8"
GPA100550	1-100-5105AN	10"
GPA120550	1-120-5105AN	12"
GPA140550	1-140-5105AN	14"

Strainer Lid O-Rings

Item Number	Part Number	Strainer Size
GPB030550	1-030-51050N	3"
GPB040550	1-040-51050N	4"
GPB050550	1-050-51050N	5"
GPB060550	1-060-51050N	6"
GPB080550	1-080-51050N	8"
GPB100550	1-100-51050N	10"
GPB120550	1-120-51050N	12"
GPB140550	1-140-51050N	14"


Hair and Lint Strainer Baskets

Recreation Supply Company supplies a complete line of strainer baskets. If your basket is not a standard item, our facilities and equipment are geared to produce professional quality stainless steel baskets. An actual sample of your old basket is preferred. Please call for pricing information.

How to Order a Strainer Basket

Please provide the following information:

- 1. The pump manufacturer's name.
- 2. The make and model number on the pump or complete dimensions of the basket.
- 3. Style: Slant top Flat top or Tapered
- A. Height of tall side under the lip.
- B. Height of short side under the lip.
- C. Outside diameter of the basket. D. Width of basket including the lip.
- E. Width of the lip.
- F. Outside diameter on bottom of tapered basket.



THREE LOCATIONS TO SERVE YOU BETTER! • MOST IN-STOCK ORDERS SHIP THE SAME DAY!

Eureka Hi-Rate Sand Filters

EUREKA MANUFACTURING CO.

The Hi-Rate Filter concept employed in Eureka Manufacturing Company's HRL, HRL2C, and HRG Hi-Rate Permanent Media Filters has been refined and tested with thousands of systems successfully installed and operating throughout the world. This experience has tested the original premise of the design, making the Hi-Rate an effective, proven method of water filtration.

Our Hi-Rate Permanent Media Filters are manufactured in sizes from 30 inches diameter up to 120 inches diameter. The filters are available in single and multi-vessel configurations, as well as with multiple cells inside a single vessel.

Our filters, in single or dual vessel configurations will service pools with total volumes ranging from 50,000 gallons up to 550,000 gallons. Flow ranges can be accommodated from 142 gpm up to 2,086 gpm. Larger pools or higher flow rates are also readily available.

These filters are designed for and installed in large, commercial aquatic centers, public swimming pools, and commercial water parks.





- Tested and Certified by NSF International.
- Flow rates of up to 20 gpm per sq. ft. of filter area.
- Standard models filter from 26,640 gallons per six hours to 565,200 gallons per six hours.
- Low maintenance, easy to operate.
- High backwash rates without loss of media.
- Automated Backwash Control available.

Item Number	Model Number	Diameter	Filter Area (Sq. Ft.)
FFHRL4875	HRL48	48"	12.6
FFHRL5475	HRL54	54"	15.9
FFHRL6075	HRL60	60"	19.6
FFHRL6675	HRL66	66"	23.7
FFHRL7275	HRL72	72"	28.3
FFHRL7875	HRL78	78"	33.2
FFHRL8475	HRL84	84"	38.5
FFHRL9075	HRL90	90"	44.2
FFHRL9675	HRL96	96"	50.3
FFRL10275	HRL102	102"	56.7
FFRL10875	HRL108	108"	63.6
FFRL12075	HRL120	120"	78.5



Eureka Commercial Dual Cell Hi-Rate Sand Filters

HRL Dual Cell Hi-Rate Sand Filters are single vessels that contain two separate permanent media filter cells inside. HRL Filters have high filter capacity, but take up relatively little square footage in an equipment room. HRL Filters share all the same great features as the classic Swimquip Hi-Rate Filters, including ease of use, low

maintenance requirements, and optional Automatic Backwash Control Systems.						
Item Number	Model Number	Diameter	Filter Area (Sq. Ft.)			
FFL2C4875	HRL2C48	48"	12.6			
FFL2C5475	HRL2C54	54"	15.9			
FFL2C6075	HRL2C60	60"	19.6			
FFL2C6675	HRL2C66	66"	23.7			
FFL2C7275	HRL2C72	72"	28.3			
FFL2C7875	HRL2C78	78"	33.2			
FFL2C8475	HRL2C84	84"	38.5			
FFL2C9075	HRL2C90	90"	44.2			

Eureka/Swimquip Filter Parts

We stock a complete line of filter parts for Eureka and SwimQuip HRG and HRL series Hi-Rate Sand Filters and SwimQuip HB/F D.E. Filters

HRL/HRG Hi-Rate Permanent Media Filters

For decades, the HRG and HRL Series Hi-Rate Permanent Media Filters have been widely used throughout the world. Today, thousands of commercial aquatics facilities employ these easy to operate, reliable commercial water filters. If you are faced with the failure of your commercial filtration system due to aging parts, contact our sales engineers for our complete selection of replacement components.

A complete catalog of parts for your older HRG or HRL system is available. Call 1-800-437-8072 for your free copy today! HB/F D.E. Filters

The HB/F diatomaceous earth filter system is no longer in production. However, we do carry a number of replacement parts for these popular systems. To extend the useful life of your trusted equipment, call us at 1-800-437-8072 for specifications or to have a list of available parts faxed immediately to you!

Please call our sales engineers for information on multiple cell or multiple tank systems, to receive a brochure about these filters, or to compare our competitive prices.

Pentair THS and Waterco Filters



Pentair THS Series Horizontal Sand Filter

Pentair has engineered a state-of-the-art horizontal sand filter unlike any other on the market. The THS filter is an NSF-approved 50 PSI rated tank with flow rates up to 535 gallons per minute.

The filter shell is manufactured from a unique and lasting composite laminate design that makes winding unnecessary. A special gel coat inside and out gives the THS Series a smooth and attractive finish.

The THS Series design significantly exceeds typical operating pressures found in most commercial and residential applications. The THS filter provides high performance with minimal maintenance. Sand must only be replaced once every five years with proper maintenance, and each THS filter comes with a **10-year tank warranty**.

Features include:

- Manway in front for easy access and smaller footprint.
 Optional manual, automatic, or semiautomatic systems.
- 6" flanged connections.
- Internal manway seal to prevent leaks.
- Accessible drain.
- Lateral V-slots for self-cleaning.
- Influent manifold distribution to prevent clogging.
- Single-bolt saddles for easy leveling.
- NSF certified from 5-20 gpm/sq. ft.

Item Number	Model Number	Tank Size	Ship Weight
FF4346103	THS3461	34" × 61"	550 lbs.
FF4348403	THS3484	34" × 84"	610 lbs.
FF4427203	THS4272	42" × 72"	650 lbs.
FF4428403	THS4284	42" × 84"	725 lbs.
FF4429603	THS4296	42" × 96"	800 lbs.

	Filter Area	Flow Rate (15 gpm/	Filter Turnover Rates (Gallons)		Total Media	
Item Number	(Sq. Ft.)	sq ft)	6 Hours	8 Hours	(lbs)	Sand/Gravel (lbs)
FF4346103	13.5	203	73,080	97,440	1550	1250/300
FF4348403	19.0	285	102,600	136,800	1950	1350/600
FF4427203	19.7	295	106,200	141,600	2600	2100/500
FF4428403	23.2	348	125,280	167,040	3000	2400/600
FF4429603	26.7	400	144,000	192,000	3500	2800/700



Waterco Commercial Fiberglass Sidemount Deep Bed Filters

Micron fiberglass filters embody the latest in fiberglass winding technology. Waterco's computer controlled filament winding machine faultlessly winds continuous strands of high quality fiberglass filament under controlled tension to create a seamless one-piece vessel with refined consistency and superior quality. There are no welds or seams or special tank linings which can corrode or electrolyze.

Manufactured from the highest grade of non corrosive materials and employing the latest in fiberglass winding technology, Micron fiberglass filters are designed and built for many years of trouble free operation.

- Available in top mount, side mount and horizontal configurations from filter areas of 0.87m²/9.3ft² to 10.0m²/110ft².
- Pressure rated at 400 kPa (58 psi) and up to 800 kPa (118 psi)
- Optional sight glasses and lateral man holes.
- Optional fiberglass reinforced vinyl ester for improved chemical resistance and compliance with NSF61

Micron "Fish Bone" laterals

Conventional laterals are not suitable for larger sized commercial filters. "Dead legs" exist between the laterals and water flow is not optimized through the filter bed. Waterco's "Fish Bone" lateral configuration eliminates any "dead legs" by improving water flow distribution through the filter bed.

Deep Bed

The effect of deep media bed improves the filtration efficiency over standard High-rate filters by providing enhanced in-depth filtration and increased dirt capacity. In addition, the greater bed depth permits efficient use of mixed bed filter media and water treatment media such as granular activated carbon.

The filter's 1000 mm (39") media bed ensures that finer dirt particles and colloidal substances are retained to a far greater level than a filter with a shallower bed depth. Also available with flanges.

Item Number	Vessel Size	Filter Area Sq. Ft.	Connection Size	Maximum Flow Rate	Sand Capacity (lbs.)
FFD105024	42"	9.33	3"	187 GPM	3108
FFD120024	48"	12.18	3"	244 GPM	3780
FFD140024	55"	16.58	4"	332 GPM	5268
FFD160024	63"	21.66	4"	433 GPM	6735
FFD180024	71"	27.41	6"	548 GPM	9347
FFD200024	79"	33.84	6"	667 GPM	11232

Pentair Filters and Filter Media



TR-100C-3/TR-140C-3





Pentair Triton II Sand Filter

Triton II features the patented Glas-Lok one-piece reinforced tank with UV-resistant finish for years of unequaled strength and durability. The slotted lateral design provides superior flow characteristics and long filter cycles for economical operation and backwashing. The heavy-duty closure provides easy inspection, and features an easy-to-read pressure gauge and air relief valve. Triton II's swing-away diffuser allows instant access to sand and all internal parts. All internal parts are threaded for ease of service. Bulkhead connectors are threaded for easy installation and service. Combination sand and water drain makes servicing and winterizing fast and easy. Maximum operating pressure is 50 psi. Order Triton II valve separately. Models TR100C-3 and TR140C-3 feature standard 3" flange connections.

Pentair Triton Valve

Efficient Hi-flow 2" multiport valve directs system operator through filter backwash, rinse, waste, recirculate, closed and winterize functions.

	Model		Filter Area	Tank	Flow Rate		
Item Number	Number	Color	(Sq. Ft.)	Diameter	(GPM)		
FF4021003	TR100	Almond	4.91	30"	74		
FF4031503	TR100C	Almond	4.91	30"	98		
FF4031003	TR100C-3	Black	4.91	30"	98		
FF4024303	TR140	Almond	7.06	36"	106		
FF4031603	TR140C	Almond	7.06	36"	141		
FF4034203	TR140C-3	Black	7.06	36"	141		
Item Number	Description	Description					
FF6105503	2" Multiport \	2" Multiport Valve					
FP7109203	2" Valve Adap	2" Valve Adapter Kit-thrd pair					



Sta-Rite Multiport Valves

- Molded ABS 6 position dial type valve offers convenience, ease of use and efficient operation.
- 11/2" or 2" PVC union connection; includes connecting pipe to match side ports. Positive seal prevents leakage between ports.

Item Number FF2021516 FF2012016

Description 1.5" Multiport Valve 2" Multiport Valve



Pentair Triton Valve

Efficient Hi-flow 2" multiport valve directs system operator through filter backwash, rinse, waste, recirculate, closed and winterize functions.

Item Number	Model Number	Description
FF6105003	261050	2" HiFlow™ Valve for Triton filters
FF6105503	261055	2" Multiport Valve for Triton filters
FP7109203	271092	2" Valve Adapter Kit-threaded pair



FF4

Pentair Triton® HD Side Mount Filter

All the same great features of the original Triton® with maximum operating pressure of 75 psi for special high pressure installations such as single pump in-floor cleaning

Unions not included. Valve sold separately.




Sight Glass

Sight glasses eliminate wasted backwash water since you are able to determine when the filter is backwashed by the clarity of the water.

IST						Item Number	Material	Connection
	Model		Filter Area	Tank	Flow Rate	FF4119809	Brass	1.5" IPS
em Number	Number	Color	(Sq. Ft.)	Diameter	(GPM)	FF1072S06	ABS	1.5" Skt.
4035503	TR100 HD	Black	4.91	30"	74	FF1074S06	ABS	2" Skt.

Replacement Filter Grids and Covers



Replacement Elements and Covers

Our Rectangular Filter Grids are precision vacuum formed from polystyrene plastic. Cover is constructed of woven monofilament linear polypropylene fabric with polyester Velcro closure for easy installation. Complete assemblies includes grid, cover and gasket. Other configurations such as side outlet and dual side outlet filter assemblies and covers are also available. Contact us for pricing information.


Complete Rectangular Filter Leaf Assembly, Bottom Outlet

Item Number	Size	Outlet	
FP3036153	30" × 36" (15 sq.ft.)	Bottom	
FP3848153	38" × 48" (25.33 sq. ft.)	Bottom	
FP3060153	30" × 60" (25 sq. ft.)	Bottom	

Rectangular Replacement Cover, Bottom Outlet

Item Number	Size	Outlet	
FP303653	30" × 36" (15 sq.ft.)	Bottom	
FP384853	38" × 48" (25.33 sq. ft.)	Bottom	
FP306053	30" × 60" (25 sq. ft.)	Bottom	

Custom Made Covers Available



Indicate Measurements Please give dimensions A, B, and C (outlets).

Looking for something?

Other sizes and styles are available.

Call us today at 800.437.8072 for a quote on any filter grid, cover, or gasket your commercial facility needs.



Filter Discs

These circular filter elements come complete with heavy-duty polypropylene covers. They feature corrugated channel patterns and internal reinforcement for rigidity.

Paddock Filter Disc with Cover

Item Number	Core	Diameter
FP6400325	3"	24.5"
FP6400425	4"	24.5"
Swimquip Filter Disc w Item Number	vith Cover Core	Diameter
FP3303375	Д"	26"

Circular Replacement Covers

Made of heavy-duty polypropylene with velcro or zipper closures. Sealed edges prevent unraveling. Center hole is left uncut to fit any diameter hub and is easily cut with a hot knife or soldering gun to fit your requirements

Circular Replacement Covers

Item Number	Diameter	Closure
FPVDC2453	24"	Velcro
FPZDC2453	24"	Zipper
FPVDC2653	26"	Velcro
FPZDC2653	26"	Zipper



Purifiber DE Alternative

- Substitues for diatomaceous earth
- Filter aid for all pressure and vacuum precoat filters
- Completely safe non-toxic material
- Superior water clarity
- Environmentally safe disposal
- Mixes easily, precoats rapidly, non-abrasive
- Long filtering cycles

Item Number



Description

Description

25 lb bag

50 lb bag

Fiber Clear

Pure Cellulose Filtration Media

- Environmentally friendly -non-toxic, biodegradable
- Cost effective use approx. ½ amount of DE (by volume)
- Finer, more effective filtration
 Source water Fact and the last of th
- Saves water Fast, complete backwashes
 Effective on vacuum & pressure filters designed for DE
- Effective filter aid for sand & cartridge filters
- Reduces algae, suspended metals, phosphates, and oils
- neuuces aiyae, suspenueu metais, phosphates, allu

Item Number
AACF13850



Diatomaceous Earth

- Provides a sparkling pool day and night
 Filters out particles associated with recreational
- water illness
- Enhances filter productivity reducing chlorine & shock use
- NSF certified

THREE LOCATIONS TO SERVE YOU BETTER! • MOST IN-STOCK ORDERS SHIP THE SAME DAY! 117

AA9032050

Harmsco Cartridge Filters and Accessories



Harmsco Single Cartridge Filter

A tough, high-performance single cartridge unit. Each filter includes Harmsco's patented up-flow design and is built of corrosion-resistant 304 stainless steel.

Harmsco's single cartridge Betterfilters install quickly and easily. Comes ready for use with a single Harmsco SuperTuf reusable cartridge.



		Filter Area	
Item Number	Max. Flow Rate	(Sq. Ft.)	Pool Size
FF55SC11	55 GPM	55	19,800 Gallons
FF75SC11	75 GPM	75	27,000 Gallons
FF105SC11	105 GPM	105	37,800 Gallons
FF155SC11	155 GPM	155	55,800 Gallons



Harmsco Cluster Cartridge Filters

Harmsco filters come complete with durable polyester cartridges that filter particles from 20 microns in size and smaller. (Sand filters, by comparison, filter to approximately 50 microns.) An excellent replacement for worn out systems. Harmsco filters can be installed in difficult locations. These compact, efficient filters will fit through standard doorways. Proven in service for over 25 years, Harmsco filters now provide sparkling clear, beautiful water in thousands of public pools nationwide.

Call for assistance in selecting the proper model for your facility, and for an immediate quotation on the equipment required to fill your specific needs.


		Filter Area	
Item Number	Max. Flow Rate	(Sq. Ft.)	6 Hour Turnover
FFBF16811	63 GPM	168	22,680 Gallons
FFBF25211	94.5 GPM	252	34,020 Gallons
FFBF33611	126 GPM	336	45,360 Gallons
FFBF45011	168.75 GPM	450	60,750 Gallons
FFBF60011	225 GPM	600	81,000 Gallons
FF900FL11	337.5 GPM	900	121,500 Gallons
FF1200F11	450 GPM	1200	162,000 Gallons



Blaster[™] Filter Cleaners

Tired of cleaning your dirty filter cartridges? Tired of all the mess? Let the Blaster[™] do it for you! The Blaster[™] Automatic Filter Cleaner automatically rotates your filter while PowerJets spray focused water deep inside the filter pleats. As your filter is slowly rotated, dirt and debris will be blasted from your filter in no time at all.

Item Number	Filter Sizes	Dimensions
FFB100050	up to 20" length	24" × 12" × 6"
FFB200050	up to 27" length	31" × 12" × 6"
FFB300050	up to 34" length	38" × 12" × 6"



CCFF60050

Filter Flosser

Spend less time, energy and water and maximize the life of your filter with the Filter Flosser deluxe filter cleaner. Filter Flosser features a curved nozzle design and ergonomic grip. Use on any size filter cartridge. 100% aluminum construction.

Filter Flosser

Harmsco Replacement Cartridges for Single Cartridge Style Filters

r Model(s)
nsco TF50/BF55SC
nsco TF100/BF105SC
nsco TF150/BF155SC
nsco TF75/BF75SC

We have a cartridge for any pool filter! Please call for a price on ANY unlisted filter cartridge.



Cartridges for Cluster Style Filters - SuperTuf 6

Each SuperTuf/6 polyester plus cartridge has 6 square feet of filtering area which filters from 20 microns down. This superior cartridge lasts longer and is more chemicalresistant as its fibers won't swell or delaminate. The SuperTuf/6 features a rugged PVC center tube and welded end caps which keeps pleats and tube permanently sealed for maximum structural strength and long life. Its corrugated construction keeps pleats separated providing clear channels for maximum flow under all conditions.

Item Number	Description
FFST/611	SuperTuf 6 Cartridge, 9¾" × 2¾"
FP63911	Bottom Seal
FP65311	Rubber Disc Seal 24" (for BF900FL, BF1200FL)
FP67111	Rubber Disc Seal 18" (for BF450, BF600)
Other parts available with pricing	g on request



Harmsco Filter ReplacementParts

Item Number	Description
FP20211	Brass Wing Nut
FP55011	Rim Gasket
FP90511	Cartridge Retainer Nut



E E E C

Sta-Rite Cartridge Filter and Gauges





Trerice Heavy Duty Liquid Filled Gauges

Stainless steel case and tube with clear acrylic window. Other gauge ranges and options are available. Please call for details.

FF872250

Liquid Filled Gauges

Item Number	Туре	Connection	Face
FFLFP2550	Pressure 0-60 psi	1⁄4" NPT	21/2"
FFLFP450	Pressure 0-60 psi	1⁄4" NPT	4"
FFLFC2550	Compound 30" Hg to 60 psi	1/4" NPT	21/2"
FFLFC450	Compound 30" Hg to 60 psi	1/4" NPT	4"
FFLFV2550	Vacuum 30"-0 Hg	1/4" NPT	21/2"
FFLFV450	Vacuum 30"-0 Hg	1/4" NPT	4"
FF865MF50	Brass Gauge Cock M × F		
FF872250	Brass Snubber		



Steel Cased Gauges

Item Number	Gauge Type	Connection	Face
FFP500450	Pressure	1⁄4" NPT	41/2"
FFP500250	Pressure	1⁄4" NPT	2"
FFV500450	Vacuum	1/4" NPT	41/2"
FFC500450	Combo	1⁄4" NPT	41/2"
FFC500250	Combo	1/4" NPT	2"



Sta-Rite System 3 Cartridge Filters

Sta-Rite's advanced technology has brought an entirely new class of filtration to the industry. Sta-Rite's modular media concept incorporates the latest in media science, perfectly balanced flow, and an integral manifold design. Split-tank design opens easily to allow convenient access for cleaning or changing filtration media. Posi-Lok™ clamping system is safe and easy for adult access, yet tamper resistant for kids. Dura-Glas® exterior is durable, lightweight and corrosion resistant for years of trouble-free operation, regardless of temperature extremes. Sleek black tank profile blends well into any landscape design.

NSF

Infrequent cleanings are a snap; simply remove the tank top and rinse the filtration modules with ease. Their removal is not necessary for normal maintenance.

Through-tank bulkhead fittings feature full 2" diameter clear flow. Hand secured against o-ring seals, the bulkhead fittings allow for union style connection to any of the Sta-Rite slide or multi-position valves.

Item Number	Model Number	Filter Area	Max. Flow Rate
FFS7M1216	S7M120	300 sq. ft.	100 GPM
FFS7M4016	S7M400	400 sq. ft.	115 GPM
FFS8M1516	S8M150	450 sq. ft.	124 GPM
FFS8M5016	S8M500	500 sq. ft.	130 GPM

Replacement Cartridges

Item Number	Filter Model	Filter Area	Module
FP0200S16	S7M120	100 sq. ft.	Inner
FP0201S16	S7M120	200 sq. ft.	Outer
FP7014503	S7M120	-	Both
FP0223S16	S7M400	136 sq. ft.	Inner
FP0224S16	S7M400	264 sq. ft.	Outer
FP7014603	S7M400	-	Both
FP0202S16	S8M150	191 sq. ft.	Inner
FP0203S16	S8M150	259 sq. ft.	Outer
FP7014703	S8M150	-	Both
FP1224S16	S8M500	209 sq. ft.	Inner
FP0225S16	S8M500	291 sq. ft.	Outer
FP7014803	S8M500	-	Both



Polypropylene Cased Gauges

Rugged precision made Bourdon tube movement is totally enclosed in corrosion-resistant polypropylene housing. Resists rust, electrolytic action and chemical solvents.

2" Pressure Gauges			
Item Number	Range	Connection	Face
FF0024L20	0-100 lbs.	1/4" lower	2"
FF6024B20	0-60 lbs.	1/4" back	2"
2" Vacuum Gauges Item Number	Range	Connection	Face
FF3024L20	30" Hg-0	1/4" lower	2"



Pressure Switch

Range

0-30" Hg

Connect this between pump and strainer to shut off the pump if the strainer becomes clogged or vacuum suction is broken due to low water in the filter tank. Set points are variable over the entire scale.

FF153250

119

Valves





Lever-Style Operator

Gear-Style Operator

Asahi Pool-Pro® Butterfly Valves

- PVC/PVC/EPDM construction: Ideal for chlorinated water applications. Submersible valve body
- Blue handle design: Blue handle designates the proper valve is in place for chlorinated water applications. .
- Stainless steel stem: Stem does not come in contact with the media, but is still compatible in direct contact.
- . Thermoplastic material: Lightweight construction allows for easy installation.
- . ISO mounting pad: Allows for field mounting of accessories including stem extensions, gear operators & automation.
- 18 position throttle plate: For lever handle style Item Number Size Operator IS2801549 IS2802049 1.1/2 Lever Lever 2.1/2" IS2802549 Lever IS2803049 Lever 3' IS2804049 4" Lever IS2806049 6" Lever IS2808549 8 Lever 1.1/2" 1\$9301549 Gear 1\$9302049 Gear 2 IS9302549 2.1/2" Gear 159303049 3 Gear IS9304049 4" Gear IS9306049 6" Gear IS9308049 8" Gear IS9310049 10" Gear IS9312049 12 Gear



Hayward Butterfly Valve, Lever Operated

- Gray PVC body and disc
- 150 PSI pressure rating
- EPDM Liner
- 316 Stainless Steel Stem



PVC Van Stone Flange

- Schedule 80 PVC Van Stone Flange Features: Two-piece van stone socket style.
- .
- Class 150, Schedule 80 Improve the security and safety of connections
- between pipes, valves & fittings.

6" Van Stone Flange

Item Number	Size
QQPF320	3"
QQPF420	4"
00PF620	6"
QQPF820	8"
QQPF1020	10"
00PF1220	12"



Flange Gaskets

Red Rubber Gasket Features:

- For use with butterfly valves, Schedule 80 flanges
- Red rubber, 1/8" full face.

6" Flange Gasket

Item Number	Valve Size
QQGSK1120	11/2"
QQGSK220	2"
QQGSK2120	21/2"
QQGSK320	3"
QQGSK420	4"
QQGSK520	5"
QQGSK620	6"
QQGSK820	8"
QQGSK1020	10"
QQGSK1220	12"



Valve Bolt Kit **Bolt Kit Features:**

For use with cast iron & PVC butterfly valves ASTM-A307 grade black steel bolts and A563 finished nuts.

Item Number	Valve Size	Item Number	Valve Size	Bolt Size	Bolts/Kit
ISYC20L06	2"		Valve Size	-	Dons/ Kit
ISYC25L06	21/2"	ISBBK220	2"	5/8" × 5"	4
	2/2	ISBBK2520	21/2"/3"	5/8" × 5-1/2"	4
ISYC30L06	3"	ISBBK420	/"	5/8" × 6"	8
ISYC40L06	4"		4		0
	6"	ISBBK5620	5"/6"	3/4" × 6-1/2"	8
	0	ISBBK820	8"	3/4" × 7"	8
151C80L06	8	ISBBK1020	10"	7/8" × 7 1/2"	12
			10		12
		ISBBK1220	12"	7/8" × 8-1/2"	12
ISYC60L06 ISYC80L06	6° 8"		8" 10" 12"		8 12 12



Item Number

ISYC20G06

ISYC25G06 ISYC30G06

ISYC40G06

ISYC50G06

Hayward Butterfly Valve, **Gear Operated**

Valve Size

2' 21/2"

3"

4"

- Gray PVC body and disc
- 150 PSI pressure rating
- EPDM Liner



PVC Solenoid Valve

Diaphragm type valve constructed of chemical resistant PVC. Normally closed with Viton rubber seals.

Item Number	Size
<u>11850V50</u>	1/2"
<u>11875V50</u>	3/4"
<u>II205TV50</u>	1"
<u>II216BV50</u>	11/2"
II217BV50	2"

5" 6" ISYC60G06 8" ISYC80G06 120 CALL TOLL-FREE: 1.800.437.8072 • FAX: 1.800.850.0262 • SHOP ONLINE: WWW.RECSUPPLY.COM

Valves and More



Hayward True Union Compact Ball Valve

Size

1" 1½"

- Socket/Threaded, Gray
- 150 PSI pressure rating
- EPDM seals
- Santoprene® seat

Item Number ISUV10006 ISUV15006 ISUV20006

Harvard PVC True Union Ball Valve

Schedule 80 PVC True Union Ball Valve Features:

- Heavy duty thermoplastic grey Schedule 80 PVC
- Full port design.
- Teflon[®] seats are resistant to chemical corrosion.
- 150 PSI working pressure at 73° water, non-shock. Unique double union/ double block design permits
- in-line maintenance without disconnecting pipe and with no special tools.
- Both ends are blocked with bayonet-style locks which prevents the ball from being blown out. Ball remains in place upon removal of valve. External adjustment for seat water.

Item Number	Size	Connection
ISUV25020	21/2"	Threaded
ISUV25120	21/2"	Slip
ISUV30020	3"	Threaded
ISUV30120	3"	Slip
ISUV40020	4"	Threaded
ISUV40120	4"	Slip

Cla-Val Float Valve

The Cla-Val Model 624-01 Float Valve is a non-modulating valve that accurately controls the liquid level in tanks. This valve is designed to open fully when the liquid level reaches a pre-set low point and close drip-tight when the level reaches a preset high point.

Standard model includes two feet of PVC rod and a plastic float ball. Also available with epoxy coating, flanged connections, stainless steel rod and/or stainless steel float ball with pricing on request.

Features:

- Accurate and repeatable level control
- On-off of non-modulating action
- Fully adjustable high and low level settings .
- Simple design, proven reliable
- Easy installation and maintenance

Item Number	Valve Size	Connection
<u>II4011050</u>	1"	Threaded
<u>II4011550</u>	11/2"	Threaded
114012050	2"	Threaded
<u>II4013050</u>	3"	Threaded



Modulating Float Valve

Designed for mounting between two companion flanges in a vertical position. The valve will be 80% closed when the float assemblies are up and the valve will be fully open when the floats are down.

Item Number	Mount	Size (IPS)
<u>II3600416</u>	Vertical	4"
<u>II3600616</u>	Vertical	6"
<u>II3600816</u>	Vertical	8"
<u>II3600916</u>	Vertical	10"
113604216	Vertical	12"
<u>II6004H75</u>	Horizontal	4"
<u>II6006H75</u>	Horizontal	6"
<u>II6008H75</u>	Horizontal	8"
<u>II6009H75</u>	Horizontal	10"
II6042H16	Horizontal	12"




Stark Clear Valve

Clear valve allows for visual monitoring of water flow. 6" backwash valve with flanges. Other variations available. Contact us for details.

Item Number FF306CL10

Stark Filtration 6" Clear Backwash Valve, Flanged



Eureka High Capacity Balance Tanks

Eureka High Capacity, Commercial Balance Tanks absorb the rise in water level, or "static surge", created by swimmers entering the pool, which prevents the loss of heated and treated water and reduces the long-term operating costs of the facility.

Eureka's Balance Tanks are constructed of ASTM A36 carbon steel. The tanks are each equipped with replaceable sacrificial anodes that protect the tank from corrosion caused by electrolysis.

Custom designed tanks (including stainless steel tanks, open topped tanks, rectangular tanks, and extra large capacities) are available

For sizing assistance or specifications call 1-800-437-8072.

А	Tank Diameter	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"
В	Vent	1.5"	1.5"	1.5"	2"	2"	2"	2"	2"	2"	2"
С	Gutter Overflow	4"	4"	6"	6"	8"	8"	8"	8"	10"	10"
D	Main Drain	6"	6"	6"	8"	8"	8"	8"	8"	10"	10"
Е	Pump Section	4"	4"	6"	6"	6"	8"	8"	8"	10"	10"
F	Floor to Seam	14"	15"	16"	17"	18"	19"	19"	20"	21"	22"
G	Overall Height	82"	84"	86"	88"	90"	91"	91"	94"	96"	98"



Super Lube

Super Lube is a premium synthetic lubricant that provides longer life protection against friction, wear, rust and corrosion. Compatible with most other lubricants and will not run, drip, evaporate or form gummy deposits, and will not melt or separate.

Item Number IP2103050

Description Super Lube 3 oz. Tube

Did you know...

🛞 RecSupply.com

...we offer many other pool disinfection products, including:

- DEL Ozone Systems
- Clearwater Tech Ozone Systems
- Prozone Ozone Systems
- ChlorKing Chlorine Generators and UV Systems
- Pentair BioShield[™] UV Systems
- ...and many more.

Please contact us for more information and pricing.

Pentair Pool Heaters



Pentair PowerMax™ Commercial Heaters

The PowerMax is packed with advanced features specific to the commercial swimming pool and water theme park market. Available in seven sizes from 500,000 to 2,000,000 BTU/h, PowerMax is Low NOx approved, runs reliably on natural or LP gas, and delivers efficiency levels up to 85%. With superior overall construction and high-efficiency combustion, PowerMax can cut fuel costs significantly compared to conventional water heating systems. Savings can amount to thousands of dollars over the life of the equipment.

PowerMax makes service easy and operation reliable. Whether you use room or outside air for combustion, vent into a chimney or through a sidewall, or install indoors or outside, PowerMax is ready "out of the box." And we have made installation easier by providing a control system that gives installers several different operation modes, selected with the touch of a button. Controls are also service-friendly, with clean and simple wiring, and are readily accessible in a slide-out drawer.

Please call us for sizing and pricing assistance.

Features:

- Seven sizes delivering up to 85% efficiency ratings and meeting all low NOx requirements.
- Reliable operation in natural gas or propane models.
- Fan assisted and filtered combustion air.
- Dual ignition systems for models over 750,000 BTU.
- Built-in mixing system reduces condensation possibilities.
- Fits through standard doorways.
- Gas supply right or left side. CSA certified.
- CSD-1 and other options available.
- CSD-1 and other options available

Call 1-800-437-8072 for Pricing, Specifications or Replacement Parts.

Model	Input BTU/h (000)	Output BTU/h (000)	Gas Type	Gas Conn. Size	Heat Exchanger	Heater Water Conn. Size (in)
PM0500NACC2BXN	500	425	Natural	1.25"	Copper	2"
PM0750NACC2BXN	750	638	Natural	1.25"	Copper	2"
PM1000NACC2BXN	999	849	Natural	1.5"	Copper	2.5"
PM1250NACC2BXN	1250	1063	Natural	2"	Copper	2.5"
PM1500NACC2BXN	1500	1275	Natural	2"	Copper	2.5"
PM1750NACC2BXN	1750	1488	Natural	2"	Copper	2.5"
PM2000NACC2BXN	1999	1699	Natural	2"	Copper	2.5"
PM0500NACC2PXN	500	425	Natural	1.25"	CuproNickel	2"
PM0750NACC2PXN	750	638	Natural	1.25"	CuproNickel	2"
PM1000NACC2PXN	999	849	Natural	1.5"	CuproNickel	2.5"
PM1250NACC2PXN	1250	1063	Natural	2"	CuproNickel	2.5"
PM1500NACC2PXN	1500	1275	Natural	2"	CuproNickel	2.5"
PM1750NACC2PXN	1750	1488	Natural	2"	CuproNickel	2.5"
PM2000NACC2PXN	1999	1699	Natural	2"	CuproNickel	2.5"

Model	Input BTU/h (000)	Output BTU/h (000)	Gas Type	Gas Conn. Size	Heat Exchanger	Heater Water Conn. Size (in)
PM0500PACC2BXN	500	425	Propane	1.25"	Copper	2"
PM0750PACC2BXN	750	638	Propane	1.25"	Copper	2"
PM1000PACC2BXN	999	849	Propane	1.5"	Copper	2.5"
PM1250PACC2BXN	1250	1063	Propane	2"	Copper	2.5"
PM1500PACC2BXN	1500	1275	Propane	2"	Copper	2.5"
PM1750PACC2BXN	1750	1488	Propane	2"	Copper	2.5"
PM2000PACC2BXN	1999	1699	Propane	2"	Copper	2.5"
PM0500PACC2PXN	500	425	Propane	1.25"	CuproNickel	2"
PM0750PACC2PXN	750	638	Propane	1.25"	CuproNickel	2"
PM1000PACC2PXN	999	849	Propane	1.5"	CuproNickel	2.5"
PM1250PACC2PXN	1250	1063	Propane	2"	CuproNickel	2.5"
PM1500PACC2PXN	1500	1275	Propane	2"	CuproNickel	2.5"
PM1750PACC2PXN	1750	1488	Propane	2"	CuproNickel	2.5"
PM2000PACC2PXN	1999	1699	Propane	2"	CuproNickel	2.5"

Sta-Rite Max-E-Therm® Pool and Spa Heater Features:

• Lightweight – Lightest heater in its class

- Best-in-class energy efficiency*
- Compact Design Ideal for retro-fit installations
 Easy to Switch Change gas sources with
- installation of separate orifice • Environmentally Friendly – All units are low NOx
- Rustproof Housing Sleek, matte black enclosure is made of Dura-Glas[™] – an exclusive Sta-Rite material that handles the heat and weathers the elements
- Lower Operating Costs 84% efficiency rating rated 1st in its class for highest energy efficiency

Custom or Retrofit – Direct-connects to Sta-Rite System 3[®] Mod Media[™] filter or easily fits other systems For indoor or outdoor installations on pools and spas. Features include an LED temperature readout with dual thermostat controls, temperature safety lockout, and 6-position control panel. PMG burner technology requires no outdoor draft hood. Proven Dura-Glas[™] rust-proof construction with plastic manifold and PVC union connections. Heavy-duty (HD) unit with cupro-nickel exchanger stands up to the harshest of applications, like low pH, high flow or heavy use.

Item Number	Model Number	BTU (000's)	Gas Type	Exchanger	Ship Weight
JJSR200NA	SR200NA	200	Natural	Copper	131 lbs.
JJSR200LP	SR200LP	200	Propane	Copper	131 lbs.
JJSR200HD	SR200HD	200	Natural	Cupro-Nickel	131 lbs.
JJSR333NA	SR333NA	333	Natural	Copper	138 lbs.
JJSR333LP	SR333LP	333	Propane	Copper	138 lbs.
JJSR333HD	SR333HD	333	Natural	Cupro-Nickel	138 lbs.
JJSR400NA	SR400NA	400	Natural	Copper	138 lbs.
JJSR400LP	SR400LP	400	Propane	Copper	138 lbs.
JJSR400HD	SR400HD	400	Natural	Cupro-Nickel	138 lbs.

Pentair UltraTemp® Commercial Heat Pump

Now there's an UltraTemp® heat pump that's been designed specifically for commercial pools and aquatic facilities. UltraTemp is ideal for hotels, motels, apartments, condominiums and community/association pools that use 3-phase power. With eco-friendly technology that meets mandatory 2010 refrigerant requirements, energy efficiency and a long list of standard features, UltraTemp is the perfect solution for combating rising heat costs.



Call 1-800-437-8072 for Pricing, Specifications or Replacement Parts.

Features:

- Proven Emerson Copeland Scroll compressor that's efficient, durable, reliable and quieter than piston driven compressors.
- 10% increase in energy efficiency vs. single-phase units.
- 100% pure titanium heat exchanger for corrosionfree performance and extra-long life.
- Thermostatic Expansion Valve (TXV) controls refrigerant flow for optimum efficiency and BTU output over a wider operating range.
- Automatic Defrost feature senses refrigerant temperature and prevents UltraTemp from freezing in cold temperatures.
- Self-diagnostic software continuously monitors UltraTemp heat pump's operation for peak performance.
- The first swimming pool heat pump that uses EPA-recognized R-410A refrigerant and meets 2010 mandatory requirements.
- UL, CSA, and ETL Listed.
- BTU and efficiency independently certified by the Air-Conditioning, Heating and Refrigeration Institute, AHRI.



Desired Temperature Rise					BTU Natural Gas (x 1000)			
20° F	25° F	30° F	35° F	Model	Indo	or **	Outd	oor**
P	ool Area (S	quare Fee	t)	Number	Input	Output	Input	Output
1700	1360	1135	970	514	511.5	409.2*	511.5	409.2*
2090	1670	1390	1190	624	627.0	501.6*	627.0	501.6*
2420	1935	1610	1380	724	726.0	580.8*	726.0	580.8*
2750	2200	1830	1570	824	825.0	660.0*	825.0	660.0*
3085	2465	2065	1760	926			926.0	740.8
3003	2405	2005	1700	962	961.7	769.4		
3610	2885	2405	2060	1083			1083.0	866.4
5010	2005	2403	2000	1125	1124.7	899.8		
3925	3140	2615	2240	1178			1178.0	942.4
5525	5140	2015	2240	1223	1222.5	978.0		
4250	3430	2860	2450	1287			1287.0	1029.6
4230	5450	2000	2400	1336	1336.6	1069.3		
4710	3765	3140	2690	1414			1413.0	1130.4
	0,00	0110	2000	1468	1467.0	1173.6		
5230	4185	3485	2990	1571			1570.0	1256.0
0200	1100	0.00	2000	1631	1630.0	1304.0		
5860	4685	3905	3345	1758			1758.0	1406.4
				1826	1825.6	1460.5		
7000	5600	4665	4000	2100	2100.0	1722.0		
8330	6660	5550	4760	2500	2499.0	2049.2		
10,000	8000	6665	5710	3001	3000.0	2460.0		
11,665	9330	7775	6665	3500	3500.0	2870.0		
13,330	10,665	8885	7615	4001	4000.0	3280.0		
*Manufacturer's Rating				**Refers t	o the locat	ion of the l	neater	

Raypak Hi-Delta Heaters

- 100% Factory Fire Tested
- Thermal Efficiency: 85%
- Versa IC[®] Controller with LCD Display
- Maximum Setpoint: 106°F (104°F Default)
- Maximum Outlet Temperature: 160°F
 Minimum Non-Condensing Inlet Temperature: 105°F
- Thermal Shock Proof Heat Exchanger
- Limited Twenty-Year Thermal Shock Warranty
- Limited Five-Year Heat Exchanger Warranty
- Full Safety Diagnostics with Fault History
- PolyTuf Powder Coated Cabinet
- No Combustible Floor Shield Required
- Fan-Assisted
- Patented Burner Security Blanket
- Ultra-Low NOx SCAQMD 1146.2 Certified (P502C P2002C)
- Cascade Up To 4 Heaters No External Sequencer Needed

Natural Gas	Propane	Model	MBH Input	MBH Output
JJ1606144	JJ1607444	P502C	500	425
JJ1606244	JJ1607544	P652C	650	553
JJ0606344	JJ1607644	P752C	750	638
JJ0606444	JJ1607744	P902C	900	765
JJ0606544	JJ1607844	P992C	990	842
JJ0606644	JJ1607944	P1262C	1260	1071
JJ0606744	JJ1608044	P1532C	1530	1301
JJ0606844	JJ1608144	P1802C	1800	1530
JJ0606944		P2002C	1999	1699
JJ1607044	JJ1608244	P2072C	2070	1760
JJ1607144	JJ1608344	P2342C	2340	1989



Raypak Raytherm Commercial Heaters

Only Raypak offers a pool heater that is not only the most efficient (up to 82% thermal efficiency) but also includes, as standard, engineering and manufacturing innovations not found in other heaters. As a result, a Raypak commercial pool heater is unmatched for heating efficiency, operating economy, low-cost installation and all-around dependability. They are fired up and fully tested at the factory to assure their on-site performance. Check these standard features and see why Raypak is the best!

- Electronic Pilot Ignition... Saves fuel, no standing pilot.
- 100% Copper and Bronze Waterways... Bronze headers and copper finned tubes prevent corrosion and
 rust which can stain the pool and destroy the heater.
- 1" Diameter Finned Copper Tubes... Better water flow, lower pressure drop through heater.
- UniTherm Governor... Patented 3-way valve automatically maintains the water in the heater at the
 precise temperature that prevents condensation and scale. Model 514 through 1223.
- External Recirculation System with dual thermometers... Maintains a constant water temperature. Model 1287 through 4001.
- Interlocking Combustion Chamber... Cuts heat loss for best efficiency. Keeps jacket cool.
- Dual Gas Valves... For safety.
- Lifetime Stainless Steel Burners... Can't clog or corrode.
- Slide-out Burner Tray... For easy inspection.
- Vent Top (outdoor only)... Wind, rain and debris proof.
- Tough, Durable Polytuf Powdercoat Finish... Long-lasting all-weather protection in warm Powder Beige color.

How to Select the Right Size Raypak Heater:

- 1. Select the desired swimming temperature of the pool water.
- 2. Determine the average temperature of the coldest month in which the pool will be used.
- 3. Subtract the mean temperature from the desired swimming temperature. The difference is the temperature rise.
- 4. Calculate the surface area of the pool in square feet.
- 5. Under the column headed by the temperature rise determined in Step 3, find the number close to, but not less than, the pool surface area from Step 4. On that line, in the Model Number column, will be the indoor and/or outdoor heater model numbers for the correct heater size.

Sizing Formula

BTU input required = Pool Area (Sq. Ft.) \times Desired Temperature Rise \times 15.

Formula is based on 1° to 1¼°F temperature rise per hour and 3½ MPH average wind. Where high wind conditions exist, select heater one size larger than determined by formula or this table.

Faster Heating

For 1½°F rise per hour, increase BTUH input by 50%. For 2°F rise per hour, increase BTUH input by 100%. Always select a heater equal to or larger than the requirement. Oversizing generally reduces fuel cost.

Call 1-800-437-8072 for Pricing, Specifications or Replacement Parts.



We also carry the XTherm 97% Efficient and MVB Series Heaters. Contact us for more details.

Call 1-800-437-8072 for Pricing, Specifications or Replacement Parts.



Smaller Application Heaters and Thermometers



Model Number

<u>R268</u>

R408

Raypak Professional Series

Gas Heater

Designed specifically for commercial properties such as apartments, condos, hotels, motels, schools, parks, community and high-end private pools. It is also perfect for tough coastal weather conditions where salt air challenges durability.

- Microprocessor-controlled Thermostat
 - Self-diagnostic
 - Remote-compatible
 - Stainless steel burners Liberal use of stainless steel materials throughout
 - for maximum durability
 - Brass headers and cupro-nickel tubes are standard

Gas

Natural or Propane

Natural or Propane

ASME compliant

BTU/Hour Input

266,000

399,000

3 year warranty



Standard Features:

- Stainless steel tank.
- Digital thermostat
- Incoloy heating element.
- Manual reset high-limit.
- Flow switch.

Coates Electric Heaters

These pool and spa heaters feature a built-in flow switch to prevent operation when there is no water flow. An all stainless steel tank ensures corrosion resistance and a long service life.

Model CE: 19" L × 10" W × 11" H, 1½" male NPT connections Model CPH: 24"L×12"W×13"H, 1½" male NPT connections Model PHS: $28"L \times 15"W \times 15"H$, 2"male NPT connections

- . Element, flow and high temp 'on' lights.
- Element fusing on units over 48 amps.
- U.L. listed for indoor/outdoor installation.
- PHS-CN models specifically designed for salt

water sys	stems are	also a	availab	le.	

	240V Single Phase		208V Three	Phase	480V Three Phase		
KW	Model No.	Amps	Model No.	Amps	Model No.	Amps	
12	12412CE	50	32012CE	34	34812CE	15	
15	12415CE	63	32015CE	42	34815CE	19	
18	12418CE	75	32018CE	50	34818CE	22	
24	12424CPH	100	32024CPH	67	34824CPH	29	
30	12430CPH	125	32030CPH	84	34830CPH	37	
36	12436PHS	150	32036PHS	100	34836PHS	44	
45	12445PHS	188	32045PHS	125	34845PHS	55	
54	12454PHS-4	225	32054PHS-4	150	34854PHS-4	65	
57	12457PHS-4	238	32057PHS-4	158	34857PHS-4	69	



Trerice Adjustable Angle Industrial Thermometer

The Trerice BX Industrial Thermometer is an instrument of extreme accuracy and rugged dependability. 9" tall with a durable cast aluminum case, this universally adjustable, liquid-in-glass thermometer is the most widely specified instrument of its kind. Thermowell required, purchased separately. Temperature range: 30-240°F.

Item Number	Description
<u>114030750</u>	Thermometer with 9" Scale, 3.5" Stem
<u>114060750</u>	Thermometer with 9" Scale, 6" Stem
IIE34F250	Test Well for 3.5"
<u>IIE4FA250</u>	Test Well with lagging extension for 3.5"
IIE34J250	Test Well for 6"



Tube Thermometers A. ABS Plastic

Molded ABS plastic tube body. Thermometer has F° and C° scale in sealed glass tube. 3' polyethylene cord.

B. Chrome Plated Brass

Chrome plated brass case with thermometer sealed in blown glass tube. Fo and Co scales. 3' poly cord.

C. E-Z Read Combo Sink/Float

ABS construction with shatterproof magnifying lens. Includes snap on/off flotation top and 3' rope leash with anchor plate. Fo and Co scales.

#	Item Number	
Α	CC12704	
В	CC13004	

Description Plastic Tube Thermometer Brass Tube Thermometer



Raypak Digital ASME Heater

- Digital LCD for temperature control and heater settings Bronze headers
- Microprocessor controls diagnostic readout and continuously monitors operational status
- Unitherm governor eliminates condensation
- Small footprint
- High-wind reliability
- Stainless steel burners
- 125# pressure relief valve
- ANSI Z21.56 design certified
- Outdoor top is standard; indoor top may be added charge
- s standard; cupro-nickel available
- elevation when ordering.

Digital Model	Digital Low NOx Model	BTU/Hour Input	Gas
B-R206A-EN-C	B-R207A-EN-C	199,500	Natural
B-R266A-EN-C	B-R267A-EN-C	266,000	Natural
B-R336A-EN-C	B-R337A-EN-C	332,500	Natural
B-R406A-EN-C	B-R407A-EN-C	399,000	Natural
B-R206A-EP-C		199,500	Propane
B-R266A-EP-C		266,000	Propane
B-R336A-EP-C		332,500	Propane
B-R406A-EP-C		399,000	Propane

Raypak Millivolt ASME Heater

Standard Features:

- 2" glass-lined cast iron headers
- Unitherm Plus eliminates condensation
- Small footprint
- High-wind reliability
- Stainless steel burners
- 125# pressure relief valve

Millivolt Model	BTU/Hour Input	Gas
B-R206A-MN-C	199,500	Natural
B-R266A-MN-C	266,000	Natural
B-R336A-MN-C	332,500	Natural
B-R406A-MN-C	399,000	Natural
B-R206A-MP-C	199,500	Propane
B-R266A-MP-C	266,000	Propane
B-R336A-MP-C	332,500	Propane
B-R406A-MP-C	399,000	Propane



In-Line Thermometers

Small diameter stem and powerful low mass temperature element provides fast response to any temperature change. A stainless steel case, stem and connection, hermetically sealed, climate-proof instrument. Outside temperature will not affect the performance of these thermometers. Face: 3" diameter.

Item Number Description 31/2" stem, 1/2" NPT nylon well. Dual scale 30-130°F, 0-55°C JJSL150 JJSL-2D50 2¾" stem, 1/2" NPT brass. Dual scale 50-220°F, 10-100°C JPSWN50 Well for JJ-SL1-50 thermometer

C CC13604 E-Z Read Thermometer CALL TOLL-FREE: 1.800.437.8072 • FAX: 1.800.850.0262 • SHOP ONLINE: WWW.RECSUPPLY.COM

124

Copper exchanger is standard; Cupro-nickel exchanger option is available Specify installation elevation when ordering

•	ANSI Z21.56 design certified
•	Outdoor top is standard; indoor top may be
	added for slight additional charge

	 for slight additional Copper exchanger is exchanger option is Specify installation
gital Low NOx Model	BTU/Hour Input
R207A-EN-C	199,500
R267A-EN-C	266,000
R337A-EN-C	332,500
R407A-EN-C	399,000
	199,500
	266,000
	332,500
	399,000

Pool Covers



ThermGard[®] Insulated Swimming Pool Cover

ThermGard[®] Standard and Deluxe Insulated Swimming Pool Covers are the culmination of over 20 years of pool cover manufacturing experience. The heart of a pool cover system is the fabric. ThermGard[®] uses a seven-layer, custom-laminated polyethylene to provide the optimum in insulation and durability. Over a dozen different materials are used to construct a single cover. Each raw material is of the highest quality available.

Covers are custom made to insure fits. Cutouts for ladders, handrails, slides, and other water features are included. A choice of edging is available to offer wind resistance, if necessary. Lock stitching is used throughout each cover. ThermGard[®] covers are backed by a factory warranty.

Call 1-800-437-8072 for a Price Quote



Cover for Thermal Cover Storage Reel

Whether to protect your thermal covers and/or reels from the elements or simply to hide them from view, these covers are ideal complements to your thermal cover system.

Item Number	Reel Width	Reel Type
JJR911053	10' to 13'	Single
JJR911553	14' to 17'	Single
JJR912053	18' to 20'	Single
JJR931053	10' to 13'	Double or Triple
JJR931553	14' to 17'	Double or Triple
JJR932053	18' to 20'	Double or Triple



Contact us for Current Merlin Cover Pricing





Thermal Cover Storage Reel

Our Thermal Cover Storage Reels are designed for cover handling ease and durability, with aesthetics in mind. Each reel is constructed entirely of grade 304 stainless steel. Round tubing is used to blend with other deck equipment and all visible tubing is mill polished to a mirrorlike finish. Easily the best looking storage reels available, they are also the strongest. The reel frames are the only all-welded units in the industry. Heavy duty .120" tubing offers capacity of 150 lineal feet of cover per winding tube. Reels are available in single, double, and triple winding tube configurations. Our storage reels are the perfect complement to ThermGard® covers for a total pool cover system.

Reel Width*	Reel Configuration
10'	Single
11'	Single
12'	Single
13'	Single
14'	Single
15'	Single
16'	Single
17'	Single
18'	Single
19'	Single
20'	Single
10'	Double
11'	Double
	Triple
20'	Triple
	10' 11' 12' 13' 14' 15' 16' 17' 18' 19' 20' 10' 11' 12' 13' 14' 15' 16' 17' 18' 19' 20' 10' 11' 12' 13' 14' 15' 16' 17' 18' 19' 20' 10' 11' 15' 16' 17' 18' 19' 20' 10' 11' 12' 13' 14' 15' 16' 17' 18' 19' 20' 10' 11' 12' 13' 14' 15' 16' 17' 18' 19' 20' 10' 11' 12' 13' 14' 15' 16' 17' 18' 19' 20' 10' 11' 12' 13' 14' 15' 16' 17' 18' 19' 20' 10' 11' 12' 13' 14' 15' 16' 17' 18' 19' 20' 10' 11' 12' 13' 14' 15' 16' 17' 18' 19' 19' 20' 10' 11' 18' 19' 19' 20' 10' 11' 18' 19' 19' 20' 10' 11' 18' 19' 19' 20' 10' 11' 18' 19' 19' 20' 20' 10' 10' 11' 18' 19' 19' 19' 20' 10' 11' 18' 19' 19' 19' 20' 10' 11' 19' 19' 20' 10' 11' 19' 10' 11' 19' 10' 11' 19' 10' 11' 19' 10' 11' 19' 10' 11' 10' 11' 10' 11' 10' 11' 10' 11' 11

*Add one foot to the width of your thermal blanket to determine proper reel width.

Merlin Professional Safety Covers

Considered by many as the most innovative company in the marketplace, Merlin Industries, Inc. can custom design and manufacture a perfect fitting cover for any pool!

For years, commercial pools have gone without covers during the off season. This has lead to increased opening costs, unattractive and potentially unsafe pool sites and unnecessary wasted water each year as these pools are drained and re-filled to get ready for the season.

With a Merlin Professional Safety Cover, you get the safety, security and aesthetics Merlin Professional Safety Covers have been providing for over 20 years.

Offered in both Mesh and Solid materials, Merlin can manufacture a cover that is a perfect fit for your site's needs. The flag ship of the Merlin Professional Safety Cover line is SmartMesh^M. With over 5 years of development and over 6 years in the marketplace, Patented SmartMesh^M has proven to be a true innovation in safety cover material design and a great cover material for commercial applications.

SmartMesh[™] is a mesh cover which allows water to pass through it, at the same time blocking 100% of the sun's algae breeding U.V. rays! This translates into a cleaner pool opening in the spring without a lot of cover maintenance during the off season. SmartMesh[™] also filters the water as it passes through it. SmartMesh[™] filters particles as small as 40 microns. This filtration ability is similar to a sand filter! SmartMesh[™] also boasts superior burst strength and abrasion resistance. Now that's innovation! SmartMesh[™] covers are backed by a 15 year limited pro-rated warranty. Merlin Professional Safety Covers feature American made materials and hardware designed to last and perform for years. Merlin's standard cover hardware features a special "no jam" thread design brass deck anchor, stainless steel buckles and the strongest stainless steel spring on the market able to withstand 127 pounds per inch of compression! For pools with raised water features such as spas, waterfalls or grottoes, Merlin features a high tension stainless steel cable system which allows for a clean custom installation in these areas. Merlin also offers special cut-out options for items such as mushrooms, spray features and water park components.

Better materials, better design and better customer support make Merlin Professional Safety Covers the best choice for your pool no matter how simple or complex it may be. Call us today for your custom quotation.

PureWhite Pool Lights and Replacement Parts





Compatible with select Pentair, Hayward, and Jandy Niches. Visit recsupply.com for more information.

Item Number

EE1200382

EE1200582

EE1201082

EE1201582

EE2200382

FF2200582

EE2201082 EE2201582

EE3200382 EE3200582

EE3201082

EE3201582

EE4200382

EE4200582

EE4201082

EE4201582

PureWhite® LED Pool Light

PureWhite LED Pool Light Fixtures provide an LED lighting alternative to inefficient incandescent lamps. for installations requiring a wet niche fixture. They significantly reduce energy consumption and maintenance costs. Plus, all PureWhite LED Pool Light Fixtures feature a superior rugged construction that is unmatched in the industry.

Features:

- \$33 a year to operate
- Uses less energy up to 90%* •
- Lasts up to 50,000 hours 20x longer life** •
- Enhances pool water appearance looks clearer and cleaner
- Enhances dark finish pools

Energy Output

39 Watts

58 Watts

Installs easily - compact fixture depth allows bottom catch visibility from pool deck

*58W equivalent lights, compared to incandescent lamps **Compared to incandescent lamps

Brightness

Equivalent

300 Watts

500 Watts

Cord

Length

30'

50

100

150

30'

50

100

150

30

50'

100

150

30'

50

100

150

ant	1 Per	
Sec.	Pool Lamp	-
	4	
	21	
	Spa Lamp	

PureWhite® LED Pool **Replacement Lamps**

PureWhite LED Replacement White In-Ground Pool & Spa Lamps are the brightest, most cost-effective alternative to inefficient incandescent lamps. They immediately and significantly reduce energy consumption and maintenance costs. Plus, PureWhite Lite fits most standard pool light housing and comes with a highly durability, Guardian™ silicone lens gasket made for use with LED lamps.

Features:

- \$2.93 a year to operate; up to \$368/yr savings*
- Energy efficient, 21 watts; 300 watt equivalent
- Fully dimmable
- Lasts up to 50,000 hours 20x longer life*
- Replaces existing light bulb eliminates the expense of housing replacement
- Pool water looks cleaner and clearer

Instant operating savings and break even within 1 year *Compared to incandescent lamps

ltem Number	Lamp Type	Installation Voltage
EPPR12082	Pool	120V
EPPR01282	Pool	12V
EPM112082	Spa	120V
EPM101282	Spa	12V



Pool Transformer

J&J Electronics Pool & Spa transformers are specifically designed to operate in harsh environments, such as high humidity combined with heat and chemicals typically found around pools, spas and fountains. 3 year warranty. Features:

Approved to UL Pool Standards

- Easy Installations
- **Removable Mounting Brackets**
- Maximum power consumption: 100W or 300W
- Input Voltage: 120 VAC, 60 Hz

Maximum Power Consumption

100W

300W

Output Voltages: 12 VAC, 13 VAC, 14 VAC

Item Number EETR10082 EETR30082



light fixtures for swimming pools from a variety of manufacturers. Please contact us for help with your specific requirements.

Voltage

120V

120V

120V

120V

12V

12V

12V

12V

120V

120V

120V

120V

12V

12V

120

12V

Guardian[™] Silicone Lens Gasket

Standard gaskets are only designed to last the 2,500 hour life of an incandescent bulb. So, how do you protect your LED lamp installations that have an average life of 50,000 hours? Guardian Silicone Lens Gaskets provide premium performance designed for use with any LED or incandescent lamp.

Features:

- Designed to last the life of an LED lamp
- Superior chemical and weather resistance
- Available to fit Pentair[®], SwimQuip[™] and Hayward[®] housings

Item Number	Lamp Housing Model
EPPLGP82	Pentair Amerlite 784 Series
EPPLMGP82	Pentair SpaBrite Series
EPPLGS82	Swimquip 0508 Series
EPPLGH82	Hayward AstroLite SP0580 Series
EPPLMGH82	Hayward AstroLite SP0590 Series

Pentair Pool Lights and Accessories



steel and plastic niches.

Pentair IntelliBrite 5g White LED Pool Lights

IntelliBrite® 5g White LED pool lights provide the most energy-efficient lighting ever. They use 86% less electricity than incandescent and halogen pool lights.

- The brightest and most efficient LEDs available.
- Custom reflector and lens eliminate glare and hot spots.
- Wide angle light position for greater underwater . coverage or narrow angle for increased light intensity and distance.

400 Watt equivalent pool lights, 100 Watt equivalent spa lights, 12V lights, and additional cord lengths are available. Contact us for pricing and availability.

Brightness

Cord

EE8

EE8



Pentair

Stainless Steel Niche for concrete installation


Pentair niches are formed of stainless steel with brass fittings. Both sizes have internal and external grounding lugs for use with either metal or PVC conduit. Additional configurations are available upon request.

Features:

- Stainless steel housing
- Brass rear hub 3/4" or 1"
- Intrer

o with Proce Door Hul Am Item

herlite Niche with Brass Rear Hub		
n Number	Hub Size	
3210735	3/4" rear hub	
3210635	1" rear hub	





Pentair IntelliBrite 5g **Color LED Pool Lights**

IntelliBrite® 5g color-changing LED pool lights provide energy efficient lighting. Not only do they use 82% less electricity than incandescent and halogen pool lights, they also use nearly 50% less than competing LED pool lights.

- 5 fixed colors and 7 dazzling pre-programmed light shows.
- Custom reflector and lens eliminate glare and hot spots. .
- Wide angle light position for greater underwater coverage or narrow angle for increased light intensity and distance.
- Optional controller provides fast, easy switching to favorite color modes.
- Longer cords are available; call for pricing and availability.

Item Number	Voltage	Cord Length
EE6100003	120V	30'
EE6100103	120V	50'
EE6100203	120V	100'
EE6101003	12V	30'
EE6101103	12V	50'
EE6101203	12V	100'




Pentair Amerlite[™]

Amerlite, the world standard of reliability for underwater lights, features a stainless-steel shell, a 8.375-in. prismatic tempered glass lens and a stainless-steel face ring with uni-tension clamp. Amerlite systems are UL Listed to install in full-sized Pentair, American, PacFab and Purex niches.

- World standard of reliability
- Superior light diffusion
- Low water cutoff
- Lens covers available in blue, red, and green
- Plastic snap-on face rings available for stainless-steel lights

Item Number	Watts	Volts	Cord
EE8438135	300	12	50 ft.
EE8428135	300	120	50 ft.
EE8928535	300	120	100 ft.
EE8451135	500	120	15 ft.
EE8458135	500	120	50 ft.
EE8456335	500	120	100 ft.
A 1 1111 1 1 1 1 1			



EP9101635 FP8900835

EP8900735

EP8900935

Replacement Parts for Lights

۱me	erli	te'"	' Pa	rt	s	
tem	Nu	mbe	r			

Item Number	Description	
EP8900735	Lens Cover - Green	
EP8900835	Lens Cover - Blue	
EP8900935	Lens Cover - Red	
EP9100135	Clear Lens 8-3/8"	
EP9101635	Lens Gasket	



Item Number	Watts	Volts
EE9101935	300	12V
EE9107635	300	120V
EE9102235	400	120V
EE9102135	500	120V
Discourse and four and share any conficted of	la colla a	

Please call for pricing on unlisted bulbs.





Pentair Junction Box

Brass base with polycarbonate cover. Built in strain relief. UL listed. Available in three connection sizes. Includes hardware.

Item Number	Description
EE8310503	Three 1/2" ports
EE8310635	Three ¾" ports
EE8310703	¾" × 1" × ¾" ports

Additional wattages and cord lengths are available. Please call for details.

Premier Polysteel Outdoor Furniture



Outdoor Furniture by Premier Polysteel

Premier Polysteel is committed to customer satisfaction, guality, and safety! Recognizing the importance of having the best quality outdoor furniture, Premier Polysteel builds products that last a lifetime. Emphasis is put on the importance of careful and safe design. Only first-rate materials are used. You are sure to enjoy these products for years to come, and because these products are built to last, they come with a 20 year limited warranty.

Premier Polysteel products are offered in twelve standard colors with custom colors available for larger orders. Premier Polysteel's Quick Ship program means that certain products are eligible to ship within 10 business days if ordered in Blue, Hunter Green, Brown or Black. Quick Ship items ordered in other colors can ship in 15 business days.



All Premier Polysteel steel products are 100% plastisol (PVC) coated including the bench and picnic table legs! Powder coated frames tend to scratch, chip, and then rust easily after short exposure to the elements. This weakens the product and can stain the concrete or stone that it sits on. With totally plastic coated legs, this will not happen. The manufacturing process begins by using commercial-duty steel for each product built. Next, a thick 1/8+ inch protective coating of PVC is added. The resulting product is unequaled in strength and durability. Experience the difference a completely PVC coating will make on the longevity of your outdoor furniture. Wind, rain, salt, and snow are no match for Premier Polysteel. Rust and corrosion are never an issue because there is no exposed metal. In compliance with worldwide regulations, our PVC protective coating is UV stable, mold resistant, and can withstand direct heat up to 300 degrees.

Premier Polysteel Colors



Premier Polysteel Surface Styles

Note: All listed prices reflect Expanded Metal surface style. Some products may not be available in all styles. Contact us for more information.

Surface Mount Kits

Small surface mount kits are for use with free-standing square and round tables. Large surface mount kits are for use with all free-standing benches and rectangular tables.

Item Number	Description
TTKITSMSM	Surface Mount Kit, Small (specify color)
TTKITSMLG	Surface Mount Kit, Large (specify color)

Benches

From parks to playgrounds, a Premier Polysteel maintenance free bench is the perfect addition to any landscape! The entire bench has a thick coating of UV stable, mold resistant plastisol compliant with worldwide standards. This means no rust and no painting! Ever! Choose from a variety of models that will beautifully transform your area into a place of enjoyment. Most expanded metal benches are eligible for the Quick Ship program.

Champion Park Benches

The Champion Park benches are available with a standard diamond shaped design in expanded metal and in perforated steel with a punched-hole design. This bench is available in 4 foot, 6 foot, 8 foot, and 10 foot lengths. The bench without back also can be ordered with a wall mount and additionally comes in a 15 foot length. The seat and back each have a depth of 10 inches.

Specify Seat and Leg colors and Mount Style: Free Standing (FS), Direct Bury (DB), Surface Mount (SM), or Wall Mount(WM).

TT3530150 Free Standing	TT3430150 Surface Mount		(T3550) Vall Mo		1
Item Number	Description	FS	DB	SM	WM
TT3410150	Champion 4' with back	~	~	~	
TT3430150	Champion 6' with back	✓	~	~	
TT3450150	Champion 8' with back	✓	~	~	
TT3460150	Champion 10' with back	✓	\checkmark	\checkmark	
TT3510150	Champion 4' without back	✓	✓	✓	~
TT3530150	Champion 6' without back	✓	\checkmark	\checkmark	~
TT3550150	Champion 8' without back	✓	✓	✓	~
TT3560150	Champion 10' without back	✓	\checkmark	\checkmark	~
TT3570150	Champion 15' without back*		✓	✓	~
*Not Eligible for Quick Ship pr	ogram				

*Not Eligible for Quick Ship program

Champion Supreme Park Benches

The seats and backs are a full 5 inches deeper with the Champion Supreme bench for a total depth of 15 inches! Available with a backrest in 4, 6, 8, and 10 foot lengths, and an additional 15 foot Supreme bench without a backrest. Choose between the PVC coated diamond shaped expanded metal and the punched-hole look of perforated steel. Specify Seats and Legs color and Mount Style (Free Standing, Direct Bury, or Surface Mount).

TT3650X50 Free Standing	II3000A30	T3730X e Stand		4	
Item Number	Description	FS	DB	SM	WM
TT3610X50	Champion Supreme 4' with back	√	√	√	
TT3630X50	Champion Supreme 6' with back	✓	~	~	
TT3650X50	Champion Supreme 8' with back	√	~	~	
TT3660X50	Champion Supreme 10' with back	✓	~	~	
TT3710X50	Champion Supreme 4' without back	√	~	~	√
TT3730X50	Champion Supreme 6' without back	✓	~	~	~
TT3750X50	Champion Supreme 8' without back	\checkmark	~	~	~
TT3760X50	Champion Supreme 10' without back	\checkmark	~	~	~
TT3770X50	Champion Supreme 15' without back*	\checkmark	~	~	~
*Not Eligible for Quick Shin	program				

Grand Contour Series Benches

The Grand Contour series of benches deliver strength and unmatched durability! The seats will not sag over time! This bench is available in three different material patterns, including coated laser cut steel, welded rod, and the diamond shaped design of expanded metal.



Item Number	Description
TT3820250	3-Seat In-Line Bench with backrest, Direct Bury
TT3830750	3-Seat In-Line Bench with backrest, Surface Mount
TT7730250	3-Seat In-Line Bench without backrest, Direct bury
TT7730750	3-Seat In-Line Bench without backrest, Surface Mount
TT7410350	4' with backrest, Free Standing/Surface Mount
TT7430350	6' with backrest, Free Standing/Surface Mount
TT7310350	4' without backrest, Free Standing/Surface Mount
TT7330350	6' without backrest, Free Standing/Surface Mount
Grand Contour Benches Not Eligi	ble for Quick Ship program

Premier Polysteel Outdoor Furniture

Picnic Tables

Premier Polysteel Champion picnic tables are second-to-none in durability and strength. From the completely PVC coated steel to the wide base design for optimum stability, they exceed all performance requirements. The commercial quality picnic tables are coated from top to bottom with a 1/8+ inch layer of PVC, providing a longlasting, attractive addition to any location. Not only are they comfortable and easy to clean, but they are built to endure all climates. From desert sun to salty ocean air, your picnic table is built to last!

Champion Rectangle Tables

The design of the Champion rectangle style results in comfort which is partly due to the secure overall stability of the picnic table. Is everyone seated on the same side? No problem! These tables do not tip! The wide frame base makes this impossible. **Specify Top & Seats and Legs color.**



Premier Polysteel's Champion square picnic table features a 4 foot table top, rounded corners, and seating for up to

eight adults. The Champion table with backrests is comfortable seating at its best! Both styles have a walk-through

TT2610850

4' Square, Single Pedestal Direct Bury (no umbrella hole)

design making it a breeze to relax in comfort. Specify Top & Seats and Legs color.

TT2610150

4' Square, Free Standing

Description

Champion ADA Accessible Tables

Premier Polysteel wheelchair accessible picnic tables meet all ADA requirements. The 4' x 5' table has necessary room for a wheelchair on one side, with standard seating on the other three sides. The 8' x 30" and 10' x 30" tables have seats centered on each side that are 6' and 8' respectively. The seats are centered to provide wheelchair space on each end of the table. **Specify Top & Seats and Legs color.**

UT5050150	TT5050750
Item Number	Description
TT5050150	8' ADA Accessible, Free Standing*
TT5050250	8' ADA Accessible, Double Pedestal Direct Bury
TT5050550	8' ADA Accessible, Multi Pedestal Surface Mount
TT5050650	8' ADA Accessible, Multi Pedestal Direct Bury
TT5050750	8' ADA Accessible, Double Pedestal Surface Mount
TT2710150	$4' \times 5'$ ADA Accessible, Free Standing*
TT2710850	4' × 5' ADA Accessible, Single Pedestal Direct Bury (no umbrella hole)
*Eligible for Quick Ship	program

Champion Kids Tables

Champion Kids picnic tables are made with the same high quality standards found in all Premier Polysteel products. The completely coated picnic tables have no holes to allow access to bees and other insects. Mix and match up to three color combinations for a fun and bright look! **Specify Top, Seats, and Legs color.**

941-501	944-091
Item Number	Description
TT4409150	Kids 3' Square, Free Standing
TT4110150	Kids 4' Rectangle, Free Standing
TT4130150	Kids 6' Rectangle, Free Standing
TT4150150	Kids 8' Rectangle Free Standing

Loop Style Bike Racks

The Premier Polysteel loop style bike rack is our no-assembly, space-saving solution. It is available in five lengths and, in both direct bury or surface mount styles, the loop style bike rack comes with one to five loop options accommodating up to eleven bikes.

Gate Style Bike Racks

Providing 200+ pounds of durability and stability, the traditional gate style bike rack is a classic. Available in 5 foot and 8 foot lengths, it features two-sided bike parking and accommodates eight and twelve bikes respectively. **Specify Color and Mount Style (Free Standing (Gate Style only), Direct Bury, or Surface Mount).**



Champion Round and Oval Tables

Champion 4' Square Tables

Item Number

TT2610150

TT2610850

TT2210150

*Eligible for Quick Ship program

Seat up to 8 adults on a 4' diameter table top. Each table provides a 1.7" diameter hole to fit a 1.5" diameter umbrella pole. The Champion oval picnic table seats up to 6 adults and has an easy walk-through design. Surface mount kits are available for bolting the free standing model to a concrete surface. **Specify Top & Seats and Legs color.**

4' Square Table with Backrests, Free Standing



Site Furnishings

Quality site furnishings made in the U.S.A and backed by a best in industry **20 year warranty**. Please contact us for pricing on unlisted products and configurations. *Lids for round receptacles sold separately*. **Specify Color for Receptacles and accessories**.

	TT9603150	Тт9503150	TT9500150	TT9500550
Item Number	Description			
TT9603150	Arch Lid Sq	uare Receptacle, liner inc	luded, 32 Gallo	n
TT9605150	Arch Lid Sq	uare Receptacle, liner inc	luded, 55 Gallo	n
TT9503150	Round Rece	ptacle, liner included, 32	Gallon*	
TT9500150	Flat Lid for	32 Gallon Round Recepta	cle, 8" opening	
TT9500550	Flat Lid for	32 Gallon Round Recepta	cle, 16" opening	5
TTDBKIT50	Direct Bury	Kit for In-Ground Mounti	ng	
*Lid not included				

THREE LOCATIONS TO SERVE YOU BETTER! • MOST IN-STOCK ORDERS SHIP THE SAME DAY! 129

TEXACRAFT

Texacraft[®] Outdoor Furniture

Texacraft has been a leader in the outdoor commercial furniture market since 1975. A trusted and reliable source of outdoor contract furniture solutions for thousands of customers from country clubs to multi-family housing, hotels and REITs. Their product line includes a wide range of outdoor furniture products including extruded aluminum, high quality resin wicker, dog park furnishings, umbrellas, outdoor cushions, and hundreds of fabrics. Visit www.recsupply.com for current vinyl strap and frame color selection.

Splash Outdoor Furniture Collection

The Splash outdoor furniture collection features a transitional design and built with heavy-walled extruded aluminum for year-round durability and function. This collection also features mildew inhibitors and nylon glides underfoot for surface protection. Visit www.recsupply.com for current vinyl strap and frame color selection.



Item Number TT4006H50

Description High Back Sand Chair



The Finishing Process

ORANG

The finish begins as a very fine, electrostatic polyester powder that is sprayed onto the frame. The powder is "charged" so that the powder attaches to the frame much like metal to a magnet. This provides complete and even coverage of the powder. Once covered with the powder, the frames enter a large oven area where the frames are heated to a very high temperature that melts the powder. The process results in a durable, baked-on finish. Some of the finishes are textured, while others are smooth or hammered.

SKY

PURPL

ANTIO

The Vinyl Straps

SMOOT SILVER

The vinyl straps are 100% UV-stabilized virgin vinyl, .110" thick by 2" wide.

EMERALD

130 CALL TOLL-FREE: 1.800.437.8072 • FAX: 1.800.850.0262 • SHOP ONLINE: WWW.RECSUPPLY.COM



Oasis Crossweave Outdoor Furniture Collection

The Oasis Crossweave Outdoor Furniture Collection promotes a transitional design with heavy-walled tubular aluminum extrusion for added durability and are available in all frame finishes. All items in this collection are available in either a sling or vinyl strap seat and are stackable (bar stools not stackable).

- Heavy-walled tubular aluminum extrusion
- Pieces stack (excluding bar stool)
- Nylon glides underfoot for surface protection
- Available in sling or vinyl strap seat .
- Over-under style vinyl cross weave pattern
- Virgin vinyl strap, 2" wide created with mildew inhibitors
- Optional skid plate available on chaises for base protection •
- Available in all frame finishes

Visit www.recsupply.com for current vinyl strap and frame color selection.

Description

Game Chair



Oasis Crossweave Nesting High Back Sand Chair Width: 22.75" Depth: 38.75" Seat Height: 8.25" Height: 29.5"

Item Number TT4006CHB

Description High Back Sand Chair



Oasis Crossweave Nesting Game Chair

Oasis Crossweave

Bar Stool

Width: 24"

Depth: 27.5"

Height: 48"

Seat Height: 30"

Width: 23.5" Depth: 29" Seat Height: 16.5" Height: 33.25"



Oasis Crossweave Nesting Sand Chair Width: 22.75"

Depth: 33" Seat Height: 8.25" Height: 23.25"

Item Number TT4006C80

Description Sand Chair


Description

Stacking Elevated Chaise Lounge



Oasis Crossweave Stacking Chaise Lounge Width: 27.5" Depth: 78.5" Seat Height: 13.5" Height: 42.125"

Item Number Description TT3105C80 Stacking Chaise Lounge TT3205C80 Stacking Chaise w/Skids



Oasis Crossweave Stacking Elevated Chaise Lounge Width: 27" Depth: 78" Seat Height: 17.5" Height: 46.5"

Item Number TT4005C80

Item Number

TT3005C80

Description



Item Number

TT3105CEL



Oasis Sling Outdoor Furniture Collection

The Oasis outdoor furniture collection by Texacraft features comfortable sling mesh for year-round durability and comfort. This collection is built with heavy-walled tubular aluminum extrusion framing and is available in all frame finishes. All items in this collection are available in either a sling or vinyl strap seat and are stackable (bar stools not stackable).

- Heavy-walled tubular aluminum extrusion
- Pieces stack (excluding bar stool)
- . Nylon glides underfoot for surface protection
- Available in sling or vinyl strap seat
- Over-under style vinyl cross weave pattern
- Virgin vinyl strap, 2" wide created with mildew inhibitors
- Optional skid plate available on chaises for base protection
- Available in all frame finishes

Visit www.recsupply.com for current sling and frame color selection.



Oasis Sling Nesting Sand Chair Width: 22.75" Depth: 33" Seat Height: 8.25" Height: 23.25"

TT4006S80

Sand Chair



Oasis Sling Nesting Game Chair Width: 23.5 Depth: 29" Seat Height: 16.5" Height: 33.25"



Oasis Sling Stacking Chaise Lounge Width: 27.5" Depth: 78.5" Seat Height: 13.5" Height: 42.125"

		Item Number	Description	
		TT4102S80	Stacking Chaise Lounge	
		TT4202S80	Stacking Chaise w/Skids	
tem Number	Description			
TT4009S80	Game Chair			







Item Number	Description	wiath	Height
TT1042650	42" Dining Table	42"	28"
TT101850	18" Side Table	18"	19"









THREE LOCATIONS TO SERVE YOU BETTER! • MOST IN-STOCK ORDERS SHIP THE SAME DAY!



Grosfillex Resin Poolside Furniture

These popular, economical chairs and lounges are built for durability in a commercial environment. ASTM rated for commercial use. Advanced UV stabilizers help resist discoloration by sunlight, giving twice the longevity of retailgrade furniture. Glossy resin finish. Extended product descriptions may be found at RecSupply.com.



TT58004WHPK2

L Jan!

Item Number

TT3100450PK2

TT31004SAPK2

TT31004FTPK2

RB

Item Number

TT96231RBPK6

Bahia Stackable Chair Dimensions: $34" D \times 30" W \times 41" H$ * MUST BE PURCHASED IN MULTIPLES OF 2 or 10 *

Color

White

Bahia Chaise Lounge Pictured with Miami Cocktail Table (purchased separately).

* MUST BE PURCHASED IN MULTIPLES OF 2, 6, or 18 *

RENCI

Dimensions: 75" L × 27" W

This versatile lounger features an extra wide seat and back along with spacious armrests. The Bahia is made of 100% prime resin, making it impervious to salt air, chlorine, and most common stains. Also features a pull-out footrest for added comfort. Stacks for easy storage.



Dimensions: 22.5" D \times 23.5" W \times 36" H * MUST BE PURCHASED IN MULTIPLES OF 4 or 16 *

Pacific Stackable Chair



Item Number

Miami Stackable Chair

Color

White (WH)

Sandstone (SA)

Amazon Green (AG)

French Taupe (FT)

* MUST BE PURCHASED IN MULTIPLES OF 4 or 16 *





WH Item Number TT400150PK4 TT4001SAPK4 TT4001AGPK4



Color White (WH) Sandstone (SA) Amazon Green (AG)

Moon Stackable Chair

Dimensions: $19" D \times 19.5" W \times 32" H$

* MUST BE PURCHASED IN MULTIPLES OF 4 or 16 * The Moon Stacking Chair is a unique designer chair with a sophisticated personality and European design. This indoor/ outdoor chair was specifically designed for versatility of use in many contemporary environments, and is perfect for use in food courts, cafeterias, airports, shopping malls, hospitals, colleges, and universities. Available with or without armrests.





Without Armrests

without Armests		
Item Number	Backrest Color	Seat Color
TT66680DLPK4	Denim Blue (DL)	Linen
TT66096WLPK4	Glacier White (WL)	Linen
TT66579GCPK4	Titanium Gray (GC)	Charcoal
With Armrests		
Item Number	Backrest Color	Seat/Arm Color

Item Number TT98426BLPK6 TT98426SAPK6

BL





thick and dries quickly. Includes hood to prevent slipping. Chaise lounge purchased separately. **MUST BE PURCHASED IN MULTIPLES OF 6 ***



Specifically designed for low maintenance in hospitality use, the velcro side ties secure cushion from sliding off chaise. A costeffective way to refurbish your resin chaises for extra comfort and refresh the furniture of your pool deck with vivid colors. Quick dry. * MUST BE PURCHASED IN MULTIPLES OF 6 *

SA Color

TT4002H50PK4 TT4002HSAPK4 TT4002HAGPK4 TT4002HFTPK4

Dimensions: 22.5" D \times 21" W \times 31.75" H





Linen Linen Charcoal



135



Jamaica Sling Chaise Nautical Sling Chaise This versatile sling chaise has many uses on both hard The Nautical adjustable sling chaise without arms is and sandy surfaces at value pricing. specifically made for commercial use. It offers the supreme Adjustable with 4 positions for extra comfort comfort of a breathable and supportive commercial grade Stack easily and nest closely sling and a 3-position adjustable back. The frame is made UV resistant of 100% first quality UV stabilized resin, reinforced where Power washable it counts. The easy to replace sling is made of vinyl coated Microban antimicrobial product protection polyester fabric for strength & color-fastness. No pins to fall 100% recyclable and built in the USA out, break or rust at pivot points. Stackable for easy storage. wo Nautical Dimensions: 78" D \times 29" W \times 14" H (flat) Jamaica Dimensions: 73.5" D × 27.5" W × 14" H (flat) * MUST BE PURCHASED IN MULTIPLES OF 2 or 16 * * MUST BE PURCHASED IN MULTIPLES OF 2 or 12 * WB wī ST SK Frame Color Item Number Sling Color Item Number Frame Color Sling Color TT01019W0PK2 Orange Royal Blue White (WO) TT46152WGPK2 White (WH) Fern Green White (WB) TT10106WBPK2 Royal Blue White (WB) TT46006WBPK2 TT01241WTPK2 White (WT) Turauoise TT46241WTPK2 White (WT) Turquoise TT10103WKPK2 White (WK) Khaki White (OR) TT470190RPK2 Orange TT55181STPK2 Sandstone (ST) Taupe TT47194SBPK2 White (SB) Sky Blue TT55003SKPK2 Sandstone (SK) Khaki TT46552WBPK2 White (WB) Beige Sandstone (ST) TT36181STPK2 French Taupe **Java Sling Chaise** TT66002CGPK2 Charcoal (CG) Gray Tweed Sandstone (SS) Charcoal (CS) TT20066SSPK2 Straw Dimensions: 73.5" $D \times 27.5$ " $W \times 14$ " H (flat) Straw TT20002CSPK2 * MUST BE PURCHASED IN MULTIPLES OF 2 or 16 * Bronze (BS) TT20037BSPK2 Straw French Taupe (TS) TT20181TSPK2 Straw The stylish 4-position Java all weather wicker chaise is TT20004WSPK2 White (WS) Straw specifically designed to perform in commercial outdoor environments. Its high strength wicker frame, recessed Stackable wheels, and hard-wearing footpads ensure long service in Jamaica and Marina chaise lounges stack for easy storage, taking up minimal space. even the harshest of weather conditions. Rated to 300 lbs. for structural strength. Marina Sling Chaise The Marina adjustable sling chaise without arms is specifically made for commercial use. Designed



WY

Item Num

TT99404V

TT99404V

TT99414 TT99515

TT99414 TT99414

for enduring comfort with a firm, breathable, supportive sling, and 5-position adjustable back. The

Marina chaise features recessed wheels for ease of mobility and an easy-to-replace woven vinyl coated polyester sling.

Warranty: Frame: 5 years, Sling: 2 years. Custom logo imprinting is available at a slight additional cost. Contact us for details. Marina Dimensions: 78" D \times 30" W \times 14" H (flat)

* MUST BE PURCHASED IN MULTIPLES OF 2 or 14*



Item Number TT45237EEPK2

TT24681TMPK2

TP Frame Color Espresso (ES) Taupe (TP)

Sling Color Mochaccino

Catalina Sling Chaise With Arms

Specially designed for commercial use, the Catalina adjustable sling chaise with arms was designed for enduring comfort. Features a firm, breathable & supportive commercial grade sling and a 5-position adjustable back. The Catalina has recessed wheels for easy mobility and stacks for easy storage. Nautical Dimensions: 78" D \times 30" W \times 14" H (flat) * MUST BE PURCHASED IN MULTIPLES OF 2 or 14*

	BK	BE	∇	BB		TK	
ıber		Fran	ne Color		SI	ing Color	
WBPK2		Whi	te (WB)		R	oyal Blue	
WYPK2		Whi	ite (WY)		9	ky Blue	
BKPK2		Bronze	e Mist (BK)			Khaki	
BEPK2		Bronze	e Mist (BE)		E	spresso	
BBPK2		Bronze	Mist (BB)		S	pa Blue	
TKPK2		Teaky	vood (TK)			Khaki	

Item Number TT02006WBPK2 Frame Color White

Sling Color Roval Blue



WB

Jamaica Beach Midback **Folding Sling Chair**

Dimensions: 29" D × 24.75" W × 40" H * MUST BE PURCHASED IN MULTIPLES OF 2 *

Designed to provide comfort and easy utilization and storage in hospitality environments. The Jamaica Beach Midback features Grosfillex high strength textilene fabric specifically woven to resist discoloration by the sunlight, mold & mildew. A locking device secures the seat of the chair into position for safe use, while hard wearing footpads provide for extra wear resistance on hard deck surfaces. Folds flat for easy storage.



Item Number	Frame Color	Sling Color	
TT765101WBPK2	White (WB)	Blue	
TT765102WKPK2	White (WK)	Khaki	
TT765103WGPK2	White (WG)	Fern Green	
TT765104WTPK2	White (WT)	Turquoise	
TT765105WOPK2	White (WO)	Orange	
TT765106WYPK2	White (WY)	Sky Blue	
TT765107WSPK2	White (WS)	Straw	
TT765202BKPK2	Bronze (BK)	Khaki	
TT765206BYPK2	Bronze (BY)	Sky Blue	
TT765207BSPK2	Bronze (BS)	Straw	
TT765302DKPK2	Teakwood (DK)	Khaki	
TT765408STPK2	Sandstone (ST)	French Taupe	
TT765407SSPK2	Sandstone (SS)	Straw	
TT765509CTPK2	Charcoal (CT)	Gray Tweed	
TT765507CSPK2	Charcoal (CS)	Straw	
TT765607TSPK2	French Taupe (TS)	Straw	



Sunset Towel Valet

The Sunset Towel Valet is a beautiful solution to keep your pool, spa and gym areas clean and tidy. Crafted of aluminum with textilene inserts, it is easy to assemble and built to last. The Towel Valet is available in single, double and triple unit configurations. Each unit comes with a laundry cart and coordinating laundry bag for easy cleanup of soiled towels.

2	, ,	, , , ,
Item Number	Description	Color Combination
TT7059950	Single	Cognac/Fusion Bronze
TT7028850	Single	Solid Gray/Volcanic Black
TT7028950	Single	Solid Gray/Platinum Gray
TT3528850	Single	Madras Blue/Volcanic Black
TT3509650	Single	Madras Blue/Glacier White
TT7359950	Double	Cognac/Fusion Bronze
TT7328850	Double	Solid Gray/Volcanic Black
TT7328950	Double	Solid Gray/Platinum Gray
TT3428850	Double	Madras Blue/Volcanic Black
TT3409650	Double	Madras Blue/Glacier White
TT7459950	Triple	Cognac/Fusion Bronze
TT7428850	Triple	Solid Gray/Volcanic Black
TT7428950	Triple	Solid Gray/Platinum Gray
TT3628850	Triple	Madras Blue/Volcanic Black
TT3609650	Triple	Madras Blue/Glacier White



Java Stackable Chair Dimensions: 22" D × 23.7" W × 32.75" H * MUST BE PURCHASED IN MULTIPLES OF 4 or 16 *

Classic contemporary design blends wicker with resin for strength, style and comfort. Stackable and suitable for indoors or out.



Without Armrests				
Item Number				
TT78200BZPK4				
TT78500CHPK4				
TT78600FTPK4				

With Armrests Item Number

TT77200BZPK4

TT77500CHPK4

TT77600FTPK4

Color
Bronze (BZ)
Charcoal (CH)
French Taupe (FT)

Color

Bronze (BZ)

Charcoal (CH)

French Taupe (FT)



Java Folding Sling Chair Dimensions: 19" D × 19.5" W × 32" H

* MUST BE PURCHASED IN MULTIPLES OF 2 *

Stylish 4-position adjustable chaise lounge with a high strength resin wicker frame, specifically woven to perform in commercial outdoor environments. Recessed wheels for easy transportation with hard wearing footpads for extra wear resistance. Replaceable wicker frames. Stacks for easy storage. 100% recyclable.





Tailwind Outdoor Furniture

Tailwind Outdoor Furniture

Outdoor furniture from Tailwind is made from recycled milk containers. Tailwind furniture is virtually maintenance free with no straps to replace. It will not rot, splinter or rust and never needs painting or staining. All hardware is stainless steel. Tailwind chairs may be left outdoors year round. Assembly required. Colors available: White, Sand, Green, Cedar.



Pictured above to show colors: Tailwind Chaise Lounges with Arms, colors White, Sand, Green and Cedar



Tailwind Dining Set

Round Table Dimensions: 37.5" Diameter × 29" H Square Table Dimensions: $36" L \times 36" W \times 29" H$ Dining Chair (no arms): 22" L \times 18" W \times 33" H Dining Chair (with arms): 22" L \times 22" W \times 33" H Colors available: White, Sand, Green, Cedar,

WHITE	SAND	CEDAR	GREEN

Item Number	Description	Ship Via
TTTR31050	Dining Table, Round	UPS
TTTR83050	Dining Table, Square	UPS
TTC365X50	Dining Chair, No Arms	UPS
TTC365A50	Dining Chair, With Arms	UPS



Tailwind Pub Set

Round Pub Table Dimensions: 37.5" Diameter × 41" H Square Pub Table Dimensions: $36" L \times 36" W \times 41" H$ Rectangle Pub Table Dimensions: 48" L \times 29" W \times 42" H Pub Chair (no arms): 23" L \times 18" W \times 46.5" H Pub Chair (with arms): 23" L \times 26" W \times 46.5" H Colors available: White, Sand, Green, Cedar.



Tailwind Chaise Lounge
Dimensions: 18" $H \times 83$ " $L \times 24$ " W
Colors available: White, Sand, Green, Cedar.



Item Number	Ship Weight	Ship Via
HHCL60050	60 lbs.	UPS
HHCL60A50	with Arms	UPS



em Number	Description	Ship Via
TB32050	Pub Table, Round	UPS
TB83550	Pub Table, Square	UPS
TB40050	Pub Table, Rectangle	UPS
TB301X50	Pub Chair, No Arms	UPS
TB301A50	Pub Chair, With Arms	UPS



Tailwind Beach Chair Dimensions: 28" H \times 30" L \times 28" W Colors available: White, Sand, Green, Cedar.



Item Number HHBC10050

Item Number

TTVB48050

TTVB72050

1



Ship Weight Ship Via 37 lbs

Tailwind Victorian Bench

Tailwind Victorian Bench



Item Number TTDB47550 TTDB24050

Tailwind Flat Bench

Features flat seat. Great for locker rooms and poolside. DB475 Dimensions: 47" L \times 14" W \times 17" H DB240 Dimensions: 24" L \times 14" W \times 17" H

Colors available: White, Sand, Green, Cedar				
	WHITE	SAND	CEDAR	GREEN
Sh	ip Weight		Ship Vi	a
	36 lbs. UPS			
	25 lbs.		UPS	







Tailwind Backless Bench

Features contoured seat. Ideal for locker rooms and waiting areas

BB470 Dimensions: 47" L \times 19" W \times 17" H BB700 Dimensions: 70" L \times 19" W \times 17" H Colors available: White, Sand, Green, Cedar

40 lbs

65 lbs

	NG		
WHITE	SAND	CEDAR	GREEN
p Weight		Ship Vi	a

UPS

Truck

138	CALL TOLL-FREE. 1 200 437 2072 .	FAX: 1.800.850.0262 • SHOP ONLINE:	WWW RECOUPPLY COM

UPS

Truck

S.R. Smith Desination Lounger and Message Board



SR Smith.





Premium Colors





Destination Lounger

Features:

- For use on a pool ledge with water depths up to 12"
- High-quality RTM composite material
- UV protection to resist fading
- Compatible with all pool types
- Patent pending fill system eliminates buoyancy
- Easy to drain and remove when not in use

Item Number

TTDS15112PK2

TTDS15212PK2 TTDS16012PK2

TTDS16112PK2

TTDS15512PK2

TTDS15612PK2

TTDS15712PK2

TTDS15412PK2

TTDS15812PK2

*Special order colors may require

Pack of 2

Made in the USA

Item Number

TTDS15112

TTDS15212

TTDS16012 TTDS16112

TTDS15512

TTDS15612

TTDS15712

TTDS15412

TTDS15812

The Destination Lounger[™] is an ideal way to add luxury seating to any Hospitality or Commercial Recreation Pool. The Loungers are designed and manufactured to be durable yet lightweight, making it easy to setup and move them around as desired. Because of the ease of portability, staff can create flexible and unique seating arrangements in the water for patrons in limitless ways.



Outdoor Message Center

Functional, attractive and durable! The Outpost outdoor message center features a weatherproof recycled plastic exterior, designed to stand tough against outdoor elements and remain attractive for years. Includes sliding plexiglass doors on an aluminum door track and cork display area. May be upgraded to include lexan doors for a slight up-charge. Can be attached to fence or posts with optional kits. Post attachment kit includes vinyl sleeves for user-supplied wood posts, decorative vinyl post caps, horizontal cross piece, hardware and installation instructions. Specify color: White, Green, or Black. Ships fully assembled.



	Item Number		Item Number	Description	Display Area Exterior			
	Pack of 10	Color	LLOP5050	Model 50	20.5" × 22.5"	24" × 27" × 5.375"		
2	TTDS15112PK10	Solid Tan	LLOP50L50	Model 50 with Lexan Doors	20.5" × 22.5"	24" × 27" × 5.375"		
2	TTDS15212PK10	Solid Gray	LLOP150	Model 150	44.5" × 22.5"	48" × 27" × 5.375"		
2	TTDS16012PK10	Starry Night	LLOP1L50	Model 150 with Lexan Doors	44.5" × 22.5"	48" × 27" × 5.375"		
2	TTDS16112PK10	Seashell	LLOP250	Model 250	44.5" × 29.5"	48" × 34" × 5.375"		
2	TTDS15512PK10	Pebble	LLOP2L50	Model 250 with Lexan Doors	44.5" × 29.5"	48" × 34" × 5.375"		
2	TTDS15612PK10	Fashion Gray	LLOPP50	Post Attachment Kit				
2	TTDS15712PK10	Cappuccino	LLOPF50	Fence Attachment Kit-Two inst	alled hooks and o	one eyebolt with lock		
2	TTDS15412PK10	Mont Blanc*	LLOPL50	Sliding Door Lock assembly with two keys				
2	TTDS15812PK10	Autumn Sun*	LLOPHS150	Header Sign-one line (approxi	mately 45 to 50 c	haracters per line)		
e lo	onger lead times.		LLOPHS250	Header Sign-two lines (approximately 45 to 50 characters per line)				

Looking for something?

Recreation Supply Company keeps a full online library of product resources for poolside furniture and facility equipment.

Visit us today at RecSupply.com to view fabric swatches, specifications, care instructions, and more.

THREE LOCATIONS TO SERVE YOU BETTER! • MOST IN-STOCK ORDERS SHIP THE SAME DAY! 139



Frankford Umbrellas



Frankford Fiberglass Market Umbrellas with Crank

- 1/2" diameter fiberglass ribs.
- Heavy gauge resin and stainless steel hardware.
- Heavy gauge commercial grade crank system.
- Self repairable frame. .
- Powder coated 11/2" diameter center pole with 2.3mm . wall thickness.
- 9 oz. marine grade acrylic canvas fabric.
- Listed colors typically ship within 7 to 10 business days. Specify colors from lists below.
- Frame colors: Matte Black, Matte White, Matte Bronze, Matte Silver, Wood Grain, Silver Anodized.

Fabric colors: Burgundy, Logo Red, Orange, Yellow, Terracotta, Turquoise, Capri, Pacific Blue, Navy Blue, Pistachio, Forest Green, Linen, Toast, Brown, White, Cadet Gray, Black, Charcoal Gray, Coral. Octagon type are also available in striped colors: Red/White, Yellow/White, Orange/White, Blue/White, Turquoise/White and Black/White.

Item Number	Size	Tilt Option
TT845MCST	7.5' Octagon	No Tilt
TT854MCST	9' Octagon	No Tilt
TT864MCST	11' Octagon	No Tilt
TT454MCST	6.5' Square	No Tilt
TT464MCST	7.5' Square	No Tilt
TT845MAST	7.5' Octagon	With Auto Tilt
TT854MAST	9' Octagon	With Auto Tilt
TT864MAST	11' Octagon	With Auto Tilt
TT454MAST	6.5' Square	With Auto Tilt
TT464MAST	7.5' Square	With Auto Tilt



Item Number

Nova Giant Umbrella

This giant umbrella offers maximum shade protection for commercial areas. The canopy arms are super-strong and are connected to an impressive 4" mast with no less than six internal channels for extra strength.

Features:

Diameter

- Maintenance-free long-life winding handle system
- All materials are fully corrosion resistant
- Telescopic mechanism opens and closes easily above furniture
- Extremely sturdy and robust wind rated to 50 mph
- Huge canopies provide maximum shade protection
- Water repellent canopy also offers rain protection Multiple umbrellas can be joined with removable
- gutter system Mount requires either an in-ground mount or deck
- plate, sold separately.
- 5 year canvas warranty, 2 year frame warranty Height to Height to Canopy Edge Canopy Hub Weight

	T
	t fi
	F
And a second	

Eclipse Giant Umbrella

This elegant and modern side-post cantilever umbrella combines style with strength, size and durability. The multiple tilt levels give maximum shade flexibility. A wonderful choice for outdoor living, entertaining and relaxation.

Features:

- Marine grade fabric guarantees longevity
- Anodized aluminum means no rust, no paint to flake
- Maximize your space and shade with no center post
- Easy to use

Full 360° rotation

Height to

Canopy Edge

Diameter

- Folds into a compact vertical format
- Can be removed for seasonal storage
- Mount requires either an in-ground mount or deck plate, sold separately.
- 5 year canvas warranty, 2 year frame warranty

Total Height

of Canopy

Weight

TT8110N50	13' Square	8'	10'	175 lbs.	TT883E50	10' Square	7'-5"	9'-2"	175 lbs.
TT896N50	16' Octagon	8'	12'-4"	220 lbs.	TT880E50	13' Octagon	7'	9'-2"	220 lbs.
Item Number		Accessory I	Description		Item Number Accessory Description				
TT9211050	In-Ground Mount			TT9214050	In-Ground Mount				
TT9212050		Deck	Plate		TT9215050				
TT9213050	Prote	ective Cover for I	Nova Giant Umbr	rella	TT9217050	Protective Cover			
BURGUNDY TERRACOTTA	OGO RED ORAN	IGE YELLOW	PISTACHIO	FOREST	TURQUOISE CAPRI BLUE	PACIFIC	/Y coral	LINEN	TOAST
BROWN WHITE CADET CHARCOAL BLACK RED/ WHITE ORANGE/ YELLOW/ TURQUOISE/ BLUE/ BLACK/ WHITE BLACK/ WHITE BLACK/									

Item Number

CALL TOLL-FREE: 1.800.437.8072 • FAX: 1.800.850.0262 • SHOP ONLINE: WWW.RECSUPPLY.COM 140

Frankford Umbrellas



6½' Printed Premium Lifeguard Umbrella

Features the same superior construction as our vinyl umbrellas, but with your choice of vinyl or acrylic material imprinted with the words "LIFE GUARD." Great for lifeguard chairs and other poolside uses. Umbrella is

6½' in diameter with six ribs. Aluminum center pole. Manual lift and tilt feature. Base not included. **Colors: Red or Royal Blue.**

Item Number	Diameter	Material	Color
HH639ATLR	6½ ft.	Acrylic	Red
HH639ATLB	6½ ft.	Acrylilc	Royal Blue
HH639ATLRV	6½ ft.	Vinyl	Red

6' Solar-Reflective Umbrella • Unique Silver reflective polyester fabric bounces 95% of the suns harmful UV rays.

- Heavy duty aluminum powder coated white twopiece pole assembly.
- Fiberglass ribs and stretchers.
- Eye-catching 6' extra large vented canopy for blowthrough stability.
- We stock the Silver-Topside umbrellas. Others ship directly from the manufacturer. Lead times vary seasonally. Contact us for details.

Item Number	Topside Color	Underside Color
HH836FT50	Silver	Forest Green
HH836FTBL	Silver	Pacific Blue
HHFT101FG	Forest Green	Silver
HHFT101PB	Pacific Blue	Silver
HHFT101GS	Forest Green Stripe	Silver
HHFT101BS	Pacific Blue Stripe	Silver
1111 120200	r donie blue outpe	Girver

Folding Wood Beach Chair
 Stainless Steel hinges and rivets
 Concession Grade construction
 Built to withstand adverse weather
 Double-dowel assembly
 Handcrafted with strength in mind
 Fold to allow easy storage
 Covered with Sunbrella® fabric


- Finished with marine spar varnish
- Custom silk screening available
- Detachable footrest is included



Item Number

Folding Beach Chair (specify color)





features include:

Commercial quality heavy gauge tilt.

Constructed of tough, durable vinyl laminate material and $11_2'' \times 71_2''$ heavy-duty aluminum pole. Great for lifeguard chairs and other poolside uses. Umbrella is $64_2'$ in diameter with six ribs of alternating panels. **Base not included**.

6¹/2' Premium Vinyl Umbrella Our umbrella quality is superior to others you may find. Key

7¹/₂' Premium Table Umbrella

Our $7\frac{1}{2}$ diameter umbrella has 8 alternating panels and all of the same quality features as our $6\frac{1}{2}$ umbrella.

Stocked colors are Royal Blue/White, Red/White, and Forest Green/White (stocked in 6½' only). Additional colors available for the same prices include Royal Blue, Forest Green, Navy Blue, Navy Blue/White, Red, Orange, Orange/White, Yellow, Yellow/White, Turquoise, Turquoise/White, Teal, Teal/White, Red/Yellow, Forest Green/Yellow, and White.

Item Number	Diameter	Color
HHUB91650	6½ ft.	Royal Blue/White
HHUR90650	6½ ft.	Red/White
HHUM90750	6½ ft.	Forest Green/White
HHUN81650	7½ ft.	Royal Blue/White
HHUN80650	7½ ft.	Red/White



RecSupply.com The Commercial Pool Supply Specialists!

THREE LOCATIONS TO SERVE YOU BETTER! • MOST IN-STOCK ORDERS SHIP THE SAME DAY!

Fiberbuilt Umbrellas and Accessories





Fiberbuilt Market Umbrella

Great for high traffic and windy locations. Fiberglass support ribs with molded nylon joints ant tips. Virtually unbreakable, our fiberglass-ribbed umbrellas last four to five times longer than traditional steel or wood ribbed umbrellas. Umbrella top is marine grade, solution dyed acrylic. Umbrella is available with heavy duty crank, push up, and pulley & pin mechanisms. Pole is aluminum and available powder coated White or Champagne (Bronze).

Dozens of fabric colors are available. Current swatches may be viewed on our website, www.recsupply.com. Single vent is standard. Double vent is available.

Item Number	Diameter	Lift	Height	Weight
HH7MPU50	7.5'	Push Up	90"	15 lbs.
HH7MCR50	7.5'	Crank	90"	15 lbs.
HH9MPP50	9'	Pulley & Pin	96"	17 lbs.
HH9MCR50	9'	Crank	96"	17 lbs.
HH11MPP50	11'	Pulley & Pin	102"	19 lbs.

Fiberbuilt 71/2' Fiberglass-**Ribbed Umbrella**

Great for patio and poolside areas! Fiberglass support ribs are strong and resilient. They will not decay or lose shape. Instead of cowing to the wind, they bend and flex, absorbing gusts without breaking or disfiguring. Virtually unbreakable, our fiberglass-ribbed umbrellas last four to five times longer than traditional steel or wood ribbed umbrellas. Umbrella top is an open weave vinyl coated material that is easy to maintain and withstands harsh conditions. Umbrella includes heavy duty crank. Pole is aluminum and available anodized or powder coated White or Champagne. Diameter: 7½'. Specify color: Burgundy, Red, Yellow, Forest Green, Teal, Pacific Blue, Navy Blue, Natural, Beige, Black.



Fiberbuilt Poufs

Fiberbuilt poufs are ideal for seating, foot rests, mini soft tables, and much more. Available in a variety of colors and patterns to match your décor.

Dimensions

20" × 20" × 18'

20" Dia. × 18"

Item Number Shape TT4802350 Cube TT4808150 Cylinder



Item Number

Fiberbuilt Headrest

Headrest with Velcro closure on straps fits on most chairs and is adjustable. Available in a variety of colors and patterns to match your décor.

Description Headrest Pillow with Velcro Strap

TT4803150 **Fiberbuilt Concrete Umbrella Bases** Recommended for use with 7.5', 8', and 9' umbrellas Standard black sleeve accommodates poles up to 1.75" in diameter Some assembly required Available in White (WH), Beige (BE), Black (BK), Basketweave Bronze (BW), Champagne Bronze (BZ) as noted below All bases come with black trim Item Number Description Color TTCB1950 55 Lb. Base 19" Dia. × 14" WH. BE. BK. BW. BZ 110 Lb. Base 23" Dia. × 18" TTCB2350 BK

> More Fiberbuilt umbrella base styles are available with pricing on request.

71/2' Fiberglass-Ribbed Umbrella

Description

CALL TOLL-FREE: 1.800.437.8072 • FAX: 1.800.850.0262 • SHOP ONLINE: WWW.RECSUPPLY.COM

142

Item Number

HHUF75050

Baby Changing Stations and Garment Checking



Photograph is used with the permission of Koala Kare Product

Koala Kare Baby Changing Station

Koala baby changing stations are made with high density polyethylene and full-length, reinforced steel-on-steel hinges for strength and durability. Changing stations comply with the ADA standards when properly installed. Koala Baby Changing Stations ship complete with all safety straps, mounting instructions and hardware. Labeling complies with ASTM standards.



Item Number	Туре	Color
LL1010050	Vertical	Cream
LL2000050	Horizontal	Cream
LL1010150	Vertical	Grey
LL2000150	Horizontal	Grey
LL1010550	Vertical	White Granite
LL2000550	Horizontal	White Granite
LL2001150	Horizontal	Earth
LL1509950	Sanitary Bed Liners (500)	



LL110WM50 Stainless Steel Horizontal Wall Mount	Item Number	Туре	Mount
	LL110WM50	Stainless Steel Horizontal	Wall Mount
LL110RE50 Stainless Steel Horizontal Recessed	LL110RE50	Stainless Steel Horizontal	Recessed
LL111WM50 Stainless Steel Vertical Wall Mount	LL111WM50	Stainless Steel Vertical	Wall Mount
LL111RE50 Stainless Steel Vertical Recessed	LL111RE50	Stainless Steel Vertical	Recessed



LL1020150

Koala Kare **Child Protection Seat**

- Secures child as parent uses facilities
- Over-the-shoulder safety straps

Color

Cream

Grev

- Requires less than 2 square feet of wall space .
- Folds closed to 5.75"
- Colors: Cream, Grev



Garment Check Racks

Our garment check racks are constructed entirely of 304 stainless steel. Each component piece is TIG welded together. The complete rack is easily assembled on site with the provided slip joint connectors and self-tapping screws. Custom labels are provided for each bag location. Specify any numbering pattern from 1 to 999. A unique hook design holds both the garment bag and ID pin. Casters are optional on floor models.

Item Number	Dimensions	Bag Capacity
LLGCS3053	36" × 74" wall mount	30
LLGCS4553	64" × 74" wall mount	45
LLGCS6053	72" × 74" free standing	60
LLGCS9053	92" × 74" free standing	90
LLGCS2553	4" casters (set of 4)	



Checking Bags

- Clean, sanitary, and neat.
- Gray mesh with blue trim.
- Space-saving.
- Needs no laundering. Eliminates pilfering and mix-ups.

Each bag has a hardwood hanger built-in. There is a separate pocket for each shoe and separate compartment for underclothing. The shirt, jacket, or coat is hung on the hanger at the top.

Dimensions: approximately 21" H \times 18" W with a 4½" hook.

Item Number Description Without trouser bar With trouser bar

LL0010S53

LL0010D53

Checking Pins-Package of 100



Item Number	Style	Material	Numbering
LL016CP13	A	Brass	Plain
LL16CPN13	A	Brass	Numbered
LL16CPS13	A	S.S.	Plain
LL16CNS13	A	S.S.	Numbered
All numbered groups of 100 ar	re numbered c	onsecutively.	Specify number range for each

numbered set.



Elastic Wristbands

Excellent quality wristbands with all brass hardware. Priced per 100. A variety of numbered tags are available with pricing on request.

Item Number	Color
LL16WBR13	Red
LL16WBB13	Blue
LL16WBG13	Green
LL16WBL13	Black
1116WRW12	White

THREE LOCATIONS TO SERVE YOU BETTER! • MOST IN-STOCK ORDERS SHIP THE SAME DAY! 143

Benches and Bleachers





Outdoor Models



Aluminum **All Purpose Benches**

These aluminum benches are built with both strength and portability in mind. Lightweight, welded construction allows easy movement to any appropriate location. Our benches are available with or without backrests and are available for either indoor or outdoor locations. Indoor models include rubber foot pads. Outdoor models listed include galvanized steel legs. Other bench styles are available. Please call us for specifications and pricing.

PI Series	PG Series	
Item Number	Item Number	Length
LLP10650	LLPG0650	6'
LLP10850	LLPG0850	8'
LLPI1250	LLPG1250	12'
LLPI1550	LLPG1550	15'
LLPI2150	LLPG2150	21'
LLPI2450	LLPG2450	24'
		= -

Indoor Models

DE Series	DG Series	
Item Number	Item Number	Length
LLDE0650	LLDG0650	6'
LLDE0850	LLDG0850	8'
LLDE1250	LLDG1250	12'
LLDE1550	LLDG1550	15'
LLDE2150	LLDG2150	21'
LLDF2450	LLDG2450	24'



Wall Mount Aluminum Bench

When ordering powder coated models, please specify both the understructure and plank colors. Available colors: Red, Orange, Yellow, Gold, Kelly Green, Dark Green, Royal Blue. Navy, Maroon, White, Gray, Black

- Planks are 10" wide skid-resistant aluminum.
- All stainless steel hardware.
- Corrosion-resistant understructure.
- Custom powder coated colors are available.

Item Number	Length	Finish
LLW075U58	7.5 ft.	Unfinished
LLW075P58	7.5 ft.	Powder Coated
LLW015U58	15 ft.	Unfinished
LLW015P58	15 ft.	Powder Coated
LLW021U58	21 ft.	Unfinished
LLW021P58	21 ft.	Powder Coated
LLW027U58	27 ft.	Unfinished
LLW027P58	27 ft.	Powder Coated
Powder coat colors: Red.	Orange, Yellow, Gold, Kelly Gre	en. Dark Green. Roval Blue. Navv.

Maroon, White, Gray, or Black



Preferred Tip N' Roll Bleachers

Item Number	Length	Rows	Seating Capacity
LLTR20750	7.5 ft.	2	10
LLTR20950	9 ft.	2	12
LLTR21250	12 ft.	2	16
LLTR21550	15 ft.	2	20
LLTR22150	21 ft.	2	28
LLTR22450	24 ft.	2	32
LLTR30750	7.5 ft.	3	15
LLTR30950	9 ft.	3	18
LLTR31250	12 ft.	3	24
LLTR31550	15 ft.	3	30
LLTR32150	21 ft.	3	42
LLTR32450	24 ft.	3	48

Standard Tip N' Roll Bleachers

Item Number	Length	Rows	Seating Capacity
LLTS20750	7.5 ft.	2	10
LLTS20950	9 ft.	2	12
LLTS21250	12 ft.	2	16
LLTS21550	15 ft.	2	20
LLTS22150	21 ft.	2	28
LLTS22450	24 ft.	2	32
LLTS30750	7.5 ft.	3	15
LLTS30950	9 ft.	3	18
LLTS31250	12 ft.	3	24
LLTS31550	15 ft.	3	30
LLTS32150	21 ft.	3	42
LLTS32450	24 ft.	3	48



Plastic Benches

Our plastic benches are a great addition to any pool or change room. Made from 100% recycled plastic, these benches feature stainless steel hardware. Hygienic, durable and almost indestructible, each bench comes with a 10 year warranty. Some assembly required.

Item Number	Туре	Color
TT8140650	Standard Stand-Alone	Sand
TT8141050	Standard Stand-Alone	Gray
TT8150650	Wide Stand-Alone	
TT8151050	Wide Stand-Alone	
TT8130650	Wall-Mounted	
TT8131050	Wall-Mounted	
TT8160650	With Backrest	

Tip N' Roll Bleacher

National Recreation Systems "Tip N' Roll" bleachers tip and roll away for easy storage and are the ideal solution to your auxiliary seating needs. This bleacher is easily tipped up onto its swivel casters for movement, and caster brakes keep the bleacher from rolling when stored. All "Tip N' Roll" bleachers include non-marring rubber foot pads to protect wood floors. The aluminum understructure (frame) reduces weight for easier lifting.

Standard Tip N' Roll bleachers include one $2" \times 10'$ foot plank, while Preferred Tip N' Roll bleachers include two 2" \times 10' foot planks.

Color Options: Tip N' Roll Bleachers are available with powder coated seats at an additional charge. Contact us for color availability and pricing.

Note: Buyer is responsible for compliance with local regulations.



Single Tier Locker

The single tier locker is practical and widely used because it provides ample storage height for full-length garments. Each opening has a shelf 9" from top, one double-prong and three single-prong coat hooks. There are six 6" louvers on the top and bottom for ventilation. The padlock attachment is an integral part of the handle.

Listed below is one section, three frames wide, (three locker openings).

Available colors are Dove Gray and Putty. Built-in keys or combination locks, padlocks and/or number plates are available for an additional charge

Item Number	W	D	H*	Openings	
LL5002350	12"	12"	60"	3	
LL5112350	12"	12"	72"	3	
LL5032350	12"	15"	72"	3	
*Add 6" to overall height for legs if desired					



Remcon Plastic Lockers

The smart choice with a smart look! Why Remcon Plastic Lockers are the smart choice:

- Easy to install units come fully assembled. Easy to clean - simply hose down with soap and
- water. Easy to maintain - there is never a need to paint or rust proof, making them maintenance free.
- Durable double wall constructed lockers will never dent, nor scratch, unlike metal.
- Quiet no loud banging like metal lockers.
- Space maximizing coordinate various sizes to maximize space.
- Colors a variety of colors are available, Gray is the standard stocked color. Other colors subject to color setup fee. Contact us for details.

Drain holes are standard. Typical installations are in 72" stacks. Priced per single locker.

Item Number	Тор	W	D	Н
LL1212150	Flat	12"	15"	12"
LL1212250	Sloped	12"	15"	23"
LL1518150	Flat	15"	15"	18"
LL1518250	Sloped	15"	15"	29"
LL1236150	Flat	12"	15"	36"
LL1236250	Sloped	12"	15"	47"



Double Tier Locker

Double tier lockers save valuable floor space and money. They are specifically designed for short period occupancy or where short coats and jackets are worn. The double tier lockers have the same quality heavy duty construction as the single tier lockers. Features of the double tier include one double-prong and three single-prong coat hooks, six 6" louvers on the top and bottom for ventilation. The padlock attachment is an integral part of the handle.

Listed below is one double tier locker section, three frames wide (six locker openings).

Available colors are Dove Grey and Putty. Built-in keys or combination locks, padlocks and/or number plates are available for an additional charge.

Item Number	W	D	H*	Openings
LL5202350	12"	12"	36"	6
LL5212350	12"	15"	36"	6
*Add 6" to overall height fo	r legs if desired.			



Remcon XL Plastic Lockers

- Wider, deeper cabinet with 50% more volume than standard Remcon plastic lockers
- . Seamless, rotationally molded, double walled units for dent resistance and durability
- Reinforced interior hinged door with four vents to maximize fresh air flow through.
- New, huskier latch molded right in for improved security and more accurate tab alignment.
- Tighter tolerances for smoother installation and trouble free operation.
- Maintenance free materials and washable design with drain holes for easy sanitation.
- Aluminum ID door plate for engraving
- An especially smart choice for damp areas like athletic facilities.
- Colors a variety of colors are available. Gray is the standard stocked color. Other colors subject to color setup fee. Contact us for details.

Priced per single locker.

Item Number	Тор	W	D	н
LL1536150	Flat	15"	18"	36"
LL1536250	Sloped	15"	18"	47"



Multiple Tier Locker

Multiple tier lockers provide high-density storage of individual belongings and supplies in classrooms, laboratories, gymnasiums, sport and recreational facilities, and more.

Available colors are Dove Grey and Putty. Built-in keys or combination locks, padlocks and/or number plates are available for an additional charge.

Item Number	w	D	H*	Openings
LL5302350	12"	12"	12"	15
LL5312350	12"	15"	12"	15
LL5342350	12"	15"	12"	18
*Add 6" to overall height fo	r legs if desired.			



Laundry/Equipment Bags

Our top quality mesh bags are equipped with a slide-lock drawstring closure device and a canvas patch for easy identification. Standard color is White. Other colors available for extra charge (minimum quantity of 36): Royal Blue, Scarlet Red, Navy Blue, Hunter Green, Purple, Orange, Burgundy, Black, Kelly Green, Gray, Lime, Pink, and Fuchsia. Other sizes and mesh weights available. Priced per dozen.

Item Number	Weight	Bag Size
LLBL3350	Medium	18" × 30"
LLBL2450	Medium	24" × 36"
LLBL2850	Medium	36" × 40"
LLBL2550	Heavy	24" × 36"
LLBL2950	Heavy	36" × 40"
LLBL3050	Heavy	36" × 48"
LIBICIR50	Color Charge	

Facility Amenities





SUITMATE®

Swimsuit Water Extractor

Nearly 40 years ago, Extractor Corporation introduced the revolutionary SUITMATE® Swimsuit Water Extractor, designed to efficiently remove 95 percent of water from wet swimsuits in just eight seconds. Today, the SUITMATE unit serves a diverse range of aquatic facilities, from high-end spas and hotels, to fitness clubs and public pools. Constructed from 304-series, medical-grade stainless steel, the unit is durable and performs well in high moisture environments. Each unit is manufactured in the USA by Extractor Corporation and includes a high-speed spin process with manual self-start and stop features, allowing for safe operation without heat.

Specifications

- Dimensions: $15" \times 15" \times 23"$
- 115 V/ 60Hz Unit

Features

- Removes 95% of water from a wet suit in 8 seconds
- Reduces slip hazards
- Easy installation .
- UL, CUL, and SASA safety certifications



Shipping Weight

65 lbs



13.25" Patio Thermometer

- Easy-to-read 13.25" display
- Shatterproof and weather-resistant material
- Ideal for indoors and outdoors
- Temperature scale -60°F to 120°F (-50°C to 50°C)
- Hang on long nail or screw

Item Number CC670050

13.25" Patio Thermometer



18" Patio Thermometer

- Extra large 18" diameter thermometer in a brushed silver metal bezel
- **Red** pointer Temperature range -60°F to 120°F and -50°C to
- 50°C
- Weather resistant and rustproof

CC68150

Description 18" Patio Thermometer

Detecto Scale 12 This basic scale features a capacity of 350 lbs. May also be used to weigh chlorine cylinders. 18" Patio Clock Scale height: 59" Platform size: 10¹/₂" × 14¹/₂" 18" diameter clock TAYLOR Extra-large dial in a brushed silver metal bezel Easy-to-read black dial graphics and black clock hands Weather resistant constructions and clock movement cover for outdoor protection Requires one AA battery (not included) Description Detecto Locker Room Scale Item Number Description 18" Patio Clock CC16150 Poolshower Top quality, commercial grade shower Hot & cold water 40 18" Thermometer/Clock . ADA compliant lever handles 20 60 Brass with polished chrome finish faucet Combination 10 44" stainless steel riser 18" diameter combination thermometer/clock O 10 6 80 Adjustable stainless steel mounting bracket Easy-to-read jumbo dial in a brushed silver metal 20 30 Adjustable 4"-8" center valve hezel 20 1/2" NPT 100 -30 40 Red pointer for thermometer and black hands for clock 40 120 Temperature range -40°F to 120°F and -30°C to 40°C

Rustproof and weather resistant

Requires one AA battery (not included)

Item Number LL445DL50

Item Number

1143750

Description Poolshower Model No. WMHC-445-DLX

Item Number CC16250

Description 18" Combo Thermometer/Clock

Equipment Storage

Tailwind Storage Box

Durable easy grip handles

lid nearly weightless.

Colors: White, Green, Sand, Cedar

Our new multi-purpose storage box is great for poolside,

maintenance buildings, parks and more! Features include:

 2×4 framework with stainless steel hardware

Heavy duty stainless steel hinges and hasp for locking

Gas springs (shocks) connect lid to base making the

Chrome-plated swivel casters (locking casters on the front

edge with an easy foot-operated locking mechanism).

Proudly made in the USA from recycled plastic



Item Number

LLSTORW50

Item Number

LL87DPT50

LL87DPG50

LL87DPC50

Item Number

LLTE-250

LLTE-2BK LLTE3050

LLTE6050

LLTE2HK50

Deck Stor-A-Way™

You'll wonder how you ever did without this noncorrosive storage unit! Specially designed for pool environments and equipment, the Deck Stor-A-Way[™] may be easily rolled to different locations with its four locking swivel casters. Safely fill your Deck Stor-A-Way™ with kickboards, pull buoys, water polo balls, basketballs and much more! Constructed of high impact ABS plastic with a UV-resistant coating, this storage cabinet features a reinforced fiberglass base for additional strength and corrosion resistance. Fully ventilated with selfdraining base to allow storage of wet items. Includes heavy duty locking T-handle latch with 2 sets of keys. Color: Blue. Exterior Dimensions: $33" W \times 31" D \times 70" H$ Interior Dimensions: 28" W \times 27" D \times 60" H Weight Capacity: 500 lbs Some assembly required.

Ship Via

Motor Freight



WHITE **Outer Dimensions** Swivel Casters 48" H × 24" W × 28.5" D Standard (Chrome Plated) 48" H × 24" W × 28.5" D Stainless Steel 72" H × 24" W × 28.5" D Standard (Chrome Plated) 72" H × 24" W × 28.5" D Stainless Steel

Ships via Truck.

.



Storage Locker

Ship Weight

160 lbs.

Description

Towel Locker

Combo Locker

Jaypro

convenient sizes. Size (L × W × H)

Replacement Wheel Kit for Totemaster (4 wheels plus inserts)

Standard - 36" × 24" × 36

Standard - 36" × 24" × 36"

Mini - 21" × 21" × 31"

Extra Large – 60" × 24" × 36"

Gvm Locker

- Heavy duty white fiberglass construction with an average 3/16" thickness.
- UV gelcoat provides long-lasting beauty and protection.
- Attractive off-white interior finish.
- Stainless steel piano hinges are attached with adhesive and oversized, rustproof rivets. 43 cubic feet of storage.
- Two independent compartments.
- Equipped with four shelves on each side and locking doors.
- Available in three styles: Towel Locker (no vents and drain holes), Gym Locker (with vents and drain holes), or Combo Locker (one side with vents and drain holes, one side without).
- Dimensions: 36" W \times 24" D \times 87" H



LLST24450

LLSTUP450 LLST24650

LLSTUP650

Mobile Storage Bin

Our equipment bin conveniently holds aquatic fitness gear and miscellaneous equipment and can be moved around the pool area as needed. Waterproof mesh fabric is available in four colors: Wineberry, Blue (shown), Teal and White.

Н	W	L	Ship Via
18"	51"	17"	UPS Oversize

Mobile Noodle Storage Bin

Our noodle bin holds approximately 35 noodles. Waterproof mesh fabric is available in four colors: Wineberry (shown), Blue, Teal and White.

Ship Via

Ship Via

FedEx Ground

	•	
Item Number		н
HHNB19150		52"



10 UPS Oversize

lanes, floats or wet towels. Features 4 swivel casters and LLTE-250 a hinged cover that can be locked for secure storage. Three



Equipment Totemaster All welded 3/16" steel wire construction and extra large capacity make this equipment carrier great for racing



Tube Storage Cart

Made from PVC, this durable cart can fit approximately 10 tubes with an inside diameter of 14". Equipped with a high-density plastic base and non-marking swivel castors. Dimensions: 76" H × 31-1/2" D Some assembly required.

Item Number н W LL2413550 31.1/2 31.1/276

Shelving Unit This durable, plastic shelving unit includes four shelves to

help maintain an orderly facility.

Item Number LL7243050

Dimensions 19" D × 59" L × 48" H

THREE LOCATIONS TO SERVE YOU BETTER! • MOST IN-STOCK ORDERS SHIP THE SAME DAY!

Color

Blue

Black

Blue

Blue

147

Equipment Storage and Benches



Seat-N-Stor

Recreation Supply's "Seat-'N-Stor" units feature heavy duty 3/16" fiberglass construction with noncorrosive hardware, lockable closure latch, and ventilation/drainage holes. Stationary units have padded "bumper-feet" while the moveable models feature corrosion resistant lockable casters. There are three standard sizes to fit your storage, seating and space requirements. Specify color: White, Gray, or Tan.



Seat-N-Stor Dimensions

Size	Α	В	С	D
Standard	48"	20"	18"	18"
Expanded	71"	22"	24¼"	20"
Large	85"	20"	18"	18"
Item Number	Size		Туре	
LL418S50	Standard		Stationary	
LL418M50	Standard		Moveable	
LL625S50	Expanded		Stationary	
LL625M50	Expanded		Moveable	
LL718S50	Large		Statio	nary
LL718M50	La	rge	Move	able



Waterside Lounger

- Space-saving solution for storage and seating.
- Heavy duty fiberglass construction
- UV gelcoat provides long-lasting beauty and protection. Dimensions: 66" W \times 24" D \times 38" H

Item Number









4 ft. Athletic Bench ith optional lo

EasyRec Stackable Bench

These all-weather, portable and ruggedly durable fiberglass benches are the perfect team seating solution. EasyRec athletic benches can handle any environmental conditions from the pool, gym or locker room. Light-weight and stackable construction makes these high capacity benches ideal for quick set-up and compact storage. Manufactured as a single-piece provides strong, stable seating with a weight capacity of 700 lbs. The Indoor/Outdoor marine-grade gelcoat is corrosion, moisture, UV and scratch resistant. Choose from a large selection of colors and then customize the benches with your team logo or sports graphics. No assembly required. 2-year limited manufacturer warranty. Specify color.



Item Number	Length	Ship Wt
LLESB450	4 ft	28 lbs
LLESB650	6 ft	45 lbs





HDPE lumber. The $2" \times 4"$ framing and rugged $1" \times 3"$ seat slats of the Aisle-Maker[™] provide enormous strength and stability. $18\frac{1}{2}$ wide $\times 17$ high, this classic design is offered in lengths of 4', 5' and 6'.


Specify Color: Cedar, Gray, or Forest Green.

Durawood Aisle-Saver[™] **Bench and Stool**

Designed to save space in narrow aisles and corridors, the Aisle-Saver[™] bench delivers the same heavy duty features as the Aisle-Maker[™], but confined within a 12¾" width. Specify Color: Cedar, Gray, or Forest Green.

	Item Number	Description	Length
	LL160350	Aisle-Maker Bench	4 ft.
	LL160450	Aisle-Maker Bench	5 ft.
ecSupply.com	LL160550	Aisle-Maker Bench	6 ft.
	LL160650	Aisle-Saver Bench	4 ft.
	LL160750	Aisle-Saver Bench	5 ft.
The Commercial Pool Supply Specialists!™	LL160850	Aisle-Saver Bench	6 ft.
	LL162050	Aisle-Saver Stools (pair)	18 in.

BOGA Paddle & Surf Fitness Equipment







BOGA FITMAT Aqua Aquatic Fitness Platforms

The FITMAT is a floating training platform that provides a new, fun, and dynamic way to exercise. Its main feature is its rigidity and ability to float on water. It can hold in excess of 400lbs without sacrificing its integrity and can make the most basic exercises challenging. If there is no access to water the FITMAT has an amphibian-like quality with a base attachment that can simulate all the challenges of working out on water. The FitMAt can be used in a one-on-one setting or group setting with up to 10-plus participants. As there are no other training modality that can mimic the benefits of the FITMAT, this is going to revolutionize the definition of exercising.

- 8' L × 35" W
- 400 lbs. weight capacity
 - Quick and easy set-up and storage




BOGA YOGA Air Yoga & Fitness Boards

The YOGA Air is the first iSUP YOGA & Fitness board and a perfect solution to SUP's biggest hurdles, portability, durability, and storage. As with all boards, selecting the best construction is very important to us at BOGA. BOGA uses 6" Non-Linear Drop Stitch core material for extreme stiffness in addition to a high tensile uni-directional center stringer. This construction makes the BOGA Air sturdy, stiff and responsive – more like a standard epoxy board.

- $11' L \times 33'' W \times 6''$ Thickness
- Nose and tail anchor points
- Includes: Paddle, Leash and Tie-Downs

	Description
MMFTMAT50	FITMAT Aquatic Fitness Platform (includes pump, bag & tethers)
MPPUMP50	Pump for BOGA Boards and Mats
MPTSET50	Tether set for FITMAT (set of 2)
MPVIDE050	Live Skype Video Training for BOGA FITMAT

Item Number MMYOGA50 MPPUMP50 Description Yoga & Fitness Board (includes pump, paddle, leash and bag) Pump for BOGA Boards and Mats



THREE LOCATIONS TO SERVE YOU BETTER! • MOST IN-STOCK ORDERS SHIP THE SAME DAY! 149

Aqua Creek Fitness and Rehab



THE LEADERS IN RECREATION, FITNESS AND ABILITY!

Agua Creek Aguatic Exercise Equipment

In just minutes, you can achieve a high-performance workout and burn a significant amount of calories with minimum joint impact. The continued resistance of water reduces session time compared with land-based activities.

- Reinforced Type 316L stainless steel construction with anti-corrosion protection
- Lightweight adjustable ergonomic designs
- Stainless steel water-tight bearings
- Recommended pool depth: 3 to 5 feet
- Ship via UPS

ProWave Pool Bike

The new Pro Wave Pool Bike offers a unique design providing users a fun, invigorating, and effective workout. It is ideal for aquatic spin classes, physical therapy, or a way to get fit in your own backyard pool. The ProWave has a unique flywheel design which allows for a smooth ride and has multiple resistance levels for users of all types. Several Non-standard colors available for orders of 10 or more. Contact us for more details. Specifications

- 300 lbs. weight capacity
- Recommended pool depth: 3 ft. to 5 ft.

Features

Description

ProWave Pool Bike

Optional comfort seat

- Adjustable seat and handlebars
- Multiple levels of resistance
- Barefoot use
- Scratch-resistant transport wheels
- Durable powder-coat finish


3-year warranty on metal frame, 1-year for all other components.

Available Colors

Item Number

TTPWRWV76

TTPWCS76



Water Rider

The Water Rider seat and handlebars are adjustable in two directions to fit most individuals. The bike's height can also be adjusted to accommodate different pool depths. The brushed steel finish can withstand harsh pool environments and requires little maintenance.

Water Rider is available in three variations.

The Water Rider 3 is an easy to use lightweight pool bike. The pedal increases resistance in both directions of travel, adding efficiency to your training.

The Water Rider 4 is designed for people who want an intense workout. The pedaling system gives users the ability to choose between four resistance levels. Height adjustments are easily made with the turn of a lever. The Water Rider 5 design allows you to change pedaling resistance of your aquabike and alter the intensity with the turn of a knob. Height adjustments are easily made with the turn of a lever.

Specifications

BLACK

Shipping Weight

51 lbs

6 lbs

316L marine grade stainless steel construction

Recommended pool depth: 4 ft. to 5 ft.

Two year warranty on metal frame and six months on all other components.

Item Number	Description	Shipping Weight
MM8743076	Water Rider 3	55 lbs.
MM8744076	Water Rider 4	62 lbs.
MM8745076	Water Rider 5	60 lbs.



Tidalwave Exercise Bike

The innovative Tidalwave water exercise bike from Agua Creek offers a unique flywheel and folding v-frame design. The Tidalwave water exercise bike provides users a fun, invigorating and effective water workout. Great for low impact physical therapy, aquatic spin classes or a way to get fit in your own backyard pool. Several Non-standard colors available for orders of 10 or more. Contact us for more details. Features

- Multiple levels of resistance
- Adjustable seat and handlebars
- Scratch resistant transport wheels
- Easily folds for storage
- Weight capacity: 300 lbs.

3-year warranty on metal frame, 1-year for all other components.



Elly Elliptical Elly combines the benefits of rowing, cross-country skiing,

stepping and biking. It works virtually every muscle in the body. The secret lies in the elliptical movement designed to replicate the natural motion of running while preventing impact on joints.

Elly offers users smooth movement through sealed ball bearings. The resistance is increased by lever arms with wide blades. The brushed steel finish can withstand harsh pool environments and requires little maintenance. The lightweight design and attached wheels make transportation a breeze.

Features

Description

Elly Elliptical

- Easy to move with scratch resistant wheels
- Wide PVC pedals ideal for bare feet
- Adjustable ergonomic handles
- Arm blades add resistance
- Weight capacity: 330 lbs.

Two year warranty on metal frame and six months on all other components.

Shipping Weight

75 lbs

CALL TOLL-FREE: 1.800.437.8072 • FAX: 1.800.850.0262 • SHOP ONLINE: WWW.RECSUPPLY.COM 150

Item Number

MM8730076

4 lbs.

Fitness and Rehab • Pool Floats



Aqua Creek Aquatic Trampolines

Equipment that can be used for rehabilitation, aqua training, or at home with the family. Versatile and can be used for all ages. It allows you to obtain greater coordination, balance, and physical condition, while having fun. Available with optional handle bar.

- 220 lb weight capacity
- Anti-corrosion treatment
- 6 non-slip silicone suction pads
- Marine-grade AISI 304 Stainless Steel
- Lightweight, easy to move
- Two year warranty on metal frame and six months on all other components

•	Available with optional handle bar

Item Number	Description	
MM8810076	Hexagonal Trampoline	
MM8812076	Round Trampoline	
MM8820076	Optional Handrail	



Aqua Creek AquaJogg Treadmill

Aqualogg combines the benefits of water buoyancy with the ability to walk or run. Work at your own pace on muscle strength, endurance, and rehabilitation safely with excellent stability. The Aqualogg is designed for intensive daily use in group or individual classes. It can be used barefoot. Its innovative folding system makes it compact and roller casters facilitate transfers to water without marking the floor. The Aqualogg is ultra-compact and very light.

Features

- Adjustable resistance
- 13% incline
 Weight capacity: 330 lbs.
- Two year warranty on all metal parts and six months on all wearing parts.

Item Number	Description	Shipping Weight
MM8720076	AquaJogg Treadmill	165 lbs.





Ultra Sunsation Pool Float

The most elegant of our floats, the Ultra Sunsation[®] pool float was designed for luxurious comfort and the ultimate in buoyancy and support.

- Glossy vinyl coating resists sun, chlorine and salt water
- · Will not sink or deflate
- Features full roll pillow, providing extra buoyancy for head support
- Vinyl coating is durable and easy to clean
- Foam is closed-cell and does not absorb water
- Dimensions: Approximately $72" \times 26" \times 2.5"$



Item Number	Color
MM80215BR	Bronze
MM80215AQ	Marina Blue
MM80215BL	Metallic Blue
MM80215TL	Tropical Teal
MM80215NA	Navy
MM80215IN	Indigo
MM0215MT	Mint



Sunsation Pool Float

Our Sunsation® pool float has everlasting quality and offers comfort and durability.

- Features a full roll pillow designed for extra buoyancy in the head area and carrying convenience
- Soft, easy-to-clean, vinyl-coated smooth foam

Dimensions: Approximately 70" \times 26" \times 1.75"



MM80200MB	Metallic Blue
MM80200TL	Tropical Teal
MM80200WH	White
<u>MM80200WW</u>	White with Blue Wave
MM80200WP	White with Bronze Palm
MM80200WL	White with Green Leaf
MM80200YL	Yellow
MM80200PK	Flamingo Pink
MM80200IN	Indigo

Water Gear Fitness & Training



Item Number	Size	Maximum Waist
MM81600SM	Small (100-160 lbs.)	38"
MM81600MD	Medium (160-220 lbs.)	48"
MM81600LG	Large (220+ lbs.)	67"



Water Gear Instructional **Swim Belts**

Beginners can learn to swim quickly with an instructional swim belt. Swim belts provide the beginning swimmer with increased buoyancy and, most importantly, increased confidence. They may also be used for aqua aerobics. 60" belt buckles on and tightens easily. Soft, comfortable closed cell EVA foam will not chip, break or absorb water. Cube Dimensions: $5" \times 5" \times 2"$



Four Module

Description

Three Module Belt

Four Module Belt

Three Module

Item Number MM8120065 MM8125065



Water Gear Back Floats

Soft, comfortable closed cell EVA foam will not absorb water or chip. Buckles easily on back for young swimmers, freeing arms for proper motion. Models MM6632065 and MM6632565 feature a 4-slice split float that allows adjustment as swimmer progresses.





Item Number	Description
MM6630065	One Piece
MM6632065	Progressive
<u>MM6632565</u>	Jazz Progressive (multi-color)



LL7250M65

LL7250L65

Water Gear Pull Float Soft, comfortable closed cell foam. Will not absorb water or chip.

Size Medium Large



- abrasive to skin & fabrics
- Foam will not chip, break or absorb water
- Illustrated guide included

 Color coded by resistance level 	 Sold in pair 	S
Item Number	Resistance/Buoy Width	Color
<u>MM8254065</u>	Minimal 2" × 5.75"	Aqua
<u>MM8255065</u>	Soft 2.5" × 5.75"	Aqua/Yellow
MM8256065	Medium 3" × 5.75"	Yellow
<u>MM8258065</u>	Maximum 4" × 5.75"	Blue
MM8259965	Ultra 5" × 5.75"	Blue/Yellow
<u>MM8250065</u>	Elite 5" × 6.75"	Aqua/Blue




Water Gear Eco Bells

- Designed for the recreational user
- Use as a training aid or for water aerobic exercise
- Open-cell foam, heat sealed for soft, comfortable feel
- Sturdy construction
- . Cushioned handgrip
- Illustrated owners guide included

Item Number	Resistance/Buoy Width	End Cap Color
MM8234065	Minimal 2"	Green
MM8236065	Medium 3"	Yellow
MM8238065	Maximum 4"	Blue

Water Gear[®] Bar Float

27" bar with 6" buoys that are nonabrasive to skin and fabrics. Use as a training aid, for water aerobics or arthritis workouts. Durable closed cell EVA buoys will not absorb water or chip. Padded bar float includes a padded grip to add comfort and reduce white knuckle effect.



Padded

Water Gear Eco Swim Bar Our economical padded bar float.

Features:

- Use as a training aid or for water aerobic exercise
- Durable heat sealed open cell foam
- Padded hand grip for comfort

Eco Swim Bar

- Bar Length: 27"
- Foam Diameter: 6"
- Description

Item Number MM8273065

Item Number

MM8270065 MM8275065

Water Fitness & Training



Swim Bar Use as a swim aid, in aquatic fitness, rehab, and therapeutic environments. Length: 34" Grip Width: 23"

Buoyancy Belt

Adds buoyancy and stability to any workout. Supports the lower back and adjusts for custom fit. Small/Medium - for 26" to 34" waists. Large/XL - for 34" to 44" waists.

Bar Bells

Enhances upper body strength with the ultimate resistance for all levels of water programs. Sold as a pair. Length: 15" Grip Width: 5.5"

Ankle Wraps

Improves balance and resistance while increasing leg muscle tone and flexibility. Features adjustable velcro straps for desired length and sizes. Sold as a pair.

Mesh Bag

This versatile nylon mesh bag is ideal for stowing and carrying all your fitness gear. A handy shoulder strap toggle closure and extra velcro strap to hang bar or for easy carry convenience. Mesh construction allows ample air flow for quick drying of bag and equipment. Dimensions: 24" W \times 27" L

Item Number	Description	Color
MM89120BL	Swim Bar	Bahama Blue
MM20230BL	Buoyancy Belt (S/M)	Bahama Blue
MM20240BL	Buoyancy Belt (L/XL)	Bahama Blue
MM89100BL	Bar Bells, pair	Bahama Blue
MM89010BL	Ankle Wraps, pair	Bahama Blue
MM89200BL	Mesh Bag	Blue



Water Jogger

Water Jogger®

Swim Teacher

rest, or for instruction.

The multipurpose Water Jogger is a zero-impact flotation device that allows you complete arm freedom for all water activities. Color: Bahama Blue. Approximate Dimensions: 33" L × 4.75" W

A safe, lightweight float bar. It has two 7" polyethylene

floats on a 30" PVC tube bar. Use as a kick developer, swim

Description Water Jogge



MM87926BL

Description Swim Teacher

speedo

Aqua Fitness Jog Belt

Size

Small/Medium

Large/Extra Large

One piece soft foam belt provides vertical balance during aquatic fitness activities. Adjustable belt with quick release clip. Color: Charcoal/Red

Item Number MM53647CRSM MM53647CRLXL



Aqua Fitness Dumbbells

Provide water resistance for building upper body strength. Soft padded grips for extended workouts. Made of chlorine resistant EVA foam.

Item Number MM53645CR

Color Charcoal/Red



Aquatic Fitness Gloves

- Neoprene glove with webbed fingers, rubber palm
- Adjustable wrist closure
- Flexible webbing for water resistance training
- Increases propulsion through the water

Item Number	Size	Color
MM53465CRS	Small	Charcoal/Red
MM53465CRM	Medium	Charcoal/Red
MM53465CRL	Large	Charcoal/Red
MM53465CRXL	Extra Large	Charcoal/Red



Kemp USA Color Coded Water Aerobic Belt

The Kemp USA Pro Color-Coded Water Aerobic Belt is color-coded by size for ease of finding your belt size during water aerobics classes. This belt is manufactured out of special EVA foam designed to withstand chlorinated water. Most belts wear out at the attachment of the nylon belt to the foam but we reinforce ours with plastic couplings. This newly designed belt also engages the core muscles due to its unique shape. It's still slim enough to keep you afloat and not hamper arm movement.

Item Number	Size	Color	Recommended Weight
MM14013LG	Large	Blue	220 lbs. or more
MM14013MD	Medium	Yellow	160 to 220 lbs.
MM14013SM	Small	Purple	100 to 160 lbs.
MM14013XS	Extra Small	Multi	under 100 lbs.

THREE LOCATIONS TO SERVE YOU BETTER! • MOST IN-STOCK ORDERS SHIP THE SAME DAY!

Nordesco Fitness & Training



Nordesco Aquafitness Belt

The Nordesco Aquafitness Belt is made of molded EVA foam and designed to offer superior comfort. Its 3D ergonomic shape forms to the body while in motion while its level of flotation creates an ideal position for the swimmer, allowing the swimmer full concentration on the workout.

This belt can be used for cardiovascular and muscular exercises at variable intensity. It is also practical for rehabilitation following leg or back injuries.

Available in three sizes: Small (green), Medium (orange), and Large (red).

Item Number	Size	Color
MM1370550	Small	Green
<u>MM1371050</u>	Medium	Orange
MM1371550	Large	Red



Nordesco Pull Buoy

Size

Mini

6" 7'

8"

Made from high quality EVA foam.

each size a different color blade.

Size

4.75"

6"

Color

Orange

Red

Green

Blue

Grev

Black

Orange

Made of two cylinders of ethafoam and equipped with an adjustable strap. Just the right amount of flotation allows for a great stroke correction.

Nordesco Deluxe Pull Buoy

Color Coded Rubber Fins Our best selling, high guality, single molded fins are comfortable and exceptionally durable. Available in 7 sizes,

Color

Blue/White

Blue/Gray

US Men's Size

1.3

3-5

5-7 7.9

9-11

11.13

13-14

Item Number	
MM3071083	
MM3071683	
MM3071783	
MM3071883	

Item Number

<u>MM3074583</u>

MM3074683

Item Number

0030620CC

0030620DD

0030620EE

0030620FF

0030620GG

0030620HH

0030620JJ



Nordesco Hand Bar Exerciser

This item was developed by aquatic fitness professionals, and uses the principles of water resistance to tone the muscles of the upper body. It is offered in 2 strengths: "regular" for beginners, and "advanced" which offers more of a challenge Made with soft FVA foam. Sold per pair

nore of a chancinge. Made with sore EVA loan. Sold per pail.				
Item Number	Strength	Color		
MM4142083	Beginner	Blue		
MM4144083	Advanced	Yellow		



Nordesco AquaDisk

The Nordesco AquaDisk is a training tool that uses water resistance for the workout. Made of EVA molded foam, the ergonomic design of the grip insures a safe workout without putting stress on the shoulders.

The AquaDisk can be used in a wide variety of exercises for the arms and shoulders. In deep water, use it in conjunction with the Nordesco Aquafitness Belt. Sold by the pair.

Item Number	Size	Color
<u>MM4152550</u>	Small	Green
<u>MM4153050</u>	Medium	Orange



Nordesco AquaFlex Water Fan Paddles

Build upper body strength with AquaFlex Water Fan Paddles. featuring adjustable fan blades to vary resistance. Sold as pair. Color: Blue



Diving Brick

Made of a special hard rubber material encompassing a steel mass for a combined weight of 10 lbs. Dimensions: $3\frac{1}{4} \times 3\frac{1}{4} \times 9^{"}$

Item Number MM4145083 Description AquaFlex Water Fan Paddles (pair)

> approximately 30 lbs. Dimensions: $27"L \times 16"W$



Description Exercise Step



Three locations to serve you better!

CALL TOLL-FREE: 1.800.437.8072 • FAX: 1.800.850.0262 • SHOP ONLINE: WWW.RECSUPPLY.COM

154

MM4148550

Nordesco Fitness & Training



Rigid Kickboard

Designed for training, our rigid kickboard features a non-slip surface and molded sides for easy grip. Excellent for building strength in the legs without putting stress on the shoulders. Made of molded EVA foam, this kickboard is durable, waterproof and resistant to the effects of chlorine and UV rays.

Dimensions: 19.25" × 11" × 1.25"

Item Number	Color
0036600PU	Purple
00366000R	Orange
0036600RD	Red
0036600GR	Green
0036600BL	Blue
0036600YL	Yellow



Kemp Kickboard

This EVA foam kickboard won't chip, break or absorb water. The smaller size kickboard provides less flotation support and promotes kick by preventing swimmers from lying on the board as a crutch while practicing their kick. Highly recommended for swim teams and is an excellent training aid. The larger size kickboard gives the swimmer more flotation support while helping to improve kick. This kickboard is recommended for recreational swimmers.

- Handhold Style Dimensions: $16.5" \times 12.25" \times 1.5"$
- Small Dimensions: 15.25" × 9.75" × 1.25"
- Large Dimensions: 19" × 11" × 1.25"

Item Number	Color	Size
0014007BL	Blue	Handhold Style
0014001BLS	Blue	Small
0014001BLL	Blue	Large
0014001RDL	Red	Large
0014001YLL	Yellow	Large




Turtle Kickboard Gecko Kickboard

Manufactured from resistant EVA foam, these kickboards are durable and flexible. Amusing for small kids and also helps familiarize youngsters with the kickboard concept on a simple and fun level. Available in a variety of colors. Turtle Dimensions: $10" \times 14" \times 1.5"$ Gecko Dimensions: $10" \times 18" \times 1.375"$



Item Number	Shape	Color
0036575GR	Turtle	Green
0036575RD	Turtle	Red
0036575BL	Turtle	Blue
0036575YL	Turtle	Yellow
0036575LM	Turtle	Lime
00365750R	Turtle	Orange
0006940GR	Gecko	Green
0006940RD	Gecko	Red
0006940BL	Gecko	Blue
0006940YL	Gecko	Yellow
0006940LM	Gecko	Lime
00069400R	Gecko	Orange



Kickboard Wall Rack

Plastic wall-mounted unit keeps kickboards neatly arranged. Capacity: approximately 25 to 30 units.



Speedo Team Kickboard

- The must-have kickboard for every swimmer in every pool.
- Ideal for kicking drills and improving leg strength.
- Side finger scallops promote proper hand position.
- Underside finger groove for easy gripping.
- Textured EVA foam creates a non-slick surface.
- Adult Dimensions: $18.5" \times 12" \times 1.5"$
- Junior Dimensions: 14" × 10.5" × 1"

Item Number	Size	Color
0053005BL	Adult	Blue
0053005BK	Adult	Black
0053006BL	Junior	Blue



Speedo[°] Pull Buoy

- Made of soft, durable EVA foam.
- Helps to improve upper body strength by elevating hips and legs to the proper streamline body position.

Allows the swimmer to focus on stru	ke technique and rotation.	<i></i>
Item Number	Size	Color
MM53023BL	Adult	Blue
MM53023BK	Adult	Black
MM53025BL	Junior	Blue

THREE LOCATIONS TO SERVE YOU BETTER! • MOST IN-STOCK ORDERS SHIP THE SAME DAY!

AquaJogger and StrechCordz Fitness & Training



AquaJogger Aquatic Fitness Belts

Aqua Jogger provides a wide variety of aquatic fitness belts to fit all body types.

- Classic a great all-around belt for most average body types.
- Pro 30% more buoyant than the Classic, ideal for men with average body types. Pro Plus - 50% more buoyant than the Classic, perfect for men with low body fat.
- Shape longer sides and lowered arch make this belt ideal for women with full figures, pregnancy, and lower back pain.
- Shape Pro 30% more buoyant than the Shape. Great for men with wider waistlines or lower back pain.
- Fit designed for petite, athletic and short waisted women.
- Junior works great as a learn-to-swim belt or an exercise tool for children ages 3 to 12 years.

Item Number	Description	Color
MMAP150	Classic Belt	Blue
MMAP8550	Classic Belt	Purple
MMAP450	Pro Belt	Blue
MMAP4850	Pro Plus Belt	Blue
MMAP11550	Shape Belt	Blue
MMAP12350	Shape Belt	Purple
MMAP47150	Shape Pro Belt	Blue
MMAP7350	Fit Belt	Blue
MMAP7750	Fit Belt	Purple
MMAP4050	Junior Belt	Blue
MMAP13850	Junior Belt	Purple
MMAP4650	Replacement Strap 36" (child)	Black
MMAP750	Replacement Strap 48"	Black
MMAP850	Replacement Strap 55"	Black



AquaJogger Fitness Accessories

These optional components can add to your Agua Jogger experience.

- AquaRunner RX Zero-impact footwear to enhance any deep water workout. Designed to be used in deep water with an Aqua Jogger belt.
- XCuffs Resistance cuffs for ankles and arms. Can be used in deep or shallow water.
- DeltaBells Triangular shaped resistance bells allow you to choose your workout level with a twist of the wrist.
- Webbed Pro Gloves Vary workout intensity by cupping or flexing the webbed fingers.
- Water Workout Videos DVDs featuring award winning instructor Juliana Larson.

Item Number	Description	Color
MMAPRX50	Aqua Runners RX	Blue
MMAP44250	Aqua Runners RX	Purple
MMAP48850	XCuffs	Blue
MMAP1950	DeltaBells, Medium	Blue
MMAP13550	DeltaBells, Maximum	Blue
MMAP8650	Webbed Pro Gloves, Small	Black
MMAP8750	Webbed Pro Gloves, Medium	Black
MMAP8850	Webbed Pro Gloves, Large	Black
MMAP15550	Complete Water Workout DVD	-
MMAP5350	Take it to the Water DVD	-



StrechCordz[®] Aguatic Resistance Training Gear

StrechCordz® provides a variety of resistance band products specially designed for aquatic training. Available resistance levels are referenced by a 2-letter code with each product. Specify resistance level when ordering, if applicable.

- Long Belt Slider a 2" padded neoprene waist belt with sliding attachment connected to a 20' length of latex tubing for resisted swim out and speed assisted swim back. SI, YL, GR
- Original StrechCordz with Handles The original dryland training device used for curls, triceps extensions, flies and lat pulls. Includes two, 4-foot dedicated tubes with handles and combination mounting loop. SI, YL, GR, RD, BL
- StrechCordz with Paddles The unique paddle design emulates a swimming pull. Includes two, 4-foot dedicated tubes with paddles and combination mounting loop. SI, YL, GR, RD, BL
- Breaststroke Machine A unique device used for bsoth outward and inward sweep in breaststroke pull. SI, YL, GR
- StrechCordz with Leg Straps A comfortable 2" wide leg strap provides resistance for leg adduction, abduction, leg extension and leg curls. Includes two 4-foot dedicated tubes with leg straps and combination mounting loop. SI, YL, GR, RD, BL
- StrechCordz Modular Set A complete modular set for dryland training. This set includes handles, paddles, leg straps and a pair of 4-foot modular tubing with mounting straps, in a convenient carry bag. SI, YL, GR, RD, BL
- Deluxe Mini Modular Set A modular set consisting of a pair of handles, padded leg straps and 3-foot modular tubing with mounting straps, in a convenient carry bag. SI, YL, GR, RD, BL
- Grudge Belt- Two belts connected by a 7-foot length of heavy latex tubing for swimming tug-of-war, barge pulls or many other exercises. BK
- Stationary Swim Trainer designed for swim teams for in-place resistance swim training while using lane lines. Specifically used for training proper hip rotation; critical to stroke efficiency. Can also be used in home swimming spas where the jets are not powerful enough or do not exist for stationary swimming. GR
- Kick Trainer Adds resistance to legs during kick sets. Assists ankle recovery from breaststroke kick as well as adding resistance to abdominal muscles during dolphin kick. SI, YL, GR
- Knee Elastic used in the water for control of knee position during breaststroke kick. Also assists in adduction to facilitate recovery of groin injuries.
- Adjustable Extension For use with StrechCordz[®] Belt where a mounting device is not in close proximity to the pool. Adjustable extension provides a 6 foot length of webbing to reach fence, post or other stationary object.

er /ith Handles
vith Handles
nui nuiuius
vith Paddles
/lachine
vith Leg Straps
odular Set
im Trainer
ension
, ,

Resistance Levels (when stretching tube 1 to 3 times original length)

Color	Resistance Range (lbs.)
Silver (SI)	3-8
Yellow (YL)	5-14
Green (GR)	8-24
Red (RD)	12-31
Blue (BL)	14-34
Black (BK)	20-45

Water Gear Goggles and Swim Caps

	Water Gear Classic		
	 Excellent foam seal fit for children and adults. 		
	• Single latex headband with easy adjust clips.		
	Recreational performance goggle.		
		4	
		WATEL BEA	
Item Number	Color		
MM2010B65	Blue		
MM2010C65	Clear		
MM2010S65	Smoke	Water Gear Latex Bathing G	Сар
MM2010A65 MM2010R65	Aqua Red	One size fits most. Anti-tear edge.	-
<u>MM2010P65</u>	Purple	Item Number	Color
	1 41 510	MM3010K65	Black
	Water Gear Racer Anti-Fog	MM3010B65	Blue
		MM3010F65	Forest Green
	Universal neoprene foam seal fit.	MM3010E65	Kelly Green
	 Narrow design provides good fit for children and 	<u>MM3010L65</u>	Light Blue
	adults.	MM3010M65	Maroon
	Competition performance goggle.	MM3010N65	Navy Orange
	 Split headband for secure fit. 	MM3010A65 MM3010P65	Purple
		<u>MM3010R65</u>	Red
		<u>MM3010W65</u>	White
WATER SEL		MM3010Y65	Yellow
Itom Number	Calar		
Item Number	Color Blue		
<u>MM2250B65</u> MM2250C65	Clear		
MM2250C65 MM2250S65	Smoke		2 a a
MM2250365 MM2250T65	Teal		
	loui		
	Water Gear Razor Anti-Fog		
	 Universal no-leak PVC seals. 	WATER STAT	
	 One piece soft frame design for easy fit. 	CONT DA GLAR	
	 Flexible nose bridge forms to face contours. 		4. 4.
	Split silicone headband.	Water Cearly are Dathing (*
	Competition performance goggle.	Water Gear Lycra Bathing C	.ap
		Comfortable, long-lasting lycra. One size fits most.	
	Main photo is representative of the style.	Item Number	Color
		MM3540K65	Black
		MM3540B65	Blue
Marine Marinels and		<u>MM3540G65</u>	Green
Item Number	Lens Seal Clear Blue	<u>MM3540N65</u>	Navy
<u>MM29100CB</u> MM29100BB	Blue Blue	MM3540E65	Neon Green
MM2910055	Smoke Smoke	MM3540A65 MM3540I65	Neon Orange Pink
MM29100BS	Blue Silver	MM3540P65	Purple
MM29100CG	Clear Green	MM3540R65	Red
		MM3540T65	Turquoise
		MM3540W65	White
	Water Gear Ray Anti-Fog	<u>MM3540Y65</u>	Yellow
	TPE seals.		
	Split silicone headband.		
	Competition performance goggle.		
			and day day
Item Number	Color		
MM29500AQ	Agua		
MM29500BL	Blue		
MM29500CL	Clear		
<u>MM29500PK</u>	Pink	WATER GEAR	
<u>MM29500PU</u>	Purple		
<u>MM29500SM</u>	Smoke		
		4	
	Water Gear PC Nose Clip		
		Water Gear Silicone Bathin	д Сар
	Soft, hypoallergenic silicone nose pads.	The silicone caps feature soft, silky silicone that is easy to p	
	 Made from tough polycarbonate. 	Item Number	Color
Item Number	Pad Color Clip Color	MM3910K65	Black
MM61150BB	Blue Blue	MM3910R65 MM3910B65	Black Blue
MM61150CB	Clear Blue	MM3910C65	Coral
MM61150CS	Clear Smoke	MM3910D65	Gold
		MM3910G65	Green
		MM3910J65	Jade
The then at		MM3910M65	Mint
		MM3910N65	Navy
	Three locations to	MM3910Y65	Neon Yellow
		MM3910Q65 MM3910P65	Pink Purple
		10000210502	FUIDIE

THREE LOCATIONS TO SERVE YOU BETTER! . MOST IN-STOCK ORDERS SHIP THE SAME DAY!

serve you better!

MM3910Q65 MM3910P65

MM3910R65

MM3910S65

MM3910W65

MM3910L65

Neon Yellow Pink Purple

Red

Silver

White

Yellow

157

Speedo Goggles



Speedo Goggles and Swim Caps



THREE LOCATIONS TO SERVE YOU BETTER! • MOST IN-STOCK ORDERS SHIP THE SAME DAY!

MM53064XL

MM53064XXL

Charcoal

White

MM30477CH

MM30477WH

159

XL (10-11)

XXL (12-13)

Dolfin



CALL TOLL-FREE: 1.800.437.8072 • FAX: 1.800.850.0262 • SHOP ONLINE: WWW.RECSUPPLY.COM

160

Noodles and Toys

Eel Sticks Dive Game

Flexible Dive Sticks

Diving Seahorses

7" seahorses stand upright on the pool bottom. Set of 4.

Classic dive and retrieval game. Sand-filled, weighted rings stand upright on the pool floor. Set of 4 rings.

Set of 6 flexible dive sticks.

Description

Description

Description

Diving Seahorses

Set of 6

Eel Sticks

Wiggly eel search and retrieval game. Set of 4 colorful eels.



Round Sea Serpent

Dense EVA foam construction allows this sea serpent a high level of durability, flexibility and versatility. It will not absorb water nor will it split. This item is guaranteed by a two year warranty. Sold in cases of 12. Assorted colors.

Item Number 001482550 001482450

Serpent Dimensions 60" × 2 75' 48" × 2 75"

Assembly Animals



These cute little animals with holes in the center allow children of all ages to let their imaginations run wild by assembling sea serpents in all sorts of fun shapes. They can also fold a sea serpent and slide the ends into the holes of the shapes to make a floating waist belt. They are sold in packs of 6 in varied shapes, and are ideal for use with our Round Sea Serpents. Approximate Dimensions: $13" \times 7.5"$

Item Number 004182750

Description Pack of 6 Assorted



Floating Foam Bricks

Ideal for small children, our colorful EVA foam bricks will provide endless fun in the swimming pool. Each animal assortment of 12 features a variety of four shapes (whale, duck, hippo and shark) and four bright colors. Rectangular assortments include 24 bricks. Assortments vary.

Item Number	Description
001415350	Animal Bricks (12)
001415483	Rectangular Bricks (24)



Pool Dice

Looking for a fun way to decide the number of laps your swimmers will swim or the number of times the kiddies in learn-to-swim classes have to dip their heads under water? We have the solution! Just roll the foam dice on the deck or on the surface of the water and you have an instant number to follow. Made from soft EVA foam, these colorful dice add a bit of WOW to any class or lesson and can be fun for young and old.

Item Number 004141050



Description

Ring Game



Ring Game

This game is a lot of fun for anyone using a pool. By placing the game in the deeper end of the pool, the game becomes just as challenging for adults as it is for kids in the shallow end. Made of solid, dense foam materials, this game is perfect for all ages. Four rings are included with the game.

Item Number 001232150

Item Number

001130065

001132565

Description



Deluxe Water Fun Pack

- 4 fun games in one: dive rings (4), dive discs (4), diving seahorses (2), and "turtle-in-egg" (4).
- Promotes underwater swimming skills and confidence
- Play games separately or create games with all items.



Item Number 001212565

Item Number

004180050

Description

Slalom Game Set with 30" Hoops





Item Number

009138590

Item Number

Item Number

001117565

00913090

Swimline Dive Rings

Water Gear Dive Rings Unbreakable, noncorrosive and will not mar. Ring stands up on pool bottom. Set of 4.

Description 6" Rings 91/2" Rings

These weighted, soft dive rings feature brightly painted aquatic characters. Set of 4.

Description

Deluxe Fun Rings

Nordesco Rafts



Play Rafts

Our unique closed-cell foam rafts are sure to make your facility more popular. The floats are made from specially formulated 1½" EVA foam for ultimate durability. Available in a variety of fun shapes and sizes to provide endless entertainment for young swimmers. **Specify Color: Blue (BL), Red (RD), Green (GR), Yellow (YL), Lime (LM) or Orange (OR).**

Item Number	Description	Approx. Size
000100050	Duck	3' × 3'
000110050	Square	3' × 3'
000120050	Sailboat	3' × 3'
000137050	Butterfly	3' × 3'
000100450	Frog	3' × 3'
000140050	Fish	3' × 3'
000140150	Turtle	3' × 3'
000100750	Octopus	3' × 3'
000140550	Rectangle	3' × 6'
000141050	Hippo	3' × 6'
000141450	Train	3' × 6'
000160550	Submarine	3' × 6'
000160450	Whale	3' × 6'
000142550	Crocodile	1.5' × 6'
000160650	Dolphin	1.5' × 6'

Nordesco Multi-Grip Disk

Trying to teach children can be a challenge at times. We have designed a product that will allow children to have fun and learn at the same time. Our multi-grip disk allows you to have kids compete against each other by grabbing on the multi-grip disk and practice pushing. It is also a practical tool in swimming courses because it allows the child to practice his/her swim kicks. Made from high density EVA foam, it is comfortable to use and durable.

Dimensions: 37" × 37" × 1-1/2"

Item Number Cole	or
MM30703BL Blue	9
MM30703GR Gree	en
MM30703RD Red	
MM30703YL Yelle	W
MM307030R Ora	nge
MM30703PU Pur	ble



Nordesco Deluxe Floats

Mini-Boat



Serpano

The Serpano will amuse and delight everyone! Made to accommodate several children at the same time, you can move its head and tail from side to side imitating the movement of a snake. Manufactured from the highest quality EVA foam on the market, this foam toy will be enjoyed for years to come! Colors may vary and assembly is required.

Item Number	Description	Dimensions
001020750	Serpano	11.5' × 20"



Canoe

Kids can imagine being in the great outdoors while they paddle along in the Canoe! Made to accommodate 1 to 2 children at the same time, it is a great tool in developing coordination and balance in the water. Manufactured from the highest quality EVA foam on the market, this foam toy will be enjoyed for years to come! Colors may vary and assembly is required. Two paddles are included with the canoe.

Item Number	Description	Dimensions
001021050	Canoe	76" × 26"

Water Roll 4



Item Number

000145050

36" Bowl

Great fun and challenging if used as a small boat because you have to learn how to paddle to get from point A to B without just spinning in circles. Designed to be spun around in free swim and can also be used as a small gathering place for tots during lessons. Manufactured from the highest guality EVA foam on the market. Assembly is required.

The Mini-Boat is one of the most popular foam toys. Made to accommodate up to 6 children at the same time, this foam toy can be used with the deluxe sea serpents as oars, allowing you to move about the pool. It is a great tool in developing coordination and balance in the water, or in teaching boat safety to the kids. Manufactured from the highest quality EVA foam on the market, this foam toy will be enjoyed for years to come! Colors may vary and comes fully assembled. Ships Via

Motor Freight

Ships Via

UPS

Item Number 000145250

Description Super Bowl

Description

Mini-Boat

Dimensions 36" round

Dimensions

72" × 36"



Water Roll

Kids and instructors alike love this product because it can be used in free swim to play an array of games and challenges. Instructors like it because kids can practice balancing while lying on their stomach, as well as practice diving into the water from a sitting position. Manufactured from the highest quality of EVA foam on the market, this foam toy will be enjoyed for years to come! Colors may vary and assembly is not required.

Dimensions

9" × 4'



Item Number 001020950

Airplane

The Airplane will allow kids to use and develop their imagination. Made to accommodate several children at the same time, you can sit on its wings and tail and by kicking your feet, power the airplane to move in the water. Manufactured from the highest quality EVA foam on the market, this foam toy will be enjoyed for years to come! Colors may vary and assembly is required.

A unique toy that brings life to the pool! The kids drive

around the pool by using their kicking feet to "power" the

car. Manufactured from the highest quality EVA foam on

the market, this foam toy will be enjoyed for years to come!

Available in assorted colors and assembly required. Actual

Description Airplane

Car





Item Number
001021350

000147050

Flat Water Roll

Ships Via

A useful tool in aiding to develop equilibrium, this foam toy is multifunctional and can be used in free swim periods as well as in swim courses. A variation of the original waterroll, this model is an oval shape instead of perfectly round. Made to accommodate several children at the same time, the water-roll is manufactured from the highest quality, vibrantly colored EVA foam on the market; this foam toy will be enjoyed for years to come! Colors may vary and assembly is not required.

Description	Dimensions
Flat Water Roll 4'	5" × 13.5" × 4'



001020650

Description Car

Description

Floating Tot Slide

Dimensions 58.75" L × 32.5" W

Dimensions

74" L × 36" W × 25" H



Splash Bike

The Splash Bike is a new vehicle sure to add fun for your pool. Designed with a low gravity center and large wheels to ensure great stability, children can mount this aquatic motor bike without difficulty. Kids will ride around the pool using the ecologic "kicking power". Manufactured from the highest quality EVA foam on the market, you will be able to enjoy this foam toy for years. Colors may vary and assembly is required.

Dimensions

52" L × 38" W × 20" H



Floating Tot Slide

product may vary from model shown.

Slides are always popular with children, and this floating version is no exception. Kids simply climb onto the slide using the steps, and gently slide into the water. The bottom part of this slide can also be used as a tunnel. For easy storage, simply detach the top and bottom parts of the slide and it becomes flat. Colors may vary and assembly is required. Dimensions: 74" L \times 36" W \times 25" H

Item Number Description 000207550 Splash Bike

Note: Some items require assembly.

THREE LOCATIONS TO SERVE YOU BETTER! • MOST IN-STOCK ORDERS SHIP THE SAME DAY! 163

000208550

Tube Pro Waterpark Tubes



Tube Pro Waterpark Tubes

Our rugged Tube Pro commercial vinyl waterpark tubes are manufactured from heavy-duty colored 30 gauge PVC or clear 24 gauge PVC with double welded vinyl seams. The PVC is fade resistant and built for long life. Large rider support handles include finger grooves for better grip and are ergonomically positioned for a comfortable ride. Available in single and multi-rider models. All tubes feature a single main air chamber with a small push-in valve. Inner hole diameter is 16". Sizes listed are **deflated** sizes (for approximate inflated sizes, subtract 4" from each dimension). Two repair patches included with each unit.

Minimum order is 12 tubes. Sizes and colors may be mixed and matched to meet the minimum.

Item Number	Clear 24 Gauge PVC Vinyl Tubes
00TP38CL	42" Single Clear
OOTP44CL	48" Single Clear
OOTP38DCL	66" × 42" Double Clear
OOTP44DCL	76" × 48" Double Clear (pictured)
Item Number	Opaque Blue 30 Gauge PVC Vinyl Tubes
OOTP38BL	42" Single Blue
OOTP44BL	48" Single Blue (pictured)
OOTP38DBL	66" × 42" Double Blue
OOTP44DBL	76" × 48" Double Blue
Item Number	Transparent Blue 30 Gauge PVC Vinyl Tubes
00TP38TB	42" Single Transparent Blue (pictured)
<u>00TP44TB</u>	48" Single Transparent Blue
OOTP38DTB	66" × 42" Double Transparent Blue
OOTP44DTB	76" × 48" Double Transparent Blue

Tube Pro Premium Waterpark Tubes With Smooth Overlap Seams

These tubes feature the same rugged Tube Pro commercial vinyl material, but are manufactured with smooth overlapped inner and outer vinyl seams. With welded overlapped seams, your park will not only experience increased rider comfort while seated in the tube, but also increased tube longevity. The exterior pinch welded seam on standard waterpark tubes is the most problematic area for tube abrasion. The smooth exterior overlap of our premium line prevents exterior seam leakage, maximizing tube life. Tube Pro™ overlap seam tubes are also outfitted with a larger ¼" quick inflation/deflation safety valve that is recessed and a tamper resistant with a tightening slot. Inner hole diameter is 16". Sizes listed are **deflated** sizes (for approximate inflated sizes, subtract 4" from each dimension). Two repair patches included with each unit.

Minimum order is 12 tubes. Sizes and colors may be mixed and matched to meet the minimum.

Item Number	Clear 24 Gauge PVC Vinyl Tubes
OOTP4HCL	48" Single Clear
OOTP4HDCL	76" × 48" Double Clear
Item Number	Opaque Blue 30 Gauge PVC Vinyl Tubes
OOTP4HBL	48" Single Blue
OOTP4HDBL	76" × 48" Double Blue
Item Number	Transparent Blue 30 Gauge PVC Vinyl Tubes
OOTP4HTB	48" Single Transparent Blue
OOTP4HDTB	76" × 48" Double Transparent Blue

Tube Pro Waterpark Tubes and Rafts



Quad Tube

- 76" × 76" inflated 0.D.
- 15" inner diameter open holes.
- 40 gauge K80 PVC.
- 3/4" quick-inflate tamper-resistant valve.

Item Number OOTP761BL OOTP762BI

Seam Type Standard Seam Premium Overlap Seam

Adjustable Tube Seat

- Great for adaptive needs use.
- 600 denier polyester canvas.
- Internal closed-cell waterproof foam core.
- Four adjustable Velcro straps with plastic buckle.
 Fits the 42" and 48" Tube Pro Waterpark Single

Tubes shown on this page. Minimum order is 6 tube seats.

Item Number

Color Reversible (Blue/Red)

Tube Pro Lily Pad Tubes with Covers

Tube Pro[™] Lily Pad custom inner tubes and coverings feature a center tie system to align and secure to pool bottom offering a economical solution to traditional foam molded lily pad walks.

Our waterpark padding is made from our custom PVC closed cell foam which is great for impact absorption and is 100% waterproof. Pad covers are made in a multitude of bright colors for maximum visibility. The 1000 denier PVC coated fabric will look great for years of outdoor exposure and is sure to withstand repeated abrasion.

Minimum order is 4 tubes with covers.

RED	BLUE	GREEN	YELLOW	ORANGE	BL
Item Number		Description			
00TPPD350		33" Lily Pad	with Cover		
00TPPD450		44" Lily Pad	with Cover		

Tube Pro Waterpark Rafts

Tube Pro[™] Rafts are constructed from superior heavy-duty whitewater rafting PVC tarpaulin material. Our higher sidewalls further protect against abrasion when banking on serpentine corners. Having a solid black bottom ensures the rafts will be detected by sensor gates at the start of the slide.

Two inch thick buoyant closed-cell waterproof foam is enclosed in the reinforced raft bottom floor. The waterproof foam core helps cushions bumps when traveling down the slide, in addition to stabilizing the raft during sudden plunges in slide pitch. The self-bailing raft floor fosters stability and allows users to experience the sensations of getting wet! Eight to sixteen upper and lower heavy-duty sewn webbing support handles allow for multiple gripping locations making it easy for all sizes of riders to secure their seating position.

The reinforced higher black sidewalls further protect against abrasion when banking on serpentine corners. Having an all black bottom ensures the rafts will be detected by your sensor gates at the start of the slide.

•	Raft top material - 31 oz 1000 denier reinforced PVC
---	--

- Raft bottom material 40 oz heavy duty 1000 denier reinforced PVC
 - Self bailing cut out in rafts bottom for water
 circulation
- 2" closed-cell waterproof foam floor
 H3 raft inflation valve for quick inflation/deflation

	circulation	
•	Extra circle repa	ir patches & urethane glue included
#	Riders	Handles

abrasion protection

Full higher black underside of raft for extra

Item Number	Dimensions	# Riders	Handles
OOTP68RBL	68" dia.	2 – 4	8 (upper) and 6 (lower)
OOTP78RBL	78" dia.	3 – 5	16 (upper) and 6 (lower)
OOTP96RBL	96" dia.	4 – 6	16 (upper) and 6 (lower)
OOTPI98BL	98" × 41"	3	6





Tube Pro Waterpark Mat Sliders and Racers

Custom sizes and colors available with appropriate lead times and quantities. Single Rider, 1" closed cell cross-link polyethylene foam. Color: Blue **Minimum order is 10 mats.**

Mat Sliders:

- 54" \times 22" (135 cm \times 9 cm) assembled size **Mat Racers:**

- High-density polyethylene handles & snaps
- No slip vibration-reducing honeycomb hand grips
- Left/right handle plate mounts through foam
- Racer dimensions: $54'' \times 22''$ (135 cm \times 9 cm)
- Racer XL dimensions: $62'' \times 22''$ (157 cm \times 55 cm)
- Item Number
 Description

 OOTPMATBL
 Polyethylene Foam Slide Mat, 54" × 22"

 OOTPM54BL
 Polyethylene Foam Racer Slide Mat, 54" × 22"

 OOTPM62BL
 Polyethylene Foam Racer XL Slide Mat, 62" × 22"



THREE LOCATIONS TO SERVE YOU BETTER! • MOST IN-STOCK ORDERS SHIP THE SAME DAY!

165

OOTPI98BL



Swim Training Platforms



Agua Creek Swim Training Platform

Young swimming students are more eager and less afraid of the water when the depth of the pool is less intimidating. This light-weight training platform features a durable, non-slip polypropylene deck with UV inhibitors making it an ideal solution for both indoor and outdoor pools.

The Platform also features adjustable height legs from 16" to 21" on a corrosion resistant PVC frame with removable rails making it usable in almost any application. Maximum weight capacity is 300 lbs. Multiple units can be joined together to make larger platforms. Extremely durable construction will last many years.

Ships via truck. Shipping Weight: 96 lbs.

Platform Dimensions: 36" × 60"

1
ng Platform



The Original Swim Station

Build confidence quickly in young swimmers! H20 Innovations' Swim Station is lightweight, colorful, and fun to use. The Swim Station helps build confidence quickly and dramatically accelerates learning time. A wide variety of new games and drills are made available incorporating the H20 Innovations Swim Station. Unique features include a 100% modular rail system that allows a wide variety of configurations for creative drills and games covering all age groups. Adjustable legs allow quick changes between different age and heights of young swimmers.

5 Year Structural Warranty!

Platform Dimensions: 38" × 60"	Weight: 50 lbs.
Item Number	Description
<u>00SS10050</u>	Swim Station
<u>00SS10150</u>	Optional Side Rail
<u>00SS10250</u>	Optional Front Rail





HHMSP2050 HHSSP1050 HHLSP3050

SS150/SS200 Swim Station

Our economical versions of the popular Swim Station, the SS150 and SS200, are incredibly strong, lightweight, versatile, and easy on your budget. They have been designed to vastly outperform similar teaching platforms.

- Durable its fluted construction grade PVC with aluminum subframe brings exceptional durability and stability.
- Adjustable simply flip the platform over to provide a different teaching height.
- Non-Skid exclusive textured plastic surface provides sure footing for young swimmers. **Dimensions:**

SS150: 47" L \times 27" W \times 29" H

SS200: 54" L \times

Item Number	Description
00SS15050	SS150 Swim Station – Economy Model
00SS20050	SS200 Swim Station – Economy Model

PVC Teaching Platforms

Our PVC teaching platforms are ideal for teaching swimming, leading aquatic exercise, and providing aquatic therapy. Platform height can be adjusted to either 18" or 26". **Dimensions:** See table below

imes 32" W $ imes$ 42" H (14"/20	" platform height)	Item Number	н	W	L	Ship Via
ber	Description	HHLSP3050	42"	55"	60"	Truck
<u>i0</u>	SS150 Swim Station – Economy Model	HHMSP2050	42"	54"	32"	Truck
<u>i0</u>	SS200 Swim Station – Economy Model	HHSSP1050	42"	27"	32"	UPS

Index

Access Lifts 64-69 Access Ramp 71 Access Steps 70, 71 Accusplit Stopwatches 89 Acid Sprayer 11 Acid Wash Brushes 9 Acrylic Paint 13, 15-16 ADA Compliance 64-71 Admiral Lift 66 Agitators 23 Air Blower 100 Air Horn 50 Algaecide 29 Algae Control 29, 31 Alkalinity Increaser 28 Aluminum Poles 7 Ambassador Lift 66 Anchors, Cup 59, 88 Anchor Socket 62, 63 Anchors, Stanchion 88 Anchors, Starting Platform 81, 83 Ankle Cuffs 153 Anti-Entrapment 96-101, 108 AntiWave Polo Goals 92 AntiWave Racing Lanes 90 Apparel, Lifeguard 48-49 Apron, Chemical 38 Aquabot Pool Cleaners 3 Aquabot Robotic Cleaners 3 Aqua Creek Pool Lifts 66–68 Aqua Creek Wheelchairs 72 AquaDisk 154 AquaFlex Paddles 154 Aquaglide Inflatables 162 AquaJogger 156 Aquamend 12 Aquastar Drain Covers 98 Aqua Step 70 Aquatic Access Lifts 68 Aquatic Fitness Platforms 149 AquaTRAM 90+ Lift 68 AquaTRAM 90 Lift 68 AquaTrek2 Ramp/Step 71 AquaTrek2 Wheelchair 72 Aqua Walker 68 Ariel Pool Skimmer 3 Assembly Animals 161 Aurora Pumps 111 Auto-Skim 100 aXs2 Lift 65 aXs Lift 65 Baby Changing Stations 143 Back Float 152 Backstroke Flags 88 Backstroke Start Device 84 Bags, Checking 143 Balance Tank 121 Ball Valve 121 Barrier Float 58 Basketball, Water 93, 94, 95 Baskets, Strainer 113 Bathing Caps 157, 15–60 Beach Chair, Folding 141 Berkeley Pumps 111 Bicycle, Aquatic Fitness 150 Bicycle Racks 129 Bioshield UV Disinfection 25 Blanket, First Aid 45 Blaster Filter Cleaner 118 Bleachers 144 Blood Response Kit 45 Blue-White Flow Meter 103 Blue-White Peristaltic Pumps 26 Board, Spine 42, 43 Body Straps 43 Boeshield T-9 10 Boga Fitness Boards 149 Booster Pump 110 Bricks, Floating 161 Brominating Disinfectant 27 Brushes, Maintenance 9

Bulbs, Underwater Light 127 Bulkhead, Pool Divider 79 Bumpers, Ladder 61 Buoys, Barrier 58 Butterfly Valve 120 Caps, Guard 49 Caps, Swim 157, 159, 160 Cartridges, Filter 118, 119 CAT Controllers 22 Centrifugal Pumps 111, 112 CF-138 Filtration Media 117 Chaise Lounges 130-134, 136, 138 Championship Start System 85 Checking Bags and Racks 143 Checking Pins 143 Chemtrol Control Systems 20, 21 Chlorinated Rubber Paint 13, 15 Chlorine Feeders 27 Chlorine Generator 25 Chlorine Tablets 27 CitriSurf 10 CJ6 Spineboard 42 Clamp, Rope 59 Clarifier 29 Cla-Val Float Valve 121 Climbing Walls 73 Clocks 146 Coates Electric Heaters 124 Colorado Block 81, 85 Colorado Time Systems 84, 85 ColorQ 2x 34 Comparator 33 Competitor Pace Clocks 87 Competitor Racing Lanes 86 Concrete Patch 12 Conditioner 31 Controllers, Chemical 20-22 Corrosion Shield 10 Cover, Filter Disc 117 Cover, Handrail 60 Cover, Rescue Tube 47 Cover, Starting Platform 81, 82 Cover, Thermal 125 COVID-19 Matting 19 Cup Anchors 59, 88 Cyanuric Acid 27 Daldorado Grating 107 DeBug 31 De-Chlor 28 Deck Anchor 63 Deck Coatings 16 Deck Drain 107 Deck Stor-A-Way 52, 147 DE Elements 117 DeltaBells 156 Depth Markers 39 Destination Lounger 139 Diaper Changing Station 143 Diatomaceous Earth 117 Dichlor 27 Digi-Flo Flowmeter 103 Disabled Access 64–72 Dive Rings 161 Diving Board, Aluminum 77, 78 Diving Board, Fiberglass 77 Diving Board Repair Kit 77 Diving Brick 154 Diving Seahorses 161 Diving Stands 76–78 Dock Boxes 148 Dolfin Goggles 160 Dolphin Pool Cleaners 2 Dolphin Stopwatch System 85 Drain Covers 96, 98, 99 Drain Grates 96–98 Drains, Pool 96, 97 Dri-Dek Floor System 17 Dual Cell Filter 114 Dually Heavy-Duty Poles 7 Dual Wedge Anchors 81 Dumbbells, Water 152-154, 156 Durafirm Stands 78

Duraflex Diving Boards 78 Durawood Bench 148 Ear Wrap 157 EasyRec Stackable Bench 148 Easy Stair 70 Eco-Flow-C Variable Speed Drive 111 Econ T Dosing Pump 24 Elements, DE Filter 117 Elliptical, Pool 150 EMS Backpack 45 Energy Efficient Pumps 109 Epoxy Coatings 13, 14 Epoxy Primers 14 Epoxy Putty 12 Equipment Storage 147, 148 Escutcheons 63 Eureka Drain Grates & Covers 96 Exercise Step, Aquatic 154 ExoTube 47 Eyeball Inlets 100 Eyewash Station 38 EZ-Lock Floats 59 Fanny Pack 44 Feeders, Chlorine 27 Fiberbuilt Umbrellas 142 Fiberglass Grating 106 Fiberglass Strainers 113 Filter, Cartridge 118, 119 Filter, Cartridge 118, 119 Filter Cartridges 118 Filter Disc Covers 117 Filter, Dual Cell 114 Filter Elements 117 Filter, Fiberglass 115 Filter Flosser 118 Filter Media 117 Filter, Sand 114-116 Filter Vacuum 5 Fins 154, 159 First Aid Blanket 45 First Aid Kits 38 Fittings 100 Flags, Backstroke 88 Flange, PVC 120 Flexflo Peristaltic Injector 26 Flex Track 17 Floatkeepers 59 Floats, Handi-Lock 59 Floats, Polyethylene 59 Floor Coverings 17–19 Floorline Water Polo Mat 92 Flotation Belt 152–154, 156 Flow Indicators 25, 102 Flow Meter 102, 103 Flow Switch 103 FlowVis Flow Meter 101 Foam Down 29 Foam Lite 12 Fox 40 Whistle 50 Frames and Grates 97, 98 Fulcrum Cover Pad 77 Gauges, Pressure 119 Gauges, Vacuum 119 Gecko Kickboard 155 Gemini Pool Cleaner 3 GLB Pool Chemicals 27–29 Glove, Chemical 38 Gloves, Swim 153, 156 Goals, Water Polo 92 Goggles, Safety 38 Goggles, Swim 157–160 Grab Rails 60, 62, 63 Grates, Drain 98 Grating 106, 107 Griff's Guard Station 55 Grosfillex Furniture 134-137 Guard Chairs 53-57 Gutter Drains 99 Gutters, Stainless Steel 104, 105 Hammerhead Pool Cleaner 4 Hand Bars 152–154, 156 Handi-Lock Floats 59 Handles 7

Handrail Covers 60 Handrails 60, 62, 63 Hayward Skimmers 100 Head Immobilizer 43 Heaters, Pool 122–124 Heatsavr Liquid Pool Cover 31 Heaving Lines 46 Heronrib Matting 19 Hideaway Bench 148 Hilti Anchor Kit 78 Hi-Rate Sand Filter 114 HM Digital Meters 37 Hook, Pole Hook, Ring Buoy 46 Hook, Rope 59 Hook, Safety 47 Horizontal Sand Filter 115 Horn, Safety 50 Hose, Discharge 5 Hose Hugger 6 Hose Reel, Stainless Steel 6 HydroShot Basketball 93 Hydrostatic Relief Valve 99 IGAT Deluxe Pool Lift 68 Immobilizer, Head 43 Infinity Start System 85 Inflatables 162, 164, 165 Inlet Fittings 102, 104, Inlet Fittings 100 Innertubes 164, 165 Insta-Test Strips 35 Intellichem Controllers 22 Intellichlor Salt Chlorine 25 IntelliFlo VS+SVRS Pump 108 IntelliFloXF VSF Pump 108 IST Timing Systems 89 Junction Box 127 Kickboards 155, 160 Kickboard Wall Rack 155 Kneadatite 12 Koala Bear Kare 143 Ladder Bumpers 61 Ladders 61-63 Ladder Treads 61 LaMotte Test Kits 34 Landing Pad, Slide 74 Lanyards 51 Latex Caps 159, 160 Laundry Bags, Mesh 145 Leaf Eater 8 Leaf Rake 8 Leaf Skimmer 3,8 Legionella Test Kit 34 Lenses, Pool Light 127 Lifeguard Apparel 49 Lifeguard Chairs 53-57 Lifeguard Pack 44 Lifeguard Umbrellas 58 LIFE Oxygen Pac 38 Life Ring Cabinet 46 Life Rings 46 Life Vests 52 Lifts, Pool Access 64-69 Lightning Detector 51 Lights 126, 127 Lily Pad Tube 165 Lily Pad Tubes 165 LMI Chemical Metering Pumps 23 Lockers 145 Lumiso Pooltest Meters 36 Lycra Bathing Caps 157, 159 Lycra Caps 159 Magnum Pool Cleaners 3 Main Drain 96, 97 Maintenance Kits 5 Manikin, Training 45 Marlow Pumps 112 Mask, Pocket Rescue 44 Mats, Waterpark 165 Matting, Aquatic Surface 18 Max-E-Therm Heater 122 Maytronics Pool Cleaners 2 Merlin Safety Covers 125

Message Center, Outdoor 139 Metering Pumps 23, 24, 26 Meters, Testing 37 Mighty 67 Mighty Lifts 67 Mighty Voyager Lift 66 Mikasa Water Polo 92 Missing Linx Pole Hangers 7 Mixers 23 Mobile Aquatic Chair 72 Modulating Float Valve 121 Motion Trek Lifts 69 Mr. Scrubber 10 Multi-Grip Disk 162 Multi-Lift 65 Multiport Valves 116 Natural Chemistry 30, 31 Natural Clear 29 Noodles 161 Nordesco Fitness Gear 155 Nose Clips 157 Odyssey Polo Goal 92 Olympic Pool Coatings 14–16 ORP Meter 37 Otter Signs 41 Otter Swimming Scoreboards 84 Oxy-Brite 28 Oxygen, Emergency 38 Ozone Systems 121 Pace Clocks 84, 87, 89 Paco Pumps 111 Paddles, Training 160 Paint 13–16 Palintest 36 PAL Portable Aquatic Lift 64 Parts, Eureka Filters 114 Parts, LaMotte Test Kits 35 Parts, Lights 127 Parts, Taylor Test Kits 33 Patio Tones 16 PEM Aquatic Matting 18 Pennants 88 Pentair Filters 115, 116 Pentair Pool Heaters 122 Pentair Pumps 108–110 Peristaltic Pumps 24, 26 Permaseal 12 pH Meter 37 phosREMOVE 30 Picnic Tables 129 Pins, Checking 143 Plastex Matting 19 Plastic Lockers 145 Platforms, Swim Training 166 Play Rafts 162 Plugs 99 Pocket Mask 44 Pole Hangers 7 Poles 7 Polo Ball 92 Polo Goals 92 Polo Tube 92 Polyethylene Floats 59 Pool Blaster 4 Pool Cleaners, Automatic 2, 3 Pool Cover, Liquid 31 Pool Covers 125 Pool Float 151 Pool Hook 47 Pool Perfect 30 Pool Repair Products 12 Pool Shot Water Basketball 95 Poolshower 146 Pool Signs 39–41 Pooltest Test Meters 36 Porta Stream Eyewash Station 38 Pox-o-fill 12 Premier Polysteel 128, 129 Pressure Gauge 119 Pressure Washer 11 Primer, Epoxy 14 Pro Series Enzymes 30 Protective Coatings 10 ProVac Vacuum Heads 6 PS Series Strainers 112

Public Address System 85, 89 Pull Buoys 154, 155, 160 Pull Floats 152 Pulsatron Feeders 26 Pump Cart 5 Pump, Portable 5 Pumps, Centrifugal 111, 112 Pumps, Commercial 108–112 Pumps, Metering 23, 24, 26 Pump, Submersible 109 PureWhite LED Light 126 Purifiber DE Alternative 117 PVC Grating 107 Quikblox Starting Platforms 79 Racing Lanes 86, 90 Racing Lane Storage 87, 91 Rafts, Foam 162, 163 Rafts, Waterpark 165 Rails, Stainless Steel 60, 62 Rails, Vinyl 63 Rakes, Leaf 8 Ramps 71 Ramuc Paints 13 Ranger 2 Lift 66 Raypak Heaters 123, 124 Reagents 33, 35, 36 Recall Rope 88 Recessed Steps 63 Reducers 113 Reel, Pool Cover 125 Reel, Racing Lane Storage 87, 91 Reel, Vacuum Hose 6 Regulatory Buoy 58 Relay Judging Platforms 84 Rescue Key 45 Rescue Mask 44 Rescue Throw Bag 47 Rescue Tube Cover 47 Rescue Tubes 47 Resistance Tubing 156 Return Fittings 100 Ring Buoys 46 Ring Buoy Wall Hook 46 Rock Solid Anchor 83 Rolachem Flow Meter 102 Rope 59 Rope Clamp 59 Rope Floats 59 Rope Hook 59 Rubber Based Coatings 13, 15 Rust Free, Boeshield 10 Safety Covers, Pool 125 Safety-Grip Handrail Covers 60 Safety Horn 50 Safety Pool Hook 47 Safety Track 17 Safety Vacuum Release 101 Saftron Vinyl Rails 63 Sand Filter, Hi-Rate 114 Sand Filters 114–116 Scale 146 Scoreboards 84 Scotch-Brite Pads 10 Scout Excel Lift 67 SeaKlear 31 Seat, Lifeguard Chair 55 Seat-N-Stor 148 Sensors, pH/ORP 21, 22 Sequa-Sol 29 Serpents 161 Shirts, Guard 49 Shock 28 Shower, Pool 146 Sight Glasses 116 Signs 39-41 Silicone Caps 157, 159 Skimmer 100 Skimmer, Leaf 3, 8 Slalom Game 161 Slide Landing Pad 74 Slide Maintenance 75 Slides 73, 74 Snorkels 159 Snyder's Training Manikin 45

Soda Ash 28

Solar Charging Station for Lifts 67 Solenoid Valve 120 Solution Tanks 23 Solvent 13, 14 Spa Blower 100 . Spa Lifts 68 Spa Perfect 30 Spartan Leaf Rakes 8 Spectra Clean Systems 10 Spectrum Pool Access Lifts 69 Speedo Fitness Gear 153 Speedo Goggles 158, 159 Speedo Guard Apparel 48 Spineboard 42, 43 Spin Touch Lab 35 Splash! Lift 64 Splash & Slam Basketball 94 Sprayer, Acid 11 S.R. Smith Access Lifts 64, 65 Stain Magnet 29 Stair Rails 60 Stanchion Posts 88 Stanchion Sockets 88 Sta-Rite Max-E-Therm Heater 122 Sta-Rite Pumps 110 Starting Platforms 79–83 Stenner Peristaltic Pumps 24 Stenner Tank Systems 23 Steps, Access 70, 71 Steps, Recessed 63 Stopwatches 89 Stopwatch Timing System 85 Storage Equipment 147, 148 Storage Rack, Life Vest 52 Storage Rack, Life Ves Strainer Baskets 113 Strainers 112, 113 Straps, Body 42, 43 StrechCordz 156 Strike Alert 51 Submersible Pump 109 Suction Outlet 98, 99 Suitmate 146 Sumps 96 Sunblock 49 Super Convoy Deck Coating 16 Super EZ Pool Lift 68 Super Lube 121 Super Soft Fitness Gear 153 Super Soft Life Vest 52 Supertensioner 91 SuperTuf Cartridge 118 Surface Cleaners 11 Surface Preparation 11, 12 Swim Bar 152, 153 Swim Belt 152–154, 156 Swim Caps 157, 159, 160 Swimclock 89 Swim Lift 69 Swim N' Dunk Basketball 93 Swim N' Spike Volleyball 95 Swim Safe ID Neck Bands 51 Swimstart 89 Swim Station 166 Swimsuit Dryer 146 Swim Teacher 153 Swim Training Platforms 166 System 3 Filtration 119 Tables, Picnic 129 Tablets, Testing 35, 36 Tags, Checking 143 Tailwind Furniture 138 Tailwind Lifeguard Chairs 53 Tally Counter 89 Tanks, Solution 23 Taylor Liquid Reagents 33 Taylor Test Kits 32 TDS Meter 37 Test Kits 32, 34 Test Meters 36, 37 Test Strips 35 Texacraft Furniture 130–133 Thermal Pool Cover 125 Thermolastic 12 Thermometer, In Line 124 Thermometer, Pool 124

Thinner 13, 14 Tiles, Aquatic Flooring 17, 19 Tiles, Message 39 Timers 87 Timer Switch 101 Tip N' Roll Bleacher 144 TLC 29 Totemaster 147 Touchpads 84 Towel Valet 137 Towers, Diving 76 Tracer Pocketester 37 Training Platform 166 Trampolines, Aquatic 151 Transfer System, ADA 71 Trash Receptacles 129 Trauma Bags 45 Treadmill 151 Treads, Ladder 61 Tread Spread 17 Tri-Sodium Phosphate (TSP) 11 Tube Pro 164, 165 Tubing 25 Turtle Kickboard 155 U-3 Skimmer 100 Ultramax XL 3 Ultrapen 37 Ultra TUFF Deck Coating 16 Umbrella 58, 135, 140–142 Umbrella Ring Guide 55 Utility Buoy 58 UV Disinfection 25 Vac-Alert SVRS 101 Vacuum, Filter 5 Vacuum Gauge 119 Vacuum Hose 6 Vacuum Hose Hook 7 Vacuum Limit Switch 101 Vacuum, Pool 4, 5 Vacuum Pump Cart 5 Valve, Ball 121 Valve, Butterfly 120 Valve, Modulating Float 121 Valve, Multiport 116 Valve, Solenoid 120 Vanquisher Goggles 158 Vapor Shield 23 Variable Frequency Drive 111 VGB Act Compliance 96-101, 108 Visors, Guard 49 Volleyball, Water 94, 95 Vortex Slide 73 Vulkem Sealant 12 Wading Pool Ramp 71 Wall Whale 9 Waste Receptacles 129 Water Bells 152 Water Broom 11 Water Co Filters 115 Water Fan Paddles 154 Water Gear Goggles 157 Water Level Controller 101 Waterlink Spin Touch 35, 37 WaterLink Spin Touch 35 Waterpark Mats 165 Waterpark Tubes 164, 165 Water Polo Ball 92 Water Stop Fitting 99 Wave Pool Cleaners 2 Wheel Chairs 72 WhisperFlo Pumps 109 Whistles 50 Winston Contract Furniture 133 Wooden Handles 7 Workout DVD 156 Wristbands 143 Wysiwash 11 Yoga & Fitness Boards 149

6

Warehouse Locations



Recreation Supply Company has distribution centers in Bismarck, ND, North Haven, CT, and Bourbon, MO, giving us the ability to get supplies to commercial aquatics facilities in much of the country faster than ever before! We are now able to get our products to 72% of the U.S. population in 2 days or less by standard ground shipping services.

Note:

Actual ship time may vary depending on choice of carrier, service level, and stock status of products purchased.

FedEx is our primary ground and air shipping carrier.

We also use **USPS First Class** or **Priority Mail** for shipment of smaller packages. Typical shipping time for these shipments is 1 to 3 days.

If you have time-critical needs, please contact us to discuss available options and costs. We will do our best to get you what you need, when you need it, and at the least cost to you that we can.



Terms and Conditions of Sale

Payment Methods:

Upon review of a properly completed credit application, credit may be established with Net 30 terms. A service charge of 1½% per month is charged on invoices over 30 days old. Alternate methods of payment include payment in advance by check or money order (please allow up to 2 weeks for personal checks to clear) or payment in advance by credit card (Visa, Master Card, Discover, American Express).

If it is one of your first times ordering from us and you are paying by credit card, your order must ship to the billing address of your chosen payment method. We will contact you if we are unable to ship to the address you provided. This policy exists to reduce fraudulent orders and protect our customers. If you prefer not to pay for an item until after it ships, or if your order must ship to a different address than your billing address, consider applying for Net 30 payment terms by submitting a completed credit application.

Additional Charges for Premium Truck Delivery Services:

- Expedited services such as Next Day and Second Day service Quote on Request
- Truck Shipments to addresses designated residential or limited access (military, school, etc.) varies, approximately \$40 to \$125
- Truck Shipments requiring inside delivery or a lift gate varies, approximately \$75 to \$125

Prices and Freight:

All prices are stated in US Dollars. Due to market conditions, prices are subject to change without notice. Current prices are available at www.recsupply.com. Where quantity price breaks are given, prices are per unit. Shipping terms are FOB origin.

Next Day, Second Day, or other special handling for rush shipments is available on request at the purchaser's expense. Please provide a delivery contact name and telephone number with your order.

Taxes:

Sales tax will be collected in states in which we are required to collect it. Shipments to those states will be charged applicable Sales Tax unless purchaser furnishes acceptable tax exempt certification prior to purchase. No item prices include sales tax.

Freight and Freight Claims:

Product is shipped FOB Origin. Our primary carriers are FedEx and USPS. Truck shipments may require assistance unloading and will require a signature. It is your responsibility to inspect your goods immediately upon receipt. Freight companies have strict policies regarding damaged freight. Recovery claims must be filed with the carrier by the purchaser within the time limit allowed by such carrier. The loss or damage claim should be noted on the original copy of the freight bill by the receiver. If you sign for a damaged package without noting the damage at the time of delivery, they will often not allow the claim. Please make sure you inspect your packages before accepting them. RSC is not responsible for goods damaged or lost in transit. We will gladly help customers establish any just claim for damaged goods. Contact us immediately for assistance with damaged shipments.

Returns:

Products being returned for credit must be accompanied by a Return Authorization Number and proof of purchase (e.g., an invoice or packing slip). A Return Authorization Number may be obtained by calling customer service at (800) 437-8072. The Return Authorization Number must be written on the outside of each package of goods being returned. Returns must be sent freight prepaid. All returned merchandise must be in original packaging and in new condition. Returns must pass inspection at our facilities prior to issuance or credit. Authorized returns in original condition may be subject to a restocking fee. Shipping and handling charges are not eligible for credit. Orders for custom merchandise or special orders cannot be canceled once processed. Certain items may not be returned for credit. This list includes, but is not limited to: inflatables that have been inflated, special-ordered sizes or colors, and paint types or colors that are not commonly stocked by RSC. Merchandise will no longer be considered for return 30 days after the invoice date for the product. Many item-specific return policy details are now published on product pages at RecSupply.com.

Warranty:

All products are covered by manufacturers' warranties and are the sole responsibility of the manufacturers. No warranties, express or implied, are made by RSC or any of our agents.

Hours:

Monday through Friday 8:00 a.m. to 6:00 p.m. Eastern Time Phone: Toll Free (800) 437-8072. International (701) 222-4860 Fax available 24 hours a day. Fax: (800) 850-0262. Internet Website available 24 hours a day. http://www.recsupply.com Email: sales@recsupply.com

© 2021 Recreation Supply Company, Inc. Rex the Rec Supply Otter and related original artwork contained herein and on the cover is the sole property of Recreation Supply Co., Inc. and may not be reproduced in any way without the express written consent of Recreation Supply Co., Inc. Unauthorized reproduction of the contents of this catalog is strictly prohibited.

Microsoft product screen shots reprinted with permission from Microsoft Corporation

ROUTE TO AQUATICS BUYER

Headquarters: Recreation Supply Company PO Box 2757 Bismarck, ND 58502-2757

CURRENT OCCUPANT OR

PRSRT STD U.S. POSTAGE PAID Bismarck, ND Permit No. 419





CALL NOW! 1.800.437.8072

Serving Commercial Pools since 1980 • www.recsupply.com